

Product	Material Description	PG	Price in EUR	Valid from
10155	Screw kit to anti-rotation stud	S2	0.3	3/1/2015
10196	Protective bag neutral big	S2	1.3	3/1/2015
10408	Prisma Stuttgart	S0	8.3	3/1/2015
10410	Linear drive adapter	S2	41.9	3/1/2015
11097-00001	bushing 4-6, 8-10 for terminalcover	S2	1.3	3/1/2015
11484	Clamp cpl. AF EU	S2	19.3	3/1/2015
11523-00001	crank handle 40mm	S3	1.7	3/1/2015
11566	Anti-rotation clip NM-M/LM Trox	S2	3.4	3/1/2015
12162-00001	crank handle 70mm	S2	1.8	3/1/2015
12595-00001	Anti rotation kpl. LM/NM	S2	2.7	3/1/2015
12596-00001	Anti rotation kpl. SM/GM	S2	3.0	3/1/2015
12596-00002	Anti rotation kpl. AF/NF	S2	2.6	3/1/2015
13103-00001	KR, CCV, M4+M5 kit	S5	2.3	3/1/2015
13547-00001	Connection cable 24V Td 3x0.75mm2	S3	10.8	3/1/2015
13548-00001	Conn. cable sensor Td 6x0.75mm2	S3	13.4	3/1/2015
20338-00001	L anti-rot.BKT Trox compact	S4	1.2	3/1/2015
21841-00002	Position Indicator for BF	S3	1.50	3/1/2015
22166	AF..Crank arm (Order x 100's)	S2	5.5	3/1/2015
99981-00104	MF/MP/MFT Configuration charge	S4	39.7	3/1/2015
99981-00105	Tagging Charge (actuator+packing)	S0	34.4	3/1/2015
99981-00106	Mounting charge / Exchange of Monting	S0	31.4	3/1/2015
99981-00107	Printing Customer Logo b&w (charge)	S0	89.8	3/1/2015
99981-00108	Charge for Customer packing + Labeling	S0	26.2	3/1/2015
99981-00109	Charge for pallet label 140x95mm	S0	5.2	3/1/2015
99981-00110	Mounting + consumable material	S0	9.0	3/1/2015
99981-00112	Charge for cable cutting	S0	12.7	3/1/2015
99981-00115	Engineering Shared Logic	S0	104.8	3/1/2015
99981-00156	KVS value adjustment for Q-Actuators	S0	4.5	3/1/2015
ADS-100	ANALOGUE TO DIGITAL SWITCH	S2	187.1	3/1/2015
AH-20	Actuator arm	S2	10.4	3/1/2015
AH-25	Actuator arm	S2	10.4	3/1/2015
AH-GMA	Actuator arm	S2	18.3	3/1/2015
AH-TF	Actuator arm	S2	16.5	3/1/2015
AV10-18	Shaft extension	S2	38.9	3/1/2015
AV12-25-I	Shaft extension 250 mm for INOX	S2	43.4	3/1/2015
AV230-3-R	Linear act. AV230-3	S6	705.6	3/1/2015
AV24-3-R	Linear act. AV24-3 Retrofit	S6	686.9	3/1/2015
AV24-MFT	Linear act. 24V MFT 40mm 2500N	S6	774.4	3/1/2015
AV24-MFT-T VTS	Linear act. AV24-MFT-T VTS	S6	774.4	3/1/2015
AV24-MFT2-R	Linear act. 24V MFT2 50mm 2500N retrofit	S6	797.6	3/1/2015
AV6-20	Shaft extension 170 mm	S2	34.6	3/1/2015
AV8-25	Shaft extension 250 mm	S2	38.9	3/1/2015
AVK230A-3	Linear act. AC 230V 2000N	S6	1,040.8	3/1/2015
AVK230A-3-RE	Globe valve act. AC 230V, 2000N	S6	1,257.8	3/1/2015
AVK24A-3-RE	SuperCap globe valve act. AC/DC 24V, 200	S6	1,257.8	3/1/2015
AVK24A-3-TPC	Globe v. act. AC 24V 2000N	S6	1,043.8	3/1/2015
AVK24A-MP-RE	SuperCap globe valve act. AC/DC 24V, 200	S6	1,444.8	3/1/2015
AVK24A-MP-TPC	Linear act. AC/DC 24V 2000N MP	S6	1,230.8	3/1/2015
AVK24A-SR-TPC	Linear act. AC/DC 24V 2000N SR	S6	1,126.8	3/1/2015
AVK24A-SZ-TPC	Linear act. AC/DC 24V 2000N SZ	S6	1,126.8	3/1/2015
AVK24ALON	Linear act. AC/DC 24V 2000N LON	S6	1,407.4	3/1/2015
AVY24-MFT-R	Linear act. AVY24 MFT retrofit	S6	792.4	3/1/2015
AVY24-MFT-R-C105	Linear act. 24V MFT retrofit switch	S6	820.1	3/1/2015
B322	"1"" 3-way CCV SS ball Cv 7.4"	S5	178.1	3/1/2015
B348	"2"" 3-way CCV SS ball Cv 37"	S5	366.6	3/1/2015
C215Q	"2-W zone valve DN15 RP1/2"" KVS 0.25-4	S5	31.4	3/1/2015
C215Q.1	"2-W zone valve DN15 RP1/2"" KVS 0.25-4	S5	30.7	3/1/2015

C215QP-B	PIQCV DN15, 0.06 l/s	S5	123.5	3/1/2015
C215QP-D	PIQCV DN15, 0.11 l/s	S5	123.5	3/1/2015
C215QPT-B	PIQCV DN15, 0.06 l/s, with P/T ports	S5	149.6	3/1/2015
C215QPT-D	PIQCV DN15, 0.11 l/s, with P/T ports	S5	149.6	3/1/2015
C220QP-F	PIQCV DN20, 0.25 l/s	S5	153.4	3/1/2015
C220QPT-F	PIQCV DN20, 0.25 l/s, with P/T ports	S5	179.6	3/1/2015
CCV-EXT-KIT	Extension for ball valves mounting	S5	160.9	3/1/2015
CCV-EXT-M4	Extension for ball valves mounting	S5	157.9	3/1/2015
CH230-L100.2	Linear act. CH230 100 IP54	S2	127.9	3/1/2015
CH24-L100.2	Linear act. CH24 100 IP54	S2	124.2	3/1/2015
CH24-L60.2	Linear act. CH24 60 IP54	S2	124.2	3/1/2015
CH24-SR-L100.2	Linear act. CH24-SR 100 IP54	S2	174.3	3/1/2015
CH24-SR-L60.2	Linear act. CH24-SR 60 IP54	S2	174.3	3/1/2015
CH24-SR-R100.2	Linear act. CH24-SR 100 IP54	S2	174.3	3/1/2015
CH24-SR-R60.2	Linear act. CH24-SR 60 IP54	S2	174.3	3/1/2015
CH24-SX-R40.2	Linear act. CH24-SX-R 40 IP54	S2	181.8	3/1/2015
CM230-F-L	Damper act. 2 Nm CM230 IP54 F	S2	108.5	3/1/2015
CM230-F-L.2	Gearbox CM230 IP54 F	S2	103.3	3/1/2015
CM230-F-L/150.2	Damper act. CM230 IP54 F L /150	S2	107.0	3/1/2015
CM230-F-R	Damper act. 2 Nm CM230 IP54 F R (cw)	S2	108.5	3/1/2015
CM230-F.2 LM	Gearbox CM230 IP54 F	S2	114.5	3/1/2015
CM230-F10-R.2	Actuator CM230 F10 R (cw) IP54	S2	103.3	3/1/2015
CM230-L	Damper act. 2 Nm CM230 IP54	S2	111.5	3/1/2015
CM230-L-100D.2	Actuator with damper 230V O/C L DN100	S2	149.6	3/1/2015
CM230-L-125D.2	Actuator with damper 230V O/C L DN125	S2	151.9	3/1/2015
CM230-L-150D.2	Actuator with damper 230V O/C L DN150	S2	153.4	3/1/2015
CM230-L-160D.2	Actuator with damper 230V O/C L DN160	S2	154.9	3/1/2015
CM230-L.2	Gearbox CM230 IP54	S2	107.0	3/1/2015
CM230-R	Damper act. CM230 O/C 3-P cw IP54	S2	111.5	3/1/2015
CM230-R.2	Damper act. CM230-R.2 IP54	S2	107.0	3/1/2015
CM230G-L	Damper act. CM230 O/C 3-P ccw IP66	S2	119.7	3/1/2015
CM230G-R	Damper act. CM230 O/C 3-P cw IP66	S2	119.7	3/1/2015
CM24-F-L	Damper act. CM24 IP54 F	S2	104.0	3/1/2015
CM24-F-L.2	Gearbox CM24 IP54 F	S2	99.5	3/1/2015
CM24-L	Damper act. CM24 IP54	S2	107.7	3/1/2015
CM24-L-100D.2	Actuator with damper 24V O/C L DN100	S2	145.2	3/1/2015
CM24-L-150D.2	Actuator with damper 24V O/C L DN150	S2	148.9	3/1/2015
CM24-L-160D.2	Actuator with damper 24V O/C L DN160	S2	150.4	3/1/2015
CM24-L.2	Gearbox CM24 IP54	S2	102.5	3/1/2015
CM24-R	Damper act. CM24 O/C cw IP54	S2	107.7	3/1/2015
CM24-SR-F-L	Damper act. CM24-SR-T-L IP54 F8	S2	153.4	3/1/2015
CM24-SR-F-R	Damper act. CM24-SR-R IP54 F8	S2	153.4	3/1/2015
CM24-SR-F-T-L	Damper act. CM24-SR-T-L IP20 F8	S2	148.1	3/1/2015
CM24-SR-F-T-L.2	Gearbox CM24-SR-T-L IP20 F8	S2	143.7	3/1/2015
CM24-SR-F-T-R	Damper act. CM24-SR-T-R IP20 F8	S2	148.1	3/1/2015
CM24-SR-L	Damper act. CM24-SR-L IP54	S2	157.1	3/1/2015
CM24-SR-L-100D.2	Actuator with damper 24V SR L DN100	S2	194.5	3/1/2015
CM24-SR-L-125D.2	Actuator with damper 24V SR L DN125	S2	196.8	3/1/2015
CM24-SR-L-150D.2	Actuator with damper 24V SR L DN150	S2	198.3	3/1/2015
CM24-SR-L-160D.2	Actuator with damper 24V SR L DN160	S2	199.8	3/1/2015
CM24-SR-L-C155	Damper act. CM24-SR-L 130° IP54	S2	157.1	3/1/2015
CM24-SR-R	Damper act. CM24-SR-R IP54	S2	157.1	3/1/2015
CM24-SR-R.2	Gearbox CM24-SR-R IP54	S2	151.9	3/1/2015
CM24-SR-T-L	Damper act. CM24-SR-T-L modul. IP20	S2	151.1	3/1/2015
CM24-SR-T-R	Damper act. CM24-SR-T-R modul. IP20	S2	151.1	3/1/2015
CM24-T-L	Damper act. CM24-T O/C 3-pt. IP20	S2	101.8	3/1/2015
CM24-T-L.2	Damper act. 24V 18in-lb Float IP20	S2	97.3	3/1/2015
CM24-T-R	Damper act. CM24-T O/C 3-pt. IP20	S2	101.8	3/1/2015

CM24G-L	Damper act. CM24 O/C ccw IP66	S2	116.0	3/1/2015
CM24G-R	Damper act. CM24 O/C cw IP66	S2	116.0	3/1/2015
CM24G-SR-L	Damper act. CM24 SR ccw IP66	S2	165.4	3/1/2015
CM24G-SR-R	Damper act. CM24 SR cw IP66	S2	165.4	3/1/2015
CM24K-F-T-L.2	#N/A	S2	93.5	3/1/2015
CM24K-F-T-R.2	Damp.act. CM24K-R, F, T, O/C IP20	S2	93.5	3/1/2015
CM24K-T-L.2	#N/A	S2	97.3	3/1/2015
CM24K-T-R.2	Damp.act. CM24K-R, T, O/C, IP20	S2	97.3	3/1/2015
CMV-100-MP	Actuator CM-VAV with damper DN100	S4	314.3	3/1/2015
CMV-100-MP.2	Actuator CM-VAV with damper DN100	S4	312.0	3/1/2015
CMV-125-MP	Actuator CM-VAV with damper DN125	S4	316.5	3/1/2015
CMV-125-MP.2	Actuator CM-VAV with damper DN125	S4	314.3	3/1/2015
CMV-150-MP	Actuator CM-VAV with damper DN150	S4	318.0	3/1/2015
CMV-150-MP.2	Actuator CM-VAV with damper DN150	S4	315.8	3/1/2015
CMV-160-MP	Actuator CM-VAV with damper DN160	S4	319.5	3/1/2015
CMV-160-MP.2	Actuator CM-VAV with damper DN160	S4	317.2	3/1/2015
COU24-A-MP	Optimizer VAV	S4	549.2	3/1/2015
CQ230A	Zone actuator, 230V, 2 or 3 point	S5	92.8	3/1/2015
CQ230A-T	Zone actuator, 230V, 2 or 3 point, T	S5	90.5	3/1/2015
CQ230A-T.1	Zone actuator, 230V, 2 or 3 point, T	S5	89.0	3/1/2015
CQ230A.1	Zone actuator, 230V, 2 or 3 point	S5	91.3	3/1/2015
CQ24A	Zone actuator, 24V, 2 or 3 point	S5	81.6	3/1/2015
CQ24A-MPL	Zone actuator, 24V MPL	S5	81.6	3/1/2015
CQ24A-MPL-T	Zone actuator, 24V MPL, T	S5	79.3	3/1/2015
CQ24A-MPL-T.1	Zone actuator, 24V MPL, T	S5	77.8	3/1/2015
CQ24A-MPL.1	Zone actuator, 24V MPL	S5	80.1	3/1/2015
CQ24A-SR	Zone actuator, 24V modulating 2-10V	S5	81.6	3/1/2015
CQ24A-SR-T	Zone actuator, 24V modulating 2-10V, T	S5	79.3	3/1/2015
CQ24A-SR-T.1	Zone Actuator, 24V, 2 or 3 point	S5	77.8	3/1/2015
CQ24A-SR.1	Zone actuator, 24V modulating 2-10V	S5	80.1	3/1/2015
CQ24A-SZ	Zone actuator, 24V Modulating 0.5..10V	S5	81.6	3/1/2015
CQ24A-SZ-T	Zone actuator, 24V Modulating, 0.5-10V, T	S5	79.3	3/1/2015
CQ24A-SZ-T.1	Zone actuator, 24V Modulating 0.5-10V, T	S5	77.8	3/1/2015
CQ24A-SZ.1	Zone actuator, 24V Modulating 0.5-10V	S5	80.1	3/1/2015
CQ24A-T	Zone actuator, 24V, 2 or 3 point, T	S5	79.3	3/1/2015
CQ24A-T.1	Zone actuator, 24V, 2 or 3 point, T	S5	77.8	3/1/2015
CQ24A.1	Zone actuator, 24V, 2 or 3 point	S5	80.1	3/1/2015
CR24-A1	Room temperature controller	S4	175.1	3/1/2015
CR24-A2	Room temperature controller	S4	196.0	3/1/2015
CR24-A3	Room temperature controller	S4	229.0	3/1/2015
CR24-B1	Room temperature controller	S4	183.3	3/1/2015
CR24-B1C1	Room temperature controller CR24-B1C1	S4	215.5	3/1/2015
CR24-B2	Room temperature controller	S4	203.5	3/1/2015
CR24-B2E	Room temperature controller, 2 se	S4	203.5	3/1/2015
CR24-B3	Room temperature controller	S4	237.2	3/1/2015
CRA24-B1P	Raumtemperatur-Regler CRA24-B1P	S4	122.7	3/1/2015
CRA24-B3	Room temp. controller CRA24-B3	S4	213.2	3/1/2015
CRA24-B3P	Raumtemperatur-Regler CRA24-B3P	S4	213.2	3/1/2015
CRK24-B1	Room temperature controller	S4	194.5	3/1/2015
CRP24-B1	Position indicator CRP24-B1	S4	103.3	3/1/2015
CRZA-A	Spare cover for single room contr	S4	29.2	3/1/2015
CRZA-B	Spare cover for single room contr	S4	37.4	3/1/2015
CRZW	Spare wall socket for single room	S4	41.9	3/1/2015
D6100N	2-Way BFV DN100 KVS 580	S5	236.4	3/1/2015
D6100NL	2-Way BFV DN100 KVS 580 PN16 Lug	S5	272.4	3/1/2015
D6125N	2-Way BFV DN125 KVS 820	S5	268.6	3/1/2015
D6125NL	2-Way BFV DN125 KVS 820 PN16 Lug	S5	313.5	3/1/2015
D6150N	2-Way BFV DN150 KVS 1600	S5	294.1	3/1/2015

D6150NL	2-Way BFV DN150 KVS 1600 PN16 Lug	S5	337.4	3/1/2015
D6200N	2-Way BFV DN200 KVS 2900	S5	461.7	3/1/2015
D6200NL	2-Way BFV DN200 KVS 2900 PN16 Lug	S5	536.5	3/1/2015
D6250N	2-Way BFV DN250 KVS 4400	S5	685.4	3/1/2015
D6250NL	2-Way BFV DN250 KVS 4400 PN16 Lug	S5	821.5	3/1/2015
D625N	2-Way BFV DN25 KVS 45	S5	94.3	3/1/2015
D625NL	2-Way BFV DN25 KVS 45 PN16 Lug	S5	110.7	3/1/2015
D6300N	2-Way BFV DN 300 KVS 7300	S5	993.6	3/1/2015
D6300NL	2-Way BFV DN300 KVS 7300 PN16 Lug	S5	1,222.6	3/1/2015
D632N	2-Way BFV DN32 KVS 55	S5	102.5	3/1/2015
D632NL	2-Way BFV DN32 KVS 55 PN16 Lug	S5	118.2	3/1/2015
D6350N	2-Way BFV DN350 KVS 10900	S5	1,329.6	3/1/2015
D6350NL	2-Way BFV DN350 KVS 10900 PN16 Lug	S5	1,589.2	3/1/2015
D6400N	2-Way BFV, DN400, kv max. 14200	S5	2,136.9	3/1/2015
D6400NL	2-Way BFV DN400 kv max. 14200	S5	2,457.2	3/1/2015
D640N	2-Way BFV DN40 KVS 70	S5	112.2	3/1/2015
D640NL	2-Way BFV DN40 KVS 70 PN16 Lug	S5	129.4	3/1/2015
D6450N	2-way BFV DN450 kv max 18800	S5	3,500.2	3/1/2015
D6450NL	2-way BFV DN450 kv max. 18800	S5	4,769.9	3/1/2015
D6500N	2-way BFV DN500 kv max. 24100	S5	5,312.4	3/1/2015
D6500NL	2-way BFV DN500 kv max 24100	S5	6,633.0	3/1/2015
D650N	2-Way BFV DN50 KVS 90	S5	120.5	3/1/2015
D650NL	2-Way BFV DN50 KVS 90 PN16 Lug	S5	145.2	3/1/2015
D6600N	2-way BFV DN600 kv max 37300	S5	8,808.1	3/1/2015
D6600NL	2-way BFV DN600 kv max. 37300	S5	9,792.7	3/1/2015
D665N	2-Way BFV DN65 KVS 180	S5	139.2	3/1/2015
D665NL	2-Way BFV DN65 KVS 180 PN16 Lug	S5	164.6	3/1/2015
D6700N	2-Way BFV DN700 kv max. 42800	S5	14,288.1	3/1/2015
D6700NL	2-Way BFV DN700 kv max. 42800	S5	16,730.3	3/1/2015
D680N	2-Way BFV DN80 KVS 300	S5	183.3	3/1/2015
D680NL	2-Way BFV DN80 KVS 300 PN16 Lug	S5	215.5	3/1/2015
DGR230A-7	Dual valve actuator AC 230V, 60 Nm, O/C	S5	661.4	3/1/2015
DGR24A-7	Dual valve actuator AC 24V, 60 Nm, O/C	S5	661.4	3/1/2015
DGR24A-MF-7	Double valve act. AC/DC 24V, 80 Nm, MF	S5	861.2	3/1/2015
DGR24A-SR-7	Dual valve act. AC/DC 24V, 60 Nm, mod.	S5	826.0	3/1/2015
DGR24A-TP-7	Dual rotary actuators 24V 60 Nm On-Off	S5	661.4	3/1/2015
DR230A-7	Valve act. AC/DC 24V, 90 Nm, O/C, IP54	S5	661.4	3/1/2015
DR24A-7	Rotary act. AC/DC 24V, 90Nm, O/C, IP54	S5	661.4	3/1/2015
DR24A-MP-7	Valve act. AC/DC 24V, 90 Nm, MP, IP54	S5	882.9	3/1/2015
DR24A-SR-7	Valve act. AC/DC 24V, 90 Nm, mod., IP54	S5	826.0	3/1/2015
DR24A-TP-7	Rotary act. AC/DC 24V, 90Nm, O/C, IP54	S5	661.4	3/1/2015
DRC24A-7	Rotary act. AC/DC 24V, 90Nm, O/C, IP54	S5	733.3	3/1/2015
DRC24A-TP-7	Rotary act. AC/DC 24V, 90Nm, O/C, IP54	S5	733.3	3/1/2015
DRC24G-7	Rotary act. AC/DC 24V, 90Nm, O/C, IP66	S5	924.1	3/1/2015
DRC24G-T-7	Rotary act. AC/DC 24V, 90Nm, O/C, IP66	S5	924.1	3/1/2015
E6065E63-S8	CCV-Eco DN65 2-Way PN6/10/16 kvs63	S5	481.1	3/1/2015
E6080E100-S8	CCV-Eco DN80 2-Way PN6/10/16 kvs100	S5	579.9	3/1/2015
E6100E140-S9	CCV-Eco DN100 2-Way PN6/10/16 kvs160	S5	892.6	3/1/2015
E6125E230-S9	CCV-Eco DN125 2-Way PN6/10/16 kvs230	S5	992.1	3/1/2015
E6150E320-S9	CCV-Eco DN150 2-Way PN6/10/16 kvs320	S5	1,854.8	3/1/2015
EF230A	Spring ret. Act., 230V, 30Nm, 95°	S2	646.5	3/1/2015
EF230A-S2	Spring ret. Act.230V, 30Nm, 95°, SW	S2	686.9	3/1/2015
EF24A	Spring ret. Act., 24V, 30Nm, 95°	S2	562.7	3/1/2015
EF24A-MF	Spring ret. Act., 24V, 30Nm, MFT	S2	750.5	3/1/2015
EF24A-MP	Spring ret. Act., 24V, 30Nm, MP	S2	750.5	3/1/2015
EF24A-S2	Spring ret. Act. 24V, 30Nm, 95°, SW	S2	603.1	3/1/2015
EF24A-SR	Spring ret. Act., 24V, 30Nm, 2-10V	S2	657.7	3/1/2015
EF24A-SR-S2	Spring ret.act.24V, 2..10V, 30Nm, Switch	S2	698.1	3/1/2015

EP015R+MP	EPIV DN15, EU/AP, 2-w, V=0.35 l/s	S5	470.6	3/1/2015
EP020R+MP	EPIV DN20, EU/AP, 2-w, V=0.65 l/s	S5	493.1	3/1/2015
EP025R+MP	EPIV DN25, EU/AP, 2-w, V=1.15 l/s	S5	523.0	3/1/2015
EP032R+MP	EPIV DN32, EU/AP, 2-w, V=1.8 l/s	S5	567.9	3/1/2015
EP040R+MP	EPIV DN40, EU/AP, 2-w, V=2.5 l/s	S5	642.7	3/1/2015
EP050R+MP	EPIV DN50, EU/AP, 2-w, V=4.8 l/s	S5	717.5	3/1/2015
EV015R+BAC	Energy V. DN15, EU/AP, 2-w, V=0.35 l/s	S5	1,069.2	3/1/2015
EV020R+BAC	Energy V. DN20, EU/AP, 2-w, V=0.65 l/s	S5	1,091.7	3/1/2015
EV025R+BAC	Energy V. DN25, EU/AP, 2-w, V=1.15 l/s	S5	1,121.6	3/1/2015
EV032R+BAC	Energy V. DN32, EU/AP, 2-w, V=1.8 l/s	S5	1,241.3	3/1/2015
EV040R+BAC	Energy V. DN40, EU/AP, 2-w, V=2.5 l/s	S5	1,316.1	3/1/2015
EV050R+BAC	Energy V. DN50, EU/AP, 2-w, V=4.8 l/s	S5	1,390.9	3/1/2015
EV230A-RE	Globe v. act. AC 230V 2500N	S6	888.9	3/1/2015
EV230A-TPC	Globe v. act. AC 230V 2500N	S6	674.9	3/1/2015
EV24A-MP-RE	Globe valve act. AC/DC 24V 2500N MP	S6	1,003.4	3/1/2015
EV24A-MP-TPC	Linear act. AC/DC 24V 2500N MP	S6	789.4	3/1/2015
EV24A-RE	Globe valve act. AC/DC 24V, 2500N	S6	888.9	3/1/2015
EV24A-SR-TPC	Linear act. AC/DC 24V 2500N SR	S6	725.8	3/1/2015
EV24A-SZ-TPC	Linear act. AC/DC 24V 2500N SZ	S6	725.8	3/1/2015
EV24A-TPC	Linear act. AC/DC 24V 2500N	S6	674.9	3/1/2015
EVC24A-MF	Linear act. AC/DC 24V 2500N MF 35s	S6	828.3	3/1/2015
EVC24A-MF-RE	Globe v. act. AC/DC 24V 2500 N MF	S6	1,045.3	3/1/2015
EVC24A-SR	Linear act. AC/DC 24V 2500N SR 35s	S6	773.7	3/1/2015
EVC24A-SZ	Linear act. AC/DC 24V 2500N SZ 35s	S6	773.7	3/1/2015
EXT-143-A	Socket for smoke switch	S3	50.9	3/1/2015
EXT-BC24	Preset device for fire damper	S3	312.8	3/1/2015
EXT-H6100P-6500	2-way press. indep. GV DN100 V18.05l/s	S6	8,230.5	3/1/2015
EXT-H6100XP-6500	2-way press. indep. GV DN100 V18.05l/s	S6	9,203.1	3/1/2015
EXT-H6125P-8000	2-way press. indep. GV DN125 V22.22l/s	S6	12,645.0	3/1/2015
EXT-H6125XP-8000	2-way press. indep. GV DN125 V22.22l/s	S6	15,338.6	3/1/2015
EXT-H615P-125	2-way press. indep. GV DN15 V0.35l/s	S6	1,182.2	3/1/2015
EXT-H615P-200	2-way press. indep. GV DN15 V0.55l/s	S6	1,182.2	3/1/2015
EXT-H615XP-125	2-way press. indep. GV DN15 V0.35l/s	S6	1,406.7	3/1/2015
EXT-H615XP-200	2-way press. indep. GV DN15 V0.55l/s	S6	1,406.7	3/1/2015
EXT-H625P-315	2-Weg druckunabh. HV DN25 V0.88l/s	S6	1,272.0	3/1/2015
EXT-H625P-400	2-way press. indep. GV DN25 V1.11l/s	S6	1,272.0	3/1/2015
EXT-H625XP-315	2-Weg druckunabh. HV DN25 V0.88l/s	S6	1,481.5	3/1/2015
EXT-H625XP-400	2-way press. indep. GV DN25 V1.11 l/s	S6	1,481.5	3/1/2015
EXT-H632P-650	2-way press. indep. GV DN32 V1.80l/s	S6	2,020.2	3/1/2015
EXT-H632XP-650	2-way press. indep. GV DN32 V1.8l/s	S6	2,319.5	3/1/2015
EXT-H640P-900	2-way press. indep. GV DN40 V2.5l/s	S6	2,768.4	3/1/2015
EXT-H640XP-900	2-way press. indep. GV DN40 V2.5l/s	S6	3,142.5	3/1/2015
EXT-H650P-1500	2-way press. indep. GV DN50 V4.16l/s	S6	3,516.6	3/1/2015
EXT-H650XP-1500	2-way press. indep. GV DN50 V4.16l/s	S6	3,890.8	3/1/2015
EXT-H665P-2500	2-way press. indep. GV DN65 V7.77l/s	S6	5,162.7	3/1/2015
EXT-H665XP-2500	2-way press. indep. GV DN65 V7.77 l/s	S6	5,948.4	3/1/2015
EXT-H680P-3600	2-way press. indep. GV DN80 V11.11l/s	S6	6,734.0	3/1/2015
EXT-H680XP-3600	2-way press. indep. GV DN80 V11.11 l/s	S6	7,332.6	3/1/2015
EXT-HH-A6250SL-150	A6250SL with handwheel-diameter 150 mm	S5	915.8	3/1/2015
EXT-HH-DN600L	BFV DN600 Lug Type	S5	7,242.8	3/1/2015
EXT-HH-DN600SL	BFV DN600 Lug Type with worm gear	S5	7,784.5	3/1/2015
EXT-K515GB	"3-Way ball valve, G1" DN15, 16m3/h"	S5	77.8	3/1/2015
EXT-LK-180002	"830 THERMOMIX B G $\frac{3}{4}$ " Kvs 4"	S5	110.7	3/1/2015
EXT-LK-180004	"830 THERMOMIX B G $\frac{3}{4}$ " Kvs 6.3"	S5	110.7	3/1/2015
EXT-LK-180587	"830 THERMOMIX B RP $\frac{3}{4}$ " Kvs 6.3"	S5	110.7	3/1/2015
EXT-LK-180588	"830 THERMOMIX B G1" Kvs 6.3"	S5	110.7	3/1/2015
EXT-LK-180589	"830 THERMOMIX B RP1" Kvs10"	S5	128.7	3/1/2015
EXT-LK-180590	"830 THERMOMIX B G1 $\frac{1}{4}$ " Kvs 10.0"	S5	128.7	3/1/2015

EXT-LK-180654	"3-port mix.val., DN20, Rp3/4""	kvs13,	S5	87.5	3/1/2015
EXT-LK-180655	"3-Weg-Mischer, DN25, RP1""	kvs12, GG,	S5	87.5	3/1/2015
EXT-LK-180656	"3-Weg-Mischer DN32 RP 1 1/4""	kvs18 GG	S5	95.0	3/1/2015
EXT-LK-180658	"3-Weg-Mischer DN40 RP 1 1/2""	kvs24 GG	S5	105.5	3/1/2015
EXT-LK-180660	"3-Weg-Mischer, DN50, RP2""	kvs40, GG,	S5	147.4	3/1/2015
EXT-LK-180845	840 mixing valve 3-way kvs 2,5 Rp 1/2		S5	63.6	3/1/2015
EXT-LK-180846	840 mixing valve 3-way kvs 4 Rp 3/4		S5	58.4	3/1/2015
EXT-LK-180847	840 mixing valve 3-way kvs 6,3 Rp 3/4		S5	58.4	3/1/2015
EXT-LK-180848	840 mixing valve 3-way kvs 8 Rp 1		S5	62.1	3/1/2015
EXT-LK-180849	840 mixing valve 3-way kvs 12 Rp 1		S5	62.1	3/1/2015
EXT-LK-180850	840 mixing valve 3-way kvs 15 Rp 1 1/4		S5	65.8	3/1/2015
EXT-LK-180851	840 mix. valve 3-way, kvs 2.5 G 3/4		S5	63.6	3/1/2015
EXT-LK-180852	840 mix. valve 3-way, kvs 4 G 1		S5	65.8	3/1/2015
EXT-LK-180853	840 mix. valve 3-way, kvs 6.3 G 1		S5	65.8	3/1/2015
EXT-LK-180854	840 mix. valve 3-way, kvs 8 G 1 1/4		S5	69.6	3/1/2015
EXT-LK-180855	840 mix. valve 3-way, kvs 12 G 1 1/4		S5	69.6	3/1/2015
EXT-LK-180856	840 mix. valve 3-way, kvs 15 G 1 1/2		S5	74.1	3/1/2015
EXT-LK-180857	840 mix. valve 3-way, kvs 2.5 15 mm		S5	87.5	3/1/2015
EXT-LK-180858	840 mix. valve 3-way, kvs 2.5, 18 mm		S5	87.5	3/1/2015
EXT-LK-180859	840 mix. valve 3-way, kvs 2.5, 22 mm		S5	81.6	3/1/2015
EXT-LK-180860	840 mix. valve 3-way, kvs 4, 28 mm		S5	98.0	3/1/2015
EXT-LK-180861	840 mix. valve 3-way, kvs 6.3, 28 mm		S5	98.0	3/1/2015
EXT-LK-180862	841 mix. valve 4-way, kvs 2.5 Rp 1/2		S5	66.6	3/1/2015
EXT-LK-180863	841 mix. valve 4-way, kvs 4 Rp 3/4		S5	71.1	3/1/2015
EXT-LK-180864	841 mix. valve 4-way, kvs 6.3 Rp 3/4		S5	71.1	3/1/2015
EXT-LK-180865	841 mix. valve 4-way, kvs 8 Rp 1		S5	75.6	3/1/2015
EXT-LK-180866	841 mix. valve 4-way, kvs 12 Rp 1		S5	75.6	3/1/2015
EXT-LK-180867	841 mix. valve 4-way, kvs 15 Rp 1 1/4		S5	80.1	3/1/2015
EXT-LK-180868	841 mix. valve 4-way, kvs 2.5 G 3/4		S5	66.6	3/1/2015
EXT-LK-180869	841 mix. valve 4-way, kvs 4 G 1		S5	71.1	3/1/2015
EXT-LK-180870	841 mix. valve 4-way, kvs 6.3 G 1		S5	71.1	3/1/2015
EXT-LK-180871	841 mix. valve 4-way, kvs 8 G 1 1/4		S5	75.6	3/1/2015
EXT-LK-180872	841 mix. valve 4-way, kvs 12 G 1 1/4		S5	75.6	3/1/2015
EXT-LK-180873	841 mix. valve 4-way, kvs 15 G 1 1/2		S5	80.1	3/1/2015
EXT-LK-180874	841 mix. valve 4-way, kvs 2.5, 15 mm		S5	106.2	3/1/2015
EXT-LK-180875	841 mix. valve 4-way, kvs 2.5, 18		S5	106.2	3/1/2015
EXT-LK-180876	841 mix. valve 4-way, kvs 2.5, 22 mm		S5	106.2	3/1/2015
EXT-LK-180877	841 mix. valve 4-way, kvs 4, 28 mm		S5	124.2	3/1/2015
EXT-LK-180878	841 mix. valve 4-way, kvs 6.3, 28 mm		S5	124.2	3/1/2015
EXT-LK-181196	"840 Mischer 3-weg RP 1 1/2""	Kvs 24"	S5	145.2	3/1/2015
EXT-LK-181197	"840 Mischer 3-weg RP 2 ""	Kvs 40"	S5	181.8	3/1/2015
EXT-LK-187107	LK insulation G3/4, G1, Rp1/2, Rp3/4		S5	24.7	3/1/2015
EXT-LK-187108	LK insulation G11/4, G11/2, Rp1, Rp11/4		S5	20.2	3/1/2015
EXT-OC-ZR-C215Q	Insulation for C215Q valve, 2-way, DN15		S5	21.0	3/1/2015
EXT-OC-ZR3015	Insulation for 6-way BV R3015 DN15		S5	29.8	3/1/2015
EXT-OC-ZR3020	Insulation for 6-way BV R3020 DN20		S5	42.6	3/1/2015
EXT-OC-ZR415	Insulation for valve R4 DN15		S5	18.0	3/1/2015
EXT-OC-ZR420	Insulation for valve R4 DN20		S5	18.0	3/1/2015
EXT-OC-ZRN215	Insulation for valve R2 DN15 Ø10		S5	20.7	3/1/2015
EXT-OC-ZRN215G	Insulation for valve R2 DN15 Ø15		S5	20.7	3/1/2015
EXT-OC-ZRN220	Insulation for valve R2 DN20		S5	20.7	3/1/2015
EXT-OC-ZRN225	Insulation for valve R2 DN25		S5	20.7	3/1/2015
EXT-OC-ZRN232	Insulation for valve R2 DN32		S5	24.4	3/1/2015
EXT-OC-ZRN240	Insulation for valve R2 DN40		S5	26.7	3/1/2015
EXT-OC-ZRN250	Insulation for valve R2 DN50		S5	29.3	3/1/2015
EXT-OC-ZRN315	Insulation for valve R3 DN15 Ø10		S5	20.7	3/1/2015
EXT-OC-ZRN315G	Insulation for valve R3 DN15 Ø15		S5	20.7	3/1/2015
EXT-OC-ZRN320	Insulation for valve R3 DN20		S5	20.7	3/1/2015

EXT-OC-ZRN325	Insulation for valve R3 DN25	S5	20.7	3/1/2015
EXT-OC-ZRN332	Insulation for valve R3 DN32	S5	26.7	3/1/2015
EXT-OC-ZRN340	Insulation for valve R3 DN40 Ø25	S5	26.7	3/1/2015
EXT-OC-ZRN340G	Insulation for valve R3 DN40 Ø40	S5	26.7	3/1/2015
EXT-OC-ZRN350	Insulation for valve R3 DN50 Ø32	S5	29.3	3/1/2015
EXT-OC-ZRN350G	Insulation for valve R3 DN50 Ø50	S5	29.3	3/1/2015
EXT-ORS-142	Optical smoke switch	S3	532.7	3/1/2015
EXT-PE-81VL04	2-Way pressure ind ball Val DN15 Vo.09ls	S5	190.0	3/1/2015
EXT-RBMAIN1-01	Initiation Ringbus systeme	S3	38.2	3/1/2015
EXT-RBMAIN1-04	Engineering Ringbus systeme	S3	19.1	3/1/2015
EXT-SW-V4	230 VAC, N/C, Springreturn Actuator	S5	47.9	3/1/2015
EXT-TG-GEN	Mobile test equipment for actuators	S0	3,591.5	3/1/2015
EXT-THC24-4B-MP	Control and communication unit, 4 / MP	S3	974.2	3/1/2015
EXT-THC24-B	Control and communication unit, 1	S3	356.2	3/1/2015
EXT-ZH-100-S	Axe protect globe valve	S6	107.7	3/1/2015
EXT-ZH-150-RN	Axe protect globe valve	S6	190.8	3/1/2015
EXT-ZH-150-S	Axe protect globe valve	S6	185.6	3/1/2015
EXT-ZH-250-S	Axe protect globe valve	S6	260.4	3/1/2015
EXT-ZH-250-WS	Axe protect globe valve	S6	260.4	3/1/2015
EXT-ZH-250-WS7	Axe protect globe valve	S6	229.0	3/1/2015
EXT-ZH-50-BRN	Axe protect globe valve	S6	98.0	3/1/2015
EXT-ZH-50-S	Axe protect globe valve	S6	96.5	3/1/2015
EXT-ZH-80-RN	Axe protect globe valve	S6	152.6	3/1/2015
EXT-ZKTG-GEN	Cabel adapter kit for mobile test equip.	S0	991.4	3/1/2015
G325	1" 3-WAY GLOBE VALVE NPT 14 CV	S6	282.1	3/1/2015
G332	1 1/4" 3-WAY GLOBE VALVE NPT 20 CV	S6	421.2	3/1/2015
G340	1 1/2" 3-WAY GLOBE VALVE NPT 28 CV	S6	920.3	3/1/2015
G350	2" 3-WAY GLOBE VALVE NPT 41 CV	S6	1,129.8	3/1/2015
GK24A-1	POP Antrieb GK24 O/C	S2	578.4	3/1/2015
GK24A-MF	POP Antrieb GK24 MF	S2	772.2	3/1/2015
GK24A-MP	POP Antrieb GK24 MP	S2	785.6	3/1/2015
GK24A-SR	POP Antrieb GK24 SR 2..10V	S2	677.9	3/1/2015
GK24G-1	POP-Actuator GK24 O/C IP66/NEMA4	S2	870.2	3/1/2015
GK24G-MF	POP-Actuator GK24 MF IP66/NEMA4	S2	1,067.7	3/1/2015
GK24G-MP	POP-Actuator GK24 MF IP66/NEMA4	S2	1,082.7	3/1/2015
GK24G-SR	POP-Actuator GK24 SR IP66/NEMA4	S2	971.2	3/1/2015
GM230A	Damper act. GM230 IP54	S2	299.3	3/1/2015
GM230A-TP	Damper act. GM230A-T IP54	S2	299.3	3/1/2015
GM230G-T	Damper act. GM230G-T IP66	S2	585.1	3/1/2015
GM24A	Damper act. GM24 IP54	S2	294.8	3/1/2015
GM24A-MF	Damper act. GM24 MF U5 IP54	S2	392.1	3/1/2015
GM24A-MF-TP	Damper act. GM24 MF-T IP54	S2	392.1	3/1/2015
GM24A-MP	Damper act. GM24 MP IP54	S2	390.6	3/1/2015
GM24A-MP-TP	Damper act. GM24 MP IP54	S2	382.3	3/1/2015
GM24A-SR	Damper act. GM24 SR U5 IP54	S2	375.6	3/1/2015
GM24A-SR-TP	Damper act. GM24A SR-T IP54	S2	375.6	3/1/2015
GM24A-TP	Damper act. GM24A-T IP54	S2	294.8	3/1/2015
GM24G-MF-T	Damper act. GM24G-MF-T IP66	S2	680.1	3/1/2015
GM24G-SR-T	Damper act. GM24G-SR-T IP66	S2	662.9	3/1/2015
GM24G-T	Damper act. GM24G-T IP66	S2	580.6	3/1/2015
GR230A-5	Rotary act. AC 230V, 40 Nm, O/C	S5	359.9	3/1/2015
GR230A-7	Rotary act. AC 230V, 40 Nm, O/C	S5	368.9	3/1/2015
GR230A-R	Rotary act. AC 230V, 40 Nm, O/C	S5	341.2	3/1/2015
GR24A-5	Rotary act. AC/DC 24V, 40 Nm, O/C	S5	359.9	3/1/2015
GR24A-5-C157	Ventilantr. AC, 24V 40 Nm Auf/Zu	S5	444.4	3/1/2015
GR24A-7	Rotary act. AC/DC 24V, 40 Nm, O/C	S5	368.9	3/1/2015
GR24A-EPIV100	"EPIV Rotar act. 0-10V, 4""	S5	532.7	3/1/2015
GR24A-EV-100	Energy V. act. GR-LP BACnet, DN100	S5	1,227.1	3/1/2015

GR24A-EV-125	Energy V. act. GR-LP BACnet, DN125	S5	1,227.1	3/1/2015
GR24A-EV-150	Energy V. act. GR-LP BACnet, DN150	S5	1,227.1	3/1/2015
GR24A-MF-5	Rotary act. AC/DC 24V 40 Nm MF	S5	464.6	3/1/2015
GR24A-MF-7	Rotary act. AC/DC 24V 40 Nm MF	S5	473.6	3/1/2015
GR24A-MF-R	Rotary act. AC/DC 24V 40 Nm MF	S5	445.9	3/1/2015
GR24A-MP-5	Rotary act. AC/DC 24V, 40 Nm, MP	S5	478.9	3/1/2015
GR24A-MP-7	Rotary act. AC/DC 24V, 40 Nm, MP	S5	487.8	3/1/2015
GR24A-R	Rotary act. AC/DC 24V, 40 Nm, O/C	S5	341.2	3/1/2015
GR24A-SR-5	Valve act. AC/DC 24V, 40 Nm, mod.	S5	452.7	3/1/2015
GR24A-SR-7	Valve act. AC/DC 24V, 40 Nm, mod.	S5	460.2	3/1/2015
GRC24A-5	Valve act. AC/DC 24 V, 40 Nm, open-close	S5	396.6	3/1/2015
GRC24A-MF-TP-R	Valve act. AC/DC 24V 40 Nm MF	S5	555.9	3/1/2015
GRC24G-5	Valve act. AC/DC 24 V, 40 Nm, open-close	S5	587.4	3/1/2015
GRC24G-MF-T-5	Rotary act. AC/DC 24V, 40Nm, MFT, IP66	S5	671.9	3/1/2015
GRC24G-SZ-T-5	Rotary act. AC/DC 24V, 40Nm, SR, IP66	S5	737.0	3/1/2015
GRK24A-5	POP rotary actuator, 24V, 40Nm, o/c	S5	644.2	3/1/2015
GRK24A-SR-5	POP rotary actuator, 24V, 40Nm, mod. SR	S5	755.0	3/1/2015
GRK24A-SZ-5	POP rotary actuator, 24V, 40Nm, mod. SZ	S5	755.0	3/1/2015
H411B	2-way globe val. PN16 DN15 kvs 0.63	S6	157.9	3/1/2015
H412B	2-way globe val. PN16 DN15 kvs 1	S6	157.9	3/1/2015
H413B	2-way globe val. PN16 DN15 kvs 1.6	S6	157.9	3/1/2015
H414B	2-way globe val. PN16 DN15 kvs 2.5	S6	157.9	3/1/2015
H415B	2-way globe val. PN16 DN15 kvs 4	S6	157.9	3/1/2015
H420B	2-way globe val. PN16 DN20 kvs 6.3	S6	181.1	3/1/2015
H425B	2-way globe val. PN16 DN25 kvs 10	S6	211.7	3/1/2015
H432B	2-way globe val. PN16 DN32 kvs 16	S6	246.9	3/1/2015
H440B	2-way globe val. PN16 DN40 kvs 25	S6	311.3	3/1/2015
H450B	2-way globe val. PN16 DN50 kvs 40	S6	407.0	3/1/2015
H511B	3-way globe valve PN16 G1-1/8 DN15 kvs0.	S6	151.9	3/1/2015
H512B	"3-way globe valve PN16 G1-1/8" DN15 kv	S6	151.9	3/1/2015
H513B	"3-way globe valve PN16 G1-1/8" DN15 kv	S6	151.9	3/1/2015
H514B	"3-way globe valve PN16 G1-1/8" DN15 kv	S6	151.9	3/1/2015
H515B	"3-way globe valve PN16 G1-1/8" DN15 kv	S6	151.9	3/1/2015
H520B	"3-way globe valve PN16 G1-1/4" DN20 kv	S6	176.6	3/1/2015
H525B	"3-way globe valve PN16 G1-1/2" DN25 kv	S6	205.0	3/1/2015
H532B	"3-way globe valve PN16 G2" DN32 kvs 16	S6	237.2	3/1/2015
H540B	"3-way globe valve PN16 G2-1/4" DN40 kv	S6	297.8	3/1/2015
H550B	"3-way globe valve PN16 G2-3/4" DN50 kv	S6	391.3	3/1/2015
H6015X1-S2	2 way globe valve PN25 DN15 kvs 1.0	S6	555.9	3/1/2015
H6015X1P6-S2	2 way globe valve PN25 DN15 kvs 1.6	S6	555.9	3/1/2015
H6015X2P5-S2	2 way globe valve PN25 DN15 kvs 2.5	S6	555.9	3/1/2015
H6015X4-S2	2 way globe valve PN25 DN15 kvs 4	S6	555.9	3/1/2015
H6015XP4-S2	2 way globe valve PN25 DN15 kvs 0.4	S6	555.9	3/1/2015
H6015XP63-S2	2 way globe valve PN25 DN15 kvs 0.63	S6	555.9	3/1/2015
H6020X4-S2	2 way globe valve PN25 DN20 kvs 4	S6	621.0	3/1/2015
H6020X6P3-S2	2 way globe valve PN25 DN20 kvs 6.3	S6	621.0	3/1/2015
H6025X10-S2	2 way globe valve PN25 DN25 kvs 10	S6	665.2	3/1/2015
H6025X6P3-S2	2 way globe valve PN25 DN25 kvs 6.3	S6	665.2	3/1/2015
H6032X10-S2	2 way globe valve PN25 DN32 kvs 10	S6	713.8	3/1/2015
H6032X16-S2	2 way globe valve PN25 DN32 kvs 16	S6	713.8	3/1/2015
H6040X16-S2	2 way globe valve PN25 DN40 kvs 16	S6	741.5	3/1/2015
H6040X25-S2	2 way globe valve PN25 DN40 kvs 25	S6	741.5	3/1/2015
H6050X25-S2	2 way globe valve PN25 DN50 kvs 25	S6	767.7	3/1/2015
H6050X40-S2	2 way globe valve PN25 DN50 kvs 40	S6	767.7	3/1/2015
H6065X58-SP2	2 way globe valve PN25 DN65 kvs 58	S6	2,604.6	3/1/2015
H6080X90-SP2	2 way globe valve PN25 DN80 kvs 90	S6	3,578.0	3/1/2015
H6100N	2-way globe val. PN16 DN100 kvs 145	S6	1,381.2	3/1/2015
H6100R	2-way globe val. PN6 DN100 kvs 145	S6	1,141.8	3/1/2015



H6100S	2-way globe val. PN16 DN100 kvs 145	S6	1,388.7	3/1/2015
H6100SP	2-way globe val. PN16 DN100 kvs 145	S6	3,918.4	3/1/2015
H6100X125-SP2	2 way globe valve PN25 DN100 kvs 125	S6	3,819.7	3/1/2015
H610S	2-way globe val. PN16 DN15 kvs 0.4	S6	339.7	3/1/2015
H611N	2-way globe val. PN16 DN15 kvs 0.63	S6	321.7	3/1/2015
H611R	2-way globe val. PN6 DN15 kvs 0.63	S6	264.1	3/1/2015
H611S	2-way globe val. PN16 DN15 kvs 0.63	S6	339.7	3/1/2015
H6125S	2-way globe val. PN16 DN125 kvs 220	S6	2,327.7	3/1/2015
H6125SP	2-way globe val. PN16 DN125 kvs 220	S6	6,109.2	3/1/2015
H612N	2-way globe val. PN16 DN15 kvs 1	S6	321.7	3/1/2015
H612R	2-way globe val. PN6 DN15 kvs 1	S6	264.1	3/1/2015
H612S	2-way globe val. PN16 DN15 kvs 1	S6	339.7	3/1/2015
H613N	2-way globe val. PN16 DN15 kvs 1.6	S6	321.7	3/1/2015
H613R	2-way globe val. PN6 DN15 kvs 1.6	S6	264.1	3/1/2015
H613S	2-way globe val. PN16 DN15 kvs 1.6	S6	339.7	3/1/2015
H614N	2-way globe val. PN16 DN15 kvs 2.5	S6	321.7	3/1/2015
H614R	2-way globe val. PN6 DN15 kvs 2.5	S6	264.1	3/1/2015
H614S	2-way globe val. PN16 DN15 kvs 2.5	S6	339.7	3/1/2015
H6150S	2-way globe val. PN16 DN150 kvs 320	S6	2,899.4	3/1/2015
H6150SP	2-way globe val. PN16 DN150 kvs 320	S6	7,871.3	3/1/2015
H615N	2-way globe val. PN16 DN15 kvs 4	S6	321.7	3/1/2015
H615R	2-way globe val. PN6 DN15 kvs 4	S6	264.1	3/1/2015
H615S	2-way globe val. PN16 DN15 kvs 4	S6	339.7	3/1/2015
H619S	2-way globe val. PN16 DN20 kvs 4	S6	362.9	3/1/2015
H6200+GV12-230-3-T	2W Globe valve PN16 DN200 Act. 230V 12kN	S6	12,309.8	3/1/2015
H6200+GV12-24-SR-T	2W Globe valve PN16 DN200 Act. 24V 12kN	S6	13,341.6	3/1/2015
H620N	2-way globe val. PN16 DN20 kvs 6.3	S6	345.7	3/1/2015
H620R	2-way globe val. PN6 DN20 kvs 6.3	S6	280.6	3/1/2015
H620S	2-way globe val. PN16 DN20 kvs 6.3	S6	362.9	3/1/2015
H624S	2-way globe val. PN16 DN25 kvs 6.3	S6	401.8	3/1/2015
H6250+GV12-230-3-T	2W Globe valve PN16 DN250 Act. 230V 12kN	S6	16,484.1	3/1/2015
H6250+GV12-24-SR-T	2W Globe valve PN16 DN250 Act. 24V 12kN	S6	17,515.9	3/1/2015
H625N	2-way globe val. PN16 DN25 kvs 10	S6	356.9	3/1/2015
H625R	2-way globe val. PN6 DN25 kvs 10	S6	290.3	3/1/2015
H625S	2-way globe val. PN16 DN25 kvs 10	S6	401.8	3/1/2015
H632N	2-way globe val. PN16 DN32 kvs 16	S6	404.8	3/1/2015
H632R	2-way globe val. PN6 DN32 kvs 16	S6	329.2	3/1/2015
H632S	2-way globe val. PN16 DN32 kvs 16	S6	476.6	3/1/2015
H640N	2-way globe val. PN16 DN40 kvs 25	S6	463.9	3/1/2015
H640R	2-way globe val. PN6 DN40 kvs 25	S6	377.1	3/1/2015
H640S	2-way globe val. PN16 DN40 kvs 25	S6	577.6	3/1/2015
H640SP	2-way globe val. PN16 DN40 kvs 25	S6	1,619.9	3/1/2015
H650N	2-way globe val. PN16 DN50 kvs 40	S6	574.6	3/1/2015
H650R	2-way globe val. PN6 DN50 kvs 40	S6	467.6	3/1/2015
H650S	2-way globe val. PN16 DN50 kvs 40	S6	694.4	3/1/2015
H650SP	2-way globe val. PN16 DN50 kvs 40	S6	2,044.9	3/1/2015
H664N	2-way globe val. PN16 DN65 kvs 58	S6	693.6	3/1/2015
H664R	2-way globe val. PN6 DN65 kvs 58	S6	564.2	3/1/2015
H664S	2-way globe val. PN16 DN65 kvs 58	S6	856.7	3/1/2015
H664SP	2-way globe val. PN16 DN65 kvs 58	S6	2,671.9	3/1/2015
H665N	2-way globe val. PN16 DN65 kvs 63	S6	977.9	3/1/2015
H665S	2-way globe val. PN16 DN65 kvs 63	S6	1,020.6	3/1/2015
H679N	2-way globe val. PN16 DN80 kvs 90	S6	915.1	3/1/2015
H679R	2-way globe val. PN6 DN80 kvs 90	S6	746.0	3/1/2015
H679SP	2-way globe val. PN16 DN80 kvs 90	S6	3,671.5	3/1/2015
H680N	2-way globe val. PN16 DN80 kvs 100	S6	1,143.3	3/1/2015
H680S	2-way globe val. PN16 DN80 kvs 100	S6	1,157.5	3/1/2015
H7015X4-S2	3 way globe valve PN25 DN15 kvs 4	S6	951.0	3/1/2015

H7015Y4-S2	3 way globe valve PN40 DN15 kvs 4	S6	1,186.7	3/1/2015
H7020X6P3-S2	3 way globe valve PN25 DN20 kvs 6.3	S6	1,027.3	3/1/2015
H7020Y6P3-S2	3 way globe valve PN40 DN20 kvs 6.3	S6	1,298.2	3/1/2015
H7025X10-S2	3 way globe valve PN25 DN25 kvs 10	S6	1,074.4	3/1/2015
H7025Y10-S2	3 way globe valve PN40 DN25 kvs 10	S6	1,417.1	3/1/2015
H7032X16-S2	3 way globe valve PN25 DN32 kvs 16	S6	1,114.9	3/1/2015
H7032Y16-S2	3 way globe valve PN40 DN32 kvs 16	S6	1,722.4	3/1/2015
H7040X25-S2	3 way globe valve PN25 DN40 kvs 25	S6	1,168.7	3/1/2015
H7040Y25-S2	3 way globe valve PN40 DN40 kvs 25	S6	1,799.5	3/1/2015
H7050X40-S2	3 way globe valve PN25 DN50 kvs 40	S6	1,275.7	3/1/2015
H7050Y40-S2	3 way globe valve PN40 DN50 kvs 40	S6	2,063.6	3/1/2015
H7065X63-S4	3 way globe valve PN25 DN65 kvs 63	S6	1,726.9	3/1/2015
H7065Y63-S4	3 way globe valve PN40 DN65 kvs 63	S6	2,841.8	3/1/2015
H7080X100-S4	3 way globe valve PN25 DN80 kvs 100	S6	2,118.2	3/1/2015
H7080Y100-S4	3 way globe valve PN40 DN80 kvs 100	S6	3,610.2	3/1/2015
H7100N	3-way globe valve PN16 DN100 kvs 145	S6	1,317.6	3/1/2015
H7100R	3-way globe valve PN6 DN100 kvs 145	S6	1,053.5	3/1/2015
H7100X160-S4	3 way globe valve PN25 DN100 kvs 160	S6	2,893.4	3/1/2015
H7100Y160-S4	3 way globe valve PN40 DN100 kvs 160	S6	4,261.1	3/1/2015
H711N	3-way globe valve PN16 DN15 kvs 0.63	S6	299.3	3/1/2015
H711R	3-way globe valve PN6, DN15 kvs 0.63	S6	240.2	3/1/2015
H7125N	3-way globe valve PN16 DN125 kvs 220	S6	2,338.9	3/1/2015
H712N	3-way globe valve PN16 DN15 kvs 1	S6	299.3	3/1/2015
H712R	3-way globe valve PN6 DN15 kvs 1	S6	240.2	3/1/2015
H713N	3-way globe valve PN16 DN15 kvs 1.6	S6	299.3	3/1/2015
H713R	3-way globe valve PN6 DN15 kvs 1.6	S6	240.2	3/1/2015
H714N	3-way globe valve PN16 DN15 kvs 2.5	S6	299.3	3/1/2015
H714R	3-way globe valve PN6 DN15 kvs 2.5	S6	240.2	3/1/2015
H7150N	3-way globe valve PN16 DN150 kvs 320	S6	2,822.3	3/1/2015
H715N	3-way globe valve PN16 DN15 kvs 4	S6	299.3	3/1/2015
H715R	3-way globe valve PN6 DN15 kvs 4	S6	240.2	3/1/2015
H7200+GV12-230-3-T	3W Globe valve PN16 DN200 Act. 230V 12kN	S6	14,497.6	3/1/2015
H7200+GV12-24-SR-T	3W Globe valve PN16 DN200 Act. 24V 12kN	S6	15,529.4	3/1/2015
H720N	3-way globe valve PN16 DN20 kvs 6.3	S6	320.2	3/1/2015
H720R	3-way globe valve PN6 DN20 kvs 6.3	S6	255.1	3/1/2015
H7250+GV12-230-3-T	3W Globe valve PN16 DN250 Act. 230V 12kN	S6	19,720.2	3/1/2015
H7250+GV12-24-SR-T	3W Globe valve PN16 DN250 Act. 24V 12kN	S6	20,752.0	3/1/2015
H725N	3-way globe valve PN16 DN25 kvs 10	S6	330.0	3/1/2015
H725R	3-way globe valve PN6 DN25 kvs 10	S6	264.1	3/1/2015
H732N	3-way globe valve PN16 DN32 kvs 16	S6	368.9	3/1/2015
H732R	3-way globe valve PN6 DN32 kvs 16	S6	294.8	3/1/2015
H740N	3-way globe valve PN16 DN40 kvs 25	S6	388.3	3/1/2015
H740R	3-way globe valve PN6 DN40 kvs 25	S6	320.2	3/1/2015
H750N	3-way globe valve PN16 DN50 kvs 40	S6	426.5	3/1/2015
H750R	3-way globe valve PN6 DN50 kvs 40	S6	360.6	3/1/2015
H764N	3-way globe valve PN16 DN65 kvs 58	S6	641.2	3/1/2015
H764R	3-way globe valve PN6 DN65 kvs 58	S6	514.0	3/1/2015
H765N	3-way globe valve PN16 DN65 kvs 63	S6	927.8	3/1/2015
H779N	3-way globe valve PN16 DN80 kvs 90	S6	837.3	3/1/2015
H779R	3 way globe valve PN6 DN80 kvs 90	S6	671.9	3/1/2015
H780N	3-way globe valve PN16 DN80 kvs 100	S6	1,066.2	3/1/2015
H780N/AV9-T VTS	H780N / AV24-MFT-T VTS	S6	1,840.6	3/1/2015
HR230-3	Rotary act. NR230-3-S with WNR	S5	178.1	3/1/2015
HR230-3-S	Rotary act. NR230-3-S with WNR	S5	199.8	3/1/2015
HR24-3	Rotary act. HR24-3	S5	178.1	3/1/2015
HR24-3-S	Rotary act. NR24-3-S with WNR	S5	199.8	3/1/2015
HR24-SR	Rotary act. AC 24V, 10Nm, mod.	S5	263.4	3/1/2015
HRC230-3	Valve act. AC230V, 5Nm, 3-point	S5	163.9	3/1/2015

HRC24-3	Valve act. AC24V, 5Nm, 3-point	S5	163.9	3/1/2015
HRC24-SR	Valve act. AC/DC 24V, 5Nm, modul.	S5	200.5	3/1/2015
HRY24-SR	Rotary act. NRY24-SR with WNR	S5	279.1	3/1/2015
HRYD230-3	Valve act. AC230V, 5Nm, 3-Point	S5	163.9	3/1/2015
HRYD24-3	Valve act. AC24V, 5Nm, 3-Point	S5	163.9	3/1/2015
HRYD24-SR	Valve act. AC/DC 24V, 5Nm, modular	S5	217.0	3/1/2015
HT230-3	Rotary act. NR230-3-S with WNR	S5	157.9	3/1/2015
HT230-3-S	Rotary act. NR230-3-S with WNR	S5	180.3	3/1/2015
HT230-3-T	Rotary act. NR230-3-S with WNR	S5	157.9	3/1/2015
HT24-3	Rotary act. AC24V, 10Nm, 3-Point	S5	157.9	3/1/2015
HT24-3-S	Rotary act. NR230-3-S with WNR	S5	180.3	3/1/2015
HT24-3-T	Rotary act. HR24-3	S5	157.9	3/1/2015
HT24-SR	Rotary act. AC 24V, 10Nm, mod.	S5	241.7	3/1/2015
HT24-SR-008	Valve act. with adapter Landis & Gyr	S5	270.9	3/1/2015
HT24-SR-T	Valve act. AC/DC 24V, 10 Nm, mod.	S5	241.7	3/1/2015
HTC230-3	Rotary act. AC 230V, 5Nm, 3-Point	S5	145.2	3/1/2015
HTC24-3	Rotary act. AC 24V, 5Nm, 3-Point	S5	145.2	3/1/2015
HTC24-SR	Valve act. AC/DC 24V, 5Nm, modul.	S5	181.8	3/1/2015
HTD230-3	Rotary act. AC 230V, 5Nm, 3-Point	S5	145.2	3/1/2015
HTD24-3	Rotary act. AC 24V, 5Nm, 3-Point	S5	140.7	3/1/2015
HTD24-SR	Valve act. AC/DC 24V, 5Nm, modul.	S5	181.8	3/1/2015
HTL230-3-T	Rotary act. NR230-3-S with WNR	S5	157.9	3/1/2015
HTL24-3-T	Rotary act. HR24-3	S5	157.9	3/1/2015
HTY24-SR	Rotary act. AC/AC 24V, 10Nm, modul.	S5	252.2	3/1/2015
HTYD230-3	Rotary act. AC 230V, 5Nm, 3-Point	S5	145.2	3/1/2015
HTYD24-3	Rotary act. AC 24V, 5Nm, 3-Point	S5	140.7	3/1/2015
HTYD24-SR	Valve act. AC/DC 24V, 5Nm, modul.	S5	197.5	3/1/2015
IND-AF2	Pointer	S2	8.6	3/1/2015
IND-AFB	AFB/NFB position indicator	S2	4.9	3/1/2015
IND-EFB	EFB position indicator	S2	6.7	3/1/2015
K-ELA	Clamp one side LM..A	S2	7.0	3/1/2015
K-ELA10	Clamp one side LM..A / 3/8	S2	10.4	3/1/2015
K-ELA13	Clamp one side LM..A / 1/2	S2	10.4	3/1/2015
K-ELA16	Clamp one side LM..A / 5/8	S2	10.4	3/1/2015
K-ENMA	Spindle clamp 1 side NM...A	S2	10.4	3/1/2015
K-ENSA	Clamp one side NM...A, SM...A	S2	7.0	3/1/2015
K-ENSA-I	Clamp single side SM...A for INOX	S2	11.2	3/1/2015
K-LU	Clamp LU	S2	19.4	3/1/2015
K-NA	Clamp reversible NM..A	S2	19.0	3/1/2015
K-SA	Clamp reversible SM..A	S2	19.0	3/1/2015
K1	Clamp for LM..A -F	S2	13.6	3/1/2015
K225B	"2-Way Ball Valve DN25 Rp 1"" kvs 39"	S5	81.6	3/1/2015
K232B	"2-Way Ball Valve DN32 Rp 1-1/4"" kvs 84"	S5	97.3	3/1/2015
K240B	"2-Way Ball Valve DN40 Rp 1-1/2"" kvs 15"	S5	145.9	3/1/2015
K250B	"2-Way Ball Valve DN50 Rp 2"" kvs 243"	S5	175.1	3/1/2015
K4-1	*use-up* Clamp AF/NF US 1	S2	10.4	3/1/2015
K5A	Clamp to LM..A -F	S2	19.4	3/1/2015
K6-1	Clamp LF DM20	S2	9.4	3/1/2015
K7-2	"AFB/NFB standart clamp 1/2"" , 3/4"" , 1."	S2	21.8	3/1/2015
K7-3	AFB/NFB Clamp, long, reversible	S2	27.5	3/1/2015
K9-2	"EFB standart clamp 1/2"" , 3/4"" , 1.05""	S2	34.5	3/1/2015
KG10A	Ball joint with M8	S2	13.0	3/1/2015
KG6	Ball joint with M6	S2	11.3	3/1/2015
KG8	Ball joint with M8	S2	11.3	3/1/2015
KH-AF	*use-up* Actuator arm	S2	16.5	3/1/2015
KH-AFB	AFB/NFB crankarm 3/4" shaft	S2	18.3	3/1/2015
KH-EFB	EFB Crankarm with shaft	S2	21.5	3/1/2015
KH-LF	Actuator arm	S2	26.8	3/1/2015

KH10	Universal crank arm	S2	21.5	3/1/2015
KH12	"AFB/NFB crankarm for 1.05"" dia. shaft"	S2	17.6	3/1/2015
KH6	Universal crank arm	S2	12.1	3/1/2015
KH8	Universal crank arm	S2	12.1	3/1/2015
KR230	Valve act. AC 230V, 2Nm, o/c	S5	119.0	3/1/2015
KR24	Valve act. AC/DC 24V, 2Nm, o/c	S5	115.2	3/1/2015
KR24-SR	Valve act. AC/DC 24V, 2Nm, modul.	S5	164.6	3/1/2015
KR24-SR/300	Valve act. AC/DC 24V, 2Nm, modul.	S5	174.3	3/1/2015
KR24K-T	Valve act. AC/DC 24V, 2Nm, o/c, SC	S5	110.7	3/1/2015
LF230	Spring-ret.act. 230V 90° 4Nm	S2	220.7	3/1/2015
LF230 BL	Spring-ret.act. LF230	S2	220.7	3/1/2015
LF230-C32.1	Spring-ret.act. LF230 with ZF8-LF	S2	218.5	3/1/2015
LF230-S	Spring-ret.act. 230V 90° 4Nm	S2	251.4	3/1/2015
LF230-S BL	Spring act. LF230-S FRNC cable	S2	251.4	3/1/2015
LF230-S-C7	Spring act. LF230-S FRNC cable	S2	258.1	3/1/2015
LF230-S.1	Spring-ret.act. LF230-S	S2	249.2	3/1/2015
LF230-S/300	Spring-ret.act. LF230-S cab	S2	276.1	3/1/2015
LF230-S/500	Spring-ret.act. LF230-S cab	S2	289.6	3/1/2015
LF230.1	Spring-ret.act. 230V 90° 4Nm	S2	217.7	3/1/2015
LF230/300	Spring-ret.act. LF230 cab	S2	231.9	3/1/2015
LF24	Spring-ret.act. 24V 90° 4Nm	S2	204.3	3/1/2015
LF24-3	Spring-ret.act. 24V 4Nm	S2	251.4	3/1/2015
LF24-3-C7	Spring act. LF24-3 FRNC cable	S2	257.4	3/1/2015
LF24-3/300	Spring-ret.act. LF24-3 cab	S2	263.4	3/1/2015
LF24-C32.1	Spring act. LF24 with ZF8-LF	S2	202.8	3/1/2015
LF24-MFT	Spring-ret.act. 24V 90° 4Nm modul.	S2	283.6	3/1/2015
LF24-MFT2	Spring-ret.act. 24V MFT 4Nm	S2	291.1	3/1/2015
LF24-S	Spring-ret.act. 24V 90° 4Nm	S2	234.9	3/1/2015
LF24-S-C7	Spring-ret.act. LF24-S FRNC-ca	S2	245.4	3/1/2015
LF24-S/300	Spring-ret.act. LF24-S cab	S2	260.4	3/1/2015
LF24-S/500	Spring-ret.act. LF24-S cab	S2	273.1	3/1/2015
LF24-SR	Spring-ret.act. 24V modul. 4Nm	S2	274.6	3/1/2015
LF24-SR BL	Spring act. LF24-SR blue	S2	274.6	3/1/2015
LF24-SR-C116	Spring-ret.act. 24V modul. 4Nm	S2	270.9	3/1/2015
LF24-SR-S	Spring-ret.act. 24V modul. 4Nm	S2	296.3	3/1/2015
LF24-SR/300	Spring-ret.act. LF24-SR cab	S2	287.3	3/1/2015
LF24-ST	Spring-ret.act. 24V 90° 4Nm	S2	225.2	3/1/2015
LF24-V	Spring-ret.act. 24V MFT 4Nm	S4	299.3	3/1/2015
LF24.1	Spring-ret.act. 24V 90° 4Nm	S2	201.3	3/1/2015
LF24/300	Spring-ret.act. LF24 cab	S2	216.2	3/1/2015
LH230A100	Linear act. LH230 100 IP54	S2	124.2	3/1/2015
LH230A100.1	Linear act. LH230 100 IP54	S2	124.2	3/1/2015
LH230A100/300	Linear act. LH230A 100 IP54 3m PVC	S2	139.2	3/1/2015
LH230A100/300.1	Linear act. LH230A 100 IP54 3m PVC.1	S2	136.9	3/1/2015
LH230A200	Linear act. LH230 200 IP54	S2	128.7	3/1/2015
LH230A200.1	Linear act. LH230 200 IP54	S2	128.7	3/1/2015
LH230A300	Linear act. LH230 300 IP54	S2	132.4	3/1/2015
LH230A60	Linear act. LH230 60 IP54	S2	124.2	3/1/2015
LH230A60/300	Linear act. LH230 AC / Auf-Zu	S2	139.2	3/1/2015
LH230ASR100	Linear act. LH230SR 100 IP54	S2	210.3	3/1/2015
LH230ASR100.1	Linear act. LH230SR 100 IP54	S2	210.3	3/1/2015
LH230ASR200	Linear act. LH230SR 200 IP54	S2	214.7	3/1/2015
LH230ASR200.1	Linear act. LH230SR 200 IP54	S2	214.7	3/1/2015
LH24A-MF100	Linear actuator with rack	S2	186.3	3/1/2015
LH24A-MF100-TP	Linearact. LH24 MF-T U5 IP54	S2	186.3	3/1/2015
LH24A-MF200	Linear actuator with rack	S2	190.8	3/1/2015
LH24A-MF200-TP	Linearact. LH24 MF-T U5 IP54	S2	190.8	3/1/2015
LH24A-MF300	Linear actuator with rack	S2	194.5	3/1/2015

LH24A-MF300-TP	Linearact. LH24 MF-T U5 IP54	S2	194.5	3/1/2015
LH24A-MF60	Linearact. LH24 MF U5 IP54	S2	186.3	3/1/2015
LH24A-MF60-TP	Linearact. LH24 MF-T U5 IP54	S2	186.3	3/1/2015
LH24A-MF60.1	Linearact. LH24 MF U5 IP54	S2	186.3	3/1/2015
LH24A-MP100	Linear actuator with rack	S2	186.3	3/1/2015
LH24A-MP100-TP	Linear actuator LH24A-MP100-TP IP54	S2	186.3	3/1/2015
LH24A-MP200	Linear actuator with rack	S2	190.8	3/1/2015
LH24A-MP200-TP	Linear actuator LH24A-MP200-TP IP54	S2	190.8	3/1/2015
LH24A-MP300	Linear actuator with rack	S2	195.3	3/1/2015
LH24A-MP300-TP	Linear actuator LH24A-MP300-TP IP54	S2	195.3	3/1/2015
LH24A-MP60-TP	Linear actuator with rack	S2	186.3	3/1/2015
LH24A-SR100	Linear act. LH24-SR 100 IP54	S2	172.1	3/1/2015
LH24A-SR200	Linear act. LH24-SR 200 IP54	S2	176.6	3/1/2015
LH24A-SX60	Linear act. LH24 MF U5 IP54	S2	181.8	3/1/2015
LH24A100	Linear act. LH24 100 IP54	S2	119.7	3/1/2015
LH24A200	Linear act. LH24 200 IP54	S2	124.2	3/1/2015
LH24A300	Linear act. LH24 300 IP54	S2	128.7	3/1/2015
LH24A60	Linear act. LH24 60 IP54	S2	119.7	3/1/2015
LHK24A-1-100	POP Linearactuator LHK24 O/C 100mm	S2	480.4	3/1/2015
LHK24A-MF100	POP Linearactuator LHK24 MF 100mm	S2	641.2	3/1/2015
LHK24A-MP100	POP Linearactuator LHK24 MP 100mm	S2	656.9	3/1/2015
LHK24A-SR100	POP Linearactuator LHK24 SR 2..10V 100m	S2	563.4	3/1/2015
LHK24A-SZ100	POP Linearactuator LHK24 SZ 0..10V 100m	S2	563.4	3/1/2015
LHQ24A-MF100	Linear actuator LHQ24A MF U5	S2	269.4	3/1/2015
LHQ24A-SR100	Linear actuator LHQ24A SR stetig U5	S2	255.9	3/1/2015
LHQ24A100	Linear actuator LHQ24A Auf/Zu	S2	236.4	3/1/2015
LM230A	Damper act. LM230 IP54	S2	119.0	3/1/2015
LM230A-C7/300.1	Damper act. LM230A FRNC-cable 3m	S2	134.7	3/1/2015
LM230A-F	Damper act. LM230 IP54	S2	119.0	3/1/2015
LM230A-F-TP	Damper act. LM230A-T IP54	S2	119.7	3/1/2015
LM230A-F.1	Damper act. LM230A-F	S2	116.7	3/1/2015
LM230A-S	Damper act. LM230 S IP54	S2	136.2	3/1/2015
LM230A-S-C10/200.1	Actuator LM230A-S	S2	159.4	3/1/2015
LM230A-S-TP	Damper act. LM230 S-T IP54	S2	136.2	3/1/2015
LM230A-TP	Damper act. LM230-T IP54	S2	119.0	3/1/2015
LM230A.1	Gearbox LM230A	S2	116.7	3/1/2015
LM230A060E20.1	Damper act. LM230A cable 2	S2	130.9	3/1/2015
LM230ASR	Damper act. LM230A SR U5 IP54	S2	203.5	3/1/2015
LM230ASR-TP	Damper act. LM230A SR-T U5 IP54	S2	203.5	3/1/2015
LM230ASR.1	Damper act. LM230A SR U5 IP54	S2	201.3	3/1/2015
LM230ATS21TP0052	Damper act. LM230-T IP54 GR	S2	130.9	3/1/2015
LM24A	Damper act. LM24 IP54	S2	119.0	3/1/2015
LM24A-F	Damper act. LM24 IP54	S2	119.0	3/1/2015
LM24A-F.1	Damper act. LM24A-F	S2	116.7	3/1/2015
LM24A-MF	Damper act. LM24 MF IP54	S2	184.8	3/1/2015
LM24A-MF-TP	Damper act. LM24 MF-T IP54	S2	184.8	3/1/2015
LM24A-MOD	Damper act. LM24A MOD IP54	S2	259.6	3/1/2015
LM24A-MP	Damper act. LM24 MP IP54	S2	184.8	3/1/2015
LM24A-MP-F12-TP	Damper act. LM24A MP F12 TP IP54	S2	184.8	3/1/2015
LM24A-MP-TP	Damper act. LM24 MP IP54	S2	184.8	3/1/2015
LM24A-S	Damper act. LM24 S IP54	S2	136.2	3/1/2015
LM24A-S-TP	Damper act. LM24 S-T IP54	S2	136.2	3/1/2015
LM24A-SR	Damper act. LM24 SR U5 IP54	S2	169.8	3/1/2015
LM24A-SR-F	Damper act. LM24 SR U5 IP54	S2	169.8	3/1/2015
LM24A-SR-F.1	Damper act. LM24A-SR-F	S2	167.6	3/1/2015
LM24A-SR-F/110.1	Damper act. LM24A-SR-F cable L= 1.1m	S2	175.1	3/1/2015
LM24A-SR-F/215.1	Damper act. LM24A-SR-F cable L=2.15m	S2	179.6	3/1/2015
LM24A-SR-F12/110.1	Damper act. LM24A-SR-F12 cable L= 1.1m	S2	175.1	3/1/2015

LM24A-SR-TP	Damper act. LM24 SR-T U5 IP54	S2	169.8	3/1/2015
LM24A-SR.1	Gearbox LM24A-SR	S2	166.9	3/1/2015
LM24A-SR/110.1	Damper act. LM24A-SR cable L= 1.1m	S2	175.1	3/1/2015
LM24A-SRT401TP0052	Damper act. LM24 SR-T U5 IP54	S2	176.6	3/1/2015
LM24A-ST20E00.1	Damper act. LM24 S IP54	S2	127.9	3/1/2015
LM24A-SX-F-C123	Damper act. LM24A SX U5 IP54 FM	S2	176.6	3/1/2015
LM24A-SX-F-C212.1	Damper act. LM24A SX U5 IP54 FM	S2	188.6	3/1/2015
LM24A-SX-F-C213.1	Damper act. LM24A SX U5 IP54 FM	S2	191.5	3/1/2015
LM24A-TP	Damper act. LM24-T IP54	S2	119.0	3/1/2015
LM24A-TP.1	Damper act. LM24A-T IP54	S2	116.7	3/1/2015
LM24A-V	Damper act. LM24 5Nm to VR	S4	168.4	3/1/2015
LM24A-V-F	Damper act. LM24 5Nm to VR.. 4KT 8x8	S4	168.4	3/1/2015
LM24A.1	Damper act. LM24 IP54	S2	116.7	3/1/2015
LM24A010F01002.1	Damper act. LM24A-F	S2	125.0	3/1/2015
LM24ALON	Damper act. LM24LON IP54	S2	364.4	3/1/2015
LM24AP5	Actuator LM24AP5 IP54	S2	148.9	3/1/2015
LM24E1	Damper act. LM24E1 SR IP00	S2	137.7	3/1/2015
LM24E3	Damper act. LM24E3 SR-F IP00	S2	137.7	3/1/2015
LM72A	Open/Close 3 point damper act. LM72A	S2	138.4	3/1/2015
LM72A-S	Damper act. LM72-S IP54	S2	154.9	3/1/2015
LM72A-SR	Damper act. LM72 SR U5 IP54	S2	189.3	3/1/2015
LM72A-T-35 HFG	Damper act. LM72A-T IP54 Faiveley	S2	141.4	3/1/2015
LMB24-10P-HM	LM24-10P-M Brushless Replacement Act	S4	288.1	3/1/2015
LMB24-HM	LM24-M Brushless Replacement Actuator	S4	183.3	3/1/2015
LMC230A	Damper act. LM230A 35s	S2	122.7	3/1/2015
LMC230A-F	Damper act. LM230A-F 35s	S2	122.7	3/1/2015
LMC230A-F.1	Damper act. LM230A-F 35s	S2	120.5	3/1/2015
LMC230A-F/300.1	Damper act. LMC230A-F 35s cable 3m	S2	139.9	3/1/2015
LMC230A.1	Damper act. LM230A 35s IP54	S2	120.5	3/1/2015
LMC24A	Damper act. LM24A 35s	S2	122.7	3/1/2015
LMC24A-F	Damper act. LM24A-F 35s	S2	122.7	3/1/2015
LMC24A-F.1	Damper act. LMC24 IP54 F 35s	S2	122.0	3/1/2015
LMC24A-SR	Damper act. LM24A-SR 35s	S2	174.3	3/1/2015
LMC24A-SR-F	Damper act. LM24A-SR-F 35s	S2	174.3	3/1/2015
LMC24A-SR-F.1	Damper act. LM24A-SR-F 35s	S2	173.6	3/1/2015
LMC24A-SR.1	Damper act. LM24A-SR 35s	S2	172.1	3/1/2015
LMQ24A	Damper act. LMQ24A Auf/Zu	S2	236.4	3/1/2015
LMQ24A-MF	Damper act. LMQ24A MF U5	S2	269.4	3/1/2015
LMQ24A-SR	Damper act. LMQ24A SR U5	S2	255.9	3/1/2015
LMQ24A-SR.1	Gearbox LMQ24A SR U5	S2	253.6	3/1/2015
LMQ24A-SRV-ST	Damper act. LMQ24A zu VRP-M	S4	271.6	3/1/2015
LMV-D3-MFT	Damper act. VAV Compact D3, 5Nm, 45in-lb	S4	223.7	3/1/2015
LMV-D3-MFT-RM	Damper act. VAV Compact D3 5Nm	S4	217.7	3/1/2015
LMV-D3-MOD	Damper act. VAV Compact D3 5Nm MOD	S4	318.0	3/1/2015
LMV-D3-MP	Damper act. VAV Compact D3 5Nm	S4	268.6	3/1/2015
LMV-D3-MP-F	Damper act. VAV Compact D3 5Nm Fm	S4	268.6	3/1/2015
LMV-D3-MP-F.1	Damper act. VAV Compact D3 5Nm Fm	S4	266.4	3/1/2015
LMV-D3-MP.1	Damper act. VAV Compact D3 5Nm	S4	266.4	3/1/2015
LMV-D3LON	Damper act. VAV Compact D3 5Nm LON	S4	408.5	3/1/2015
LR230A	Valve act. AC 230V, 5Nm, O/C	S5	131.7	3/1/2015
LR230A-S	Valve act. AC 230V, 5 Nm, with switch	S5	145.2	3/1/2015
LR230A-TP	Valve act. AC 230 V, 5 Nm, open-close, T	S5	131.7	3/1/2015
LR24A	Valve act. AC/DC 24V, 5 Nm, O/C	S5	131.7	3/1/2015
LR24A-MF	Rotary act. 24V, 5Nm, MF	S5	199.0	3/1/2015
LR24A-MOD	Valve act. AC/DC 24V, 5 Nm, MOD	S5	273.8	3/1/2015
LR24A-MP	Valve act. AC/DC 24V, 5Nm, MP	S5	199.0	3/1/2015
LR24A-S	Valve act. AC/DC 24V, 5 Nm, O/C, with sw	S5	145.2	3/1/2015
LR24A-SR	Valve act. AC/DC 24V, 5Nm, modul.	S5	184.8	3/1/2015

LR24A-SR-01	LR24A-SR-01 with spacial cable	S5	217.0	3/1/2015
LR24A-SR-TP	Valve act. AC/DC 24 V, 5 Nm, modulating,	S5	184.8	3/1/2015
LR24A-SR-TP VTS	Valveactuator 24V 5Nm,modul.,-T,IP54 VTS	S5	184.8	3/1/2015
LR24A-TP	Valve act. AC 24 V, 5 Nm, open-close, TP	S5	131.7	3/1/2015
LR24ALON	Valve act. AC/DC 24V, 5Nm, LON	S5	374.1	3/1/2015
LRC24A-SR	Valve act. AC/DC 24V, 5 Nm, mod., 35 s	S5	193.0	3/1/2015
LRD24A-MPL-K	Valve act. AC/DC 24V, 5Nm, MP limited	S5	199.0	3/1/2015
LRF230	Spr.Rotary act. NC, 230V, 4 Nm, O/C	S5	291.8	3/1/2015
LRF230-O	Spr.Rotary act. NO, 230V, 4Nm, O/C	S5	291.8	3/1/2015
LRF230-S	Spr.Rotary act. NC, 230V, 4Nm O/C, 2xSPD	S5	328.5	3/1/2015
LRF230-S-O	Spr.Rotary act. NO, 230V, 4Nm, O/C, 2xSP	S5	328.5	3/1/2015
LRF230/300	Spr.Rotary act., 230V, O/C, man.overrid	S5	304.5	3/1/2015
LRF24	Spr.Rotary act., 24V, 4Nm, O/C	S5	263.4	3/1/2015
LRF24-MP	Spr.Rotary act. NC, 24V, 4Nm, MP	S5	321.7	3/1/2015
LRF24-MP-O	Spr.Rotary act. NO, 24V, 4 Nm, MP	S5	321.7	3/1/2015
LRF24-O	Spr.Rotary act., 24V, 4Nm, O/C	S5	263.4	3/1/2015
LRF24-S	Spr.Rotary act. NC, 24V, 4Nm, O/C, 2xSPD	S5	300.0	3/1/2015
LRF24-S-O	Spr.Rotary act. NO, 24V, 4Nm, O/C, 2xSPD	S5	300.0	3/1/2015
LRF24-SR	Spr.Rotary act. NC, 24V, 4Nm, modul.	S5	297.8	3/1/2015
LRQ24A	6Rotary act. AC/DC 24V, 4Nm, op-cl, 9s	S5	274.6	3/1/2015
LRQ24A-SR	Rotary act. AC/DC 24V, 4Nm, modul., 9s	S5	295.5	3/1/2015
LRQ24A-SZ	Rotary act. AC/DC 24V, 4Nm, modul., 9s	S5	303.0	3/1/2015
LU230A	Full-rotation act. LU230 IP54	S2	137.7	3/1/2015
LU230ASR	Full-rotation act. LU230 SR U5 IP54	S2	205.8	3/1/2015
LU24A	Full-rotation act. LU24 IP54	S2	132.4	3/1/2015
LU24A-MF	Full-rotation act. LU24 MF U5 IP54	S2	207.3	3/1/2015
LU24A-MP	Full-rotation act. LU24 MP IP54	S2	207.3	3/1/2015
LU24A-SR	Full-rotation act. LU24 SR U5 IP54	S2	172.1	3/1/2015
LU24A-V	Full-rotation act. LU24 V IP54 to VR	S4	183.3	3/1/2015
LU24A-V GI	Full-rotation act. LU24 V IP54 to VR	S4	183.3	3/1/2015
LV230A-TPC	Linear act. AC 230V 500N	S6	252.2	3/1/2015
LV24A-MP-TPC	Linear act. AC/DC 24V 500N MP	S6	327.7	3/1/2015
LV24A-SR-TPC	Linear act. AC/DC 24V 500N SR	S6	269.4	3/1/2015
LV24A-SZ-TPC	Linear act. AC/DC 24V 500N SZ	S6	269.4	3/1/2015
LV24A-TPC	Linear act. AC/DC 24V 500N	S6	252.2	3/1/2015
LVC24A-MP-TPC	Linear act. AC/DC 24V 500N MP 35s	S6	350.2	3/1/2015
LVC24A-SR-TPC	Linear act. AC/DC 24V 500N SR 35s	S6	286.6	3/1/2015
LVC24A-SZ-TPC	Linear act. AC/DC 24V 500N SZ 35s	S6	286.6	3/1/2015
MFT-C	Adabter to service tool ZTH	S0	229.0	3/1/2015
MFT-P	Belimo PC-Tool	S0	183.3	3/1/2015
MI24A-I01-MPX	I/O-module MP 3DI	S0	138.4	3/1/2015
MI24A-O01-MPX	I/O-module MP 3R	S0	190.8	3/1/2015
MI24A-O02-MPX	I/O-module MP 3AO	S0	183.3	3/1/2015
MI24A-U01-MPX	I/O-module MP 1R 1AO 1DI 1AI	S0	179.6	3/1/2015
MO24A-B01-MPX	Room controller MP	S0	153.4	3/1/2015
MS24A-D01-MPX	Differential pressure sensor MP	S4	310.5	3/1/2015
MS24A-R02-MPX	Room combi sensor MP T CO2	S4	688.4	3/1/2015
MS24A-R08-MPX	Room combi sensor MP T rH CO2 VOC	S4	1,084.9	3/1/2015
N230-24	Power supply unit	S4	373.4	3/1/2015
NF230A	Spring return 230V, 10Nm, 95°	S2	278.3	3/1/2015
NF230A-S2	Federantr.230V, 10Nm, 95°/switch	S2	318.0	3/1/2015
NF230A-S2.1	Spring act. .230V, 10Nm, 95°/switch	S2	315.8	3/1/2015
NF230A.1	Spring act. 230V, 10Nm, 95°	S2	276.1	3/1/2015
NF24A	Spring return 24V, 10Nm, 95°	S2	234.2	3/1/2015
NF24A-3	Spring ret. act 24V, 3- Point°, 10Nm	S2	329.2	3/1/2015
NF24A-MF	Spring return 24V, 95°, 10Nm	S2	339.7	3/1/2015
NF24A-MP	Spring return 24V, 95°, 10Nm	S2	356.9	3/1/2015
NF24A-S2	Spring return.24V, 10Nm, 95°, -S	S2	266.4	3/1/2015

NF24A-S2.1	Spring act. 24V, 10 Nm, 95°/switch	S2	264.1	3/1/2015
NF24A-SR	Spring return 24V, 95°, 10Nm	S2	297.8	3/1/2015
NF24A-SR-S2	Spring return 24V, 95°, 10Nm	S2	332.2	3/1/2015
NF24A-SR-TP VTS	Springreturn Act 24V, 95°,10Nm VTS	S2	297.8	3/1/2015
NF24A-SZ	Spring return 24V, 95°, 10Nm, 0-10V	S2	297.8	3/1/2015
NF24A-SZ-S2	Spring return 24V, 95°, 10Nm 0-10V	S2	332.2	3/1/2015
NF24A-TP VTS	Springreturn Act 24V, o/c,95°,10Nm VTS	S2	234.2	3/1/2015
NF24A.1	Spring act. 24V, 10 Nm, 95°	S2	231.9	3/1/2015
NF24G-MF-L	spring return 24V, 10Nm, IP66	S2	626.3	3/1/2015
NF24G-MP-L	spring return 24V, 10Nm, IP66	S2	649.5	3/1/2015
NF24G-SR-L	spring return 24V, 10Nm, IP66	S2	583.6	3/1/2015
NF24G-SR-S2-L	spring return 24V, 10Nm / switch, IP66	S2	618.8	3/1/2015
NFA	Spring return 24...230V, 10Nm, 95°	S2	278.3	3/1/2015
NFA-S2	Federantr.24...230V, 10Nm, 95°/switch	S2	318.0	3/1/2015
NFG-L	spring return 24-230V, 10Nm, IP66	S2	578.4	3/1/2015
NFG-S2-L	spring return 24-230V,10Nm /switch, IP66	S2	621.0	3/1/2015
NKQ24A-1	POP Antrieb NKQ24 4s O/C	S2	456.4	3/1/2015
NKQ24A-MF	POP Antrieb NKQ24 4s MF	S2	612.0	3/1/2015
NKQ24A-SR	POP Antrieb NKQ24 4s SR 21.0V	S2	535.7	3/1/2015
NKQ24A-SZ	POP Antrieb NKQ24 4s SZ 01.0V	S2	535.7	3/1/2015
NKQ24P-1	RobustLine Antrieb NKQ24 O/C IP66/67 PO	S2	639.0	3/1/2015
NKQ24P-MF	RobustLine Actuator NKQ24 MF IP66/67 PC	S2	798.4	3/1/2015
NKQ24P-SR	RobustLine Actuator NKQ24 SR IP66/67 PC	S2	720.5	3/1/2015
NL24-00-CA1	Valve act. 24V	S6	154.9	3/1/2015
NL24-SR-CA1	Rotary act. SR	S5	237.9	3/1/2015
NL24SR-CA1	Valve act. AC 24V modul. Cazzaniga	S5	194.5	3/1/2015
NM230A	Damper act. NM230 IP54	S2	148.9	3/1/2015
NM230A-F	Damper act. NM230A IP54 F	S2	148.9	3/1/2015
NM230A-S	Damper act. NM230 S IP54	S2	178.8	3/1/2015
NM230A-S-TP	Damper act. NM230 S-T IP54	S2	178.8	3/1/2015
NM230A-TP	Damper act. NM230-T IP54	S2	148.9	3/1/2015
NM230A.1	Gearbox NM230A	S2	146.7	3/1/2015
NM230A/500	Damper act. NM230A cable 5m	S2	169.8	3/1/2015
NM230ASR	Damper act. NM230A SR U5 IP54	S2	255.1	3/1/2015
NM230ASR-TP	Damper act. NM230A SR-T U5 IP54	S2	255.1	3/1/2015
NM230P	Damper act. NM230P IP66/67	S2	322.5	3/1/2015
NM230P-S	actuator NM230P-S IP66/67	S2	352.4	3/1/2015
NM230PSR	actuator NM230P SR U5 IP66/67	S2	426.5	3/1/2015
NM24A	Damper act. NM24 IP54	S2	144.4	3/1/2015
NM24A-C110	Damper act. NM24A IP54	S2	179.6	3/1/2015
NM24A-F	Damper act. NM24A IP54 F	S2	144.4	3/1/2015
NM24A-MF	Damper act. NM24 MF IP54	S2	235.7	3/1/2015
NM24A-MF-TP	Damper act. NM24 MF-T IP54	S2	235.7	3/1/2015
NM24A-MF280F.1	Damper act. NM24 MF IP54	S2	233.4	3/1/2015
NM24A-MOD	Damper act. NM24A MOD IP54	S2	313.5	3/1/2015
NM24A-MP	Damper act. NM24 MP IP54	S2	238.7	3/1/2015
NM24A-MP-TP	Damper act. NM24 MP IP54	S2	238.7	3/1/2015
NM24A-S	Damper act. NM24 S IP54	S2	174.3	3/1/2015
NM24A-S-TP	Damper act. NM24 S-T IP54	S2	174.3	3/1/2015
NM24A-SR	Damper act. NM24 SR U5 IP54	S2	221.5	3/1/2015
NM24A-SR-F	Damper act. NM24A SR U5 IP54 F	S2	221.5	3/1/2015
NM24A-SR-F12.1	Damper act. NM24A-SR-F12	S2	219.2	3/1/2015
NM24A-SR-TP	Damper act. NM24 SR-T U5 IP54	S2	221.5	3/1/2015
NM24A-SR-TP VTS	Damper act. NM24A-SR-TP IP54 VTS	S2	221.5	3/1/2015
NM24A-SR-TP.1	Damper act. NM24A-SR-TP IP54	S2	219.2	3/1/2015
NM24A-SR.1	Gearbox NM24A-SR	S2	218.5	3/1/2015
NM24A-SR.1 LN	Damper act. NM24A-SR Lennox	S2	226.7	3/1/2015
NM24A-SR/500.1 LN	Damper act. NM24A-SR/500 Lennox	S2	243.2	3/1/2015



NM24A-TP	Damper act. NM24-T IP54	S2	144.4	3/1/2015
NM24A-TP VTS	Damper act. NM24-T IP54 VTS	S2	144.4	3/1/2015
NM24A-V	Damper act. NM24 10Nm to VR	S4	216.2	3/1/2015
NM24A-V-F	Damper act. 10Nm to VR.. 4KT 8x8	S4	216.2	3/1/2015
NM24A-V-RE2	Damper act. 10Nm to VRD3-RE2-SET	S4	235.7	3/1/2015
NM24A-V-ST	Damper act. NM24 10Nm to VRP-M	S4	219.2	3/1/2015
NM24A-V.1	Damper act. NM24 10Nm to VR	S4	212.5	3/1/2015
NM24A-V1009	Damper act. 10Nm to VR.. 4KT 10x10	S4	216.2	3/1/2015
NM24A010F.1	Damper act. NM24 IP54 F	S2	143.7	3/1/2015
NM24ALON	Damper act. NM24LON IP54	S2	407.0	3/1/2015
NM24AP5	Actuator NM24AP5 IP54	S2	195.3	3/1/2015
NM24E1	Damper act. NM24E1 SR IP00	S2	189.3	3/1/2015
NM24P	actuator NM24P IP66/67	S2	318.7	3/1/2015
NM24P-MF	actuator NM24P-MF U5 IP66/67	S2	410.8	3/1/2015
NM24P-MP	actuator NM24P-MF U5 IP66/67	S2	414.5	3/1/2015
NM24P-P5	actuator NM24P-P5 IP66/67	S2	370.4	3/1/2015
NM24P-S	actuator NM24P-S IP66/67	S2	347.9	3/1/2015
NM24P-SR	Damper act. NM24P-SR U5 IP66/67	S2	393.6	3/1/2015
NM72A-B HFG	Damper act. NM72A-B Faiveley	S2	210.3	3/1/2015
NM72A-SR	Damper act. NM72 SR U5 IP54	S2	240.2	3/1/2015
NMC24A-MF	Damper act. NMC24A MF U5 IP54	S2	249.2	3/1/2015
NMC24A-MP	Damper act. NMC24A MF U5 IP54	S2	252.9	3/1/2015
NMQ24A	Damper act. NMQ24A Auf/Zu	S2	260.4	3/1/2015
NMQ24A-MF	Damper act. NMQ24A MF U5	S2	321.7	3/1/2015
NMQ24A-SR	Damper act. NMQ24A SR U5	S2	309.0	3/1/2015
NMQ24A-SRV-ST	Damper act. NMQ24A zu VRP-M	S4	327.0	3/1/2015
NMV-D3-MP	Damper act. VAV Compact D3 10Nm	S4	312.0	3/1/2015
NMV-D3-MP-F	Damper act. VAV Compact D3 10Nm Fm	S4	312.0	3/1/2015
NMV-D3-MP.1	Damper act. VAV Compact D3 10Nm	S4	309.8	3/1/2015
NMV-D3-RE	Damper act. VAV Comp. D3 10Nm, Retrofit	S4	332.2	3/1/2015
NMV-D3-RE2-SET	VAV Comp. D3 10Nm, Retrofit-Set	S4	484.8	3/1/2015
NMV-D3-RE2.1	Damper act. VAV Comp. D3 10Nm, Retrofit	S4	332.2	3/1/2015
NMV-D3LON	Damper act. VAV Compact D3 10Nm LON	S4	451.2	3/1/2015
NR230-1-T	Rotary act. 230V O/C 10Nm 140S	S5	172.1	3/1/2015
NR230-1-T+WNR	Rotary act. 230V O/C 10Nm 140S	S5	190.8	3/1/2015
NR230A	Valve act. AC 230V, 10 Nm, O/C	S5	164.6	3/1/2015
NR230A-S	Valve act. 230V, 10Nm, O/C, with switch	S5	203.5	3/1/2015
NR24-3-TA	Servomoteur NXR24-T1 BE Fin	S5	166.1	3/1/2015
NR24-SR/500	Rotary act. NR24-SR modul. cable	S5	263.4	3/1/2015
NR24-SR/500.2	Rotary act. NR24-SR modul. cable 5m	S5	241.7	3/1/2015
NR24A	Valve act. AC/DC 24V, 10 Nm, O/C	S5	164.6	3/1/2015
NR24A-MF	Valve act. AC/DC 24V, 10 Nm, MF	S5	264.9	3/1/2015
NR24A-MOD	Valve act. AC/DC 24V 10 Nm, MOD	S5	346.4	3/1/2015
NR24A-MP	Valve act. AC/DC 24V, 10 Nm, MP	S5	271.6	3/1/2015
NR24A-S	Valve act. AC/DC 24V, 10 Nm, O/C, with s	S5	203.5	3/1/2015
NR24A-SR	Valve act. AC/DC 24V, 10 Nm, mod.	S5	248.4	3/1/2015
NR24A-SR-TP	Valve act. AC/DC 24 V, 10 Nm, modulating	S5	248.4	3/1/2015
NR24A-SR-TP VTS	Rotary act. 24V, 10Nm, stetig, -T, IP54 VTS	S5	248.4	3/1/2015
NR24ALON	Valve act. AC/DC 24V, 10 Nm, LON	S5	436.2	3/1/2015
NRC24-SR-SI	Rotary act. NRCVX24-SR-SI BE Fin	S5	226.7	3/1/2015
NRC24A-SR	Valve act. AC/DC 24V, 10 Nm, mod., 45 s	S5	258.9	3/1/2015
NRCVX230-3-SI	Servomoteur NRCVX230-3-SI Belimo	S5	174.3	3/1/2015
NRD230	Rotary act. NRD230 5Nm	S5	145.2	3/1/2015
NRD230-3-SI	Servomoteur NRDVX230-3 SI BE Fin	S5	145.2	3/1/2015
NRD230-T	Rotary act. NRD230-T 5Nm	S5	145.2	3/1/2015
NRD24-3-SI	Servomoteur NRDVX24-3 SI BE Fin	S5	145.2	3/1/2015
NRD24-3-W	Servomoteur 5Nm/140s BE Fin	S5	163.9	3/1/2015
NRD24-SR-SI	Rotary act. NRDVX24-SR-SI BE Fin	S5	226.7	3/1/2015

NRD24-T	Rotary act. 24V	S5	143.7	3/1/2015
NRDVX230-1-CA	Valve act. with stroke adapt. Cazzaniga	S5	178.8	3/1/2015
NRDVX230-3-T-CA	Valve act. with stroke adapt. Cazzaniga	S6	162.4	3/1/2015
NRDVX230-3-T-SI	Valve act. with stroke adapt. Siemens	S6	164.6	3/1/2015
NRDVX24-3-T-CA	Valve act. with stroke adapt. Cazzaniga	S6	162.4	3/1/2015
NRDVX24-3-T-SI	Valve act. with stroke adapt. Siemens	S6	164.6	3/1/2015
NRDVX24-SR-SI	Rotary act. NRDVX24-SR SI Belimo	S5	245.4	3/1/2015
NRDVX24-SR-T-CA	Valve act. with stroke adapt. Cazzaniga	S6	229.7	3/1/2015
NRDVX24-SR-T-SI	Valve act. with stroke adapt. Siemens	S6	235.7	3/1/2015
NRF230A	Spr.Rotary act. NC, 230V, 10Nm, O/C	S5	312.8	3/1/2015
NRF230A-3	Spr.Rotary act. NC, 230V, 10Nm, 3-point	S5	336.7	3/1/2015
NRF230A-3-O	Spr.Rotary act. NO, 230V, 10Nm, 3-point	S5	336.7	3/1/2015
NRF230A-3-S2	Spr.Rotary act. NC, 230V, 10Nm, 3-P, 2xS	S5	369.6	3/1/2015
NRF230A-3-S2-O	Spr.Rotary act. NO, 230V, 10Nm, 3-P, 2xS	S5	369.6	3/1/2015
NRF230A-O	Spr.Rotary act. NO, 230V, 10Nm, O/C	S5	312.8	3/1/2015
NRF230A-S2	Spr.Rotary act. NC, 230V, 10Nm, O/C, 2xS	S5	350.9	3/1/2015
NRF230A-S2-O	Spr.Rotary act. NO, 230V, 10Nm, O/C, 2xS	S5	350.9	3/1/2015
NRF24A	Spr.Rotary act. NC, 24V, 10Nm, O/C	S5	292.6	3/1/2015
NRF24A-MP	Spr.Rotary act. NC, 24V, 10Nm, MP	S5	375.6	3/1/2015
NRF24A-O	Spr.Rotary act. NO, 24V, 10Nm, O/C	S5	292.6	3/1/2015
NRF24A-S2	Spr.Rotary act. NC, 24V, 10Nm, O/C, 2xSP	S5	324.7	3/1/2015
NRF24A-S2-O	Spr.Rotary act. NO, 24V, 10Nm O/C, 2xSPD	S5	324.7	3/1/2015
NRF24A-SR	Spr.Rotary act. NC, 24V, modul.	S5	332.2	3/1/2015
NRF24A-SR-O	Spr.Rotary act. NO, 24V, modul.	S5	332.2	3/1/2015
NRF24A-SR-S2	spr.Rotary act. NC, 24V, modul.,2xEPU	S5	365.9	3/1/2015
NRF24A-SR-S2-O	Spr.Rotary act. NO, 24V, modul., 2xEPU	S5	365.9	3/1/2015
NRF24A-SZ	Spr.Rotary act. NC, 24V, 10Nm, modul.	S5	332.2	3/1/2015
NRF24A-SZ-O	Spr.Rotary act. NO, 24V, 10Nm, modul.	S5	332.2	3/1/2015
NRF24A-SZ-S2	Spr.Rotary act. NC, 24V, 10Nm, modul., 2	S5	365.9	3/1/2015
NRF24A-SZ-S2-O	Spr.Rotary act. NO, 24V, 10Nm, modul., 2	S5	365.9	3/1/2015
NRFA	Spr.Rotary act. NC, 24V...230V, 10Nm, O/	S5	312.8	3/1/2015
NRFA-O	Spr.Rotary act. NO, 24...230V, 10Nm, O/C	S5	312.8	3/1/2015
NRFA-S2	Spr.Rotary act. NC, 24...230V, 10Nm, O/C	S5	350.9	3/1/2015
NRFA-S2-O	Spr.Rotary act. NO,24-230V,10Nm,O/C,2EP	S5	350.9	3/1/2015
NRFD230A-3	Spr.Rotary act. NC, 230V, 5Nm, 3-P	S5	290.3	3/1/2015
NRFD230A-3-O	Spr.Rotary act. NO, 230V, 5Nm, 3-P	S5	290.3	3/1/2015
NRFD230A-3-S2	Spr.Rotary act. NC, 230V, 5Nm, 3-P, 2xSP	S5	318.7	3/1/2015
NRFD230A-3-S2-O	Spr.Rotary act. NO, 230V, 5Nm, 3-P, 2xSP	S5	318.7	3/1/2015
NRQ24A	Rotary act. AC/DC 24V, 8Nm, op-cl, 9s	S5	299.3	3/1/2015
NRQ24A-SR	Rotary act. AC/DC 24V, 8Nm, modul., 9s	S5	350.9	3/1/2015
NRQ24A-SZ	Rotary act. AC/DC 24V, 8Nm, modul., 9s	S5	358.4	3/1/2015
NRV24-SR-CA	Valve act. AC24V modul. 3mm 500N CA	S5	245.4	3/1/2015
NRV24-SR-M/500	Rotary act. 24V 10Nm 35s modul. cable	S5	279.1	3/1/2015
NRVC24-SR-SI	Rotary act. NRYCVX24-SR SI BE Fin	S5	263.4	3/1/2015
NRVC24-SR-W	Rotary act. 24V/5Nm BE Fin	S5	263.4	3/1/2015
NRVD230	Rotary act. 5Nm/35s	S5	160.9	3/1/2015
NRVD230-3-SI	Servomoteur NRYD230-3-SI BE Fin	S5	160.9	3/1/2015
NRVD24-3-S	Rotary act. 5Nm/35s	S5	180.3	3/1/2015
NRVD24-3-SI	Servomoteur 5Nm/35s BE Fin	S5	160.9	3/1/2015
NRVD24-3-T	Servomoteur 5Nm/35s BE Fin	S5	158.6	3/1/2015
NRVD24-SR-SI	Rotary act. NRYDVX24-SR SI BE Fin	S5	242.4	3/1/2015
NRYDVX230-3-SI	Servomoteur NRYDVX230-3 SI Belimo	S5	184.8	3/1/2015
NRYDVX24-SR-SI	Servomoteur NRYDVX24-SR SI Belimo	S5	261.9	3/1/2015
NRYDVX24-SR-T-SI	Valve act. with stroke adapt. 5,5mm 35s	S6	250.7	3/1/2015
NSV24	Emergency power generator 24V	S2	683.9	3/1/2015
NV230A-RE	Linear act. AC 230V 1000N	S6	428.7	3/1/2015
NV230A-TPC	Linear act. AC 230V 1000N	S6	334.5	3/1/2015
NV24A-MOD	Linear act. AC/DC 24V 1000N MOD	S6	461.7	3/1/2015

NV24A-MP-RE	Linear act. AC/DC 24V 1000N MP	S6	484.1	3/1/2015
NV24A-MP-TPC	Linear act. AC/DC 24V 1000N MP	S6	389.8	3/1/2015
NV24A-RE	Linear act. AC/DC 24V 1000N	S6	428.7	3/1/2015
NV24A-SR-TPC	Linear act. AC/DC 24V 1000N SR	S6	359.1	3/1/2015
NV24A-SZ-TPC	Linear act. AC/DC 24V 1000N SZ	S6	359.1	3/1/2015
NV24A-TPC	Linear act. AC/DC 24V 1000N	S6	334.5	3/1/2015
NV24ALON	Linear act. AC/DC 24V 1000N LON	S6	566.4	3/1/2015
NVC230A-RE	Linear act. AC 230V 1000N 35s	S6	451.2	3/1/2015
NVC230A-TPC	Linear act. AC 230V 1000N 35s	S6	356.9	3/1/2015
NVC24A-MP-RE	Linear act. AC/DC 24V 1000N MP 35s	S6	511.0	3/1/2015
NVC24A-MP-TPC	Linear act. AC/DC 24V 1000N MP 35s	S6	416.8	3/1/2015
NVC24A-RE	Linear act. AC/DC 24V 1000N 35s	S6	451.2	3/1/2015
NVC24A-SR-TPC	Linear act. AC/DC 24V 1000N SR 35s	S6	383.8	3/1/2015
NVC24A-SZ-REC	Linear act. AC/DC 24V 1000N SZ 35s	S6	458.7	3/1/2015
NVC24A-SZ-TPC	Linear act. AC/DC 24V 1000N SZ 35s	S6	383.8	3/1/2015
NVD24-SR-T	Linear act. 24V modul. 20mm 500N	S6	267.9	3/1/2015
NVF24-MFT-E-T	Spr.Linear act. push, 24V, MFT, 20mm, 80	S6	407.8	3/1/2015
NVF24-MFT-T	Spr.Linear act. pull, 24V, MFT, 20mm, 80	S6	407.8	3/1/2015
NVF24-MFT2	Spr.Linear act. pull, 24V, MFT2, 20mm, 8	S6	433.2	3/1/2015
NVF24-MFT2-C105	Spr.Linear act. pull, 24V, MFT2, 20mm, 8	S6	451.2	3/1/2015
NVF24-MFT2-E	Spr.Linear act. push, 24V, MFT2, 20mm, 8	S6	433.2	3/1/2015
NVFT24-MFT-E	TÜV linear act. 24V MFT 1000N	S6	418.3	3/1/2015
NVFY24-MFT2	Spr.Linear act. pull, 24V MFT2 800N 20mm	S6	459.4	3/1/2015
NVFY24-MFT2-E	Spr.Linear act. push, 24V MFT2 800N 20mm	S6	459.4	3/1/2015
NVG24-MFT2	Linear act. 24V MFT 20mm 1600N	S6	467.6	3/1/2015
NVK230A-3	Linear act. AC 230V 1000N	S6	529.0	3/1/2015
NVK230A-3-RE	Linear act. AC 230V 1000N	S6	626.3	3/1/2015
NVK24A-3-RE	Linear act. AC 24V 1000N	S6	626.3	3/1/2015
NVK24A-3-TPC	Linear act. AC 24V 1000N	S6	532.0	3/1/2015
NVK24A-MP-RE	Linear act. AC/DC 24V 1000N MP	S6	720.5	3/1/2015
NVK24A-MP-TPC	Linear act. AC/DC 24V 1000N MP	S6	626.3	3/1/2015
NVK24A-SR-TPC	Linear act. AC/DC 24V 1000N SR	S6	573.9	3/1/2015
NVK24A-SZ-TPC	Linear act. AC/DC 24V 1000N SZ	S6	573.9	3/1/2015
NVK24ALON	Linear act. AC/DC 24V 1000N LON	S6	802.8	3/1/2015
NVKC24A-MP-RE	Linear act. AC/DC 24V 1000N MP 35s	S6	766.2	3/1/2015
NVKC24A-MP-TPC	Linear act. AC/DC 24V 1000N MP 35s	S6	671.9	3/1/2015
NVKC24A-SR-TPC	Linear act. AC/DC 24V 1000N SR 35s	S6	615.8	3/1/2015
NVKC24A-SZ-TPC	Linear act. AC/DC 24V 1000N SZ 35s	S6	615.8	3/1/2015
NVS24-MFT2	Linear act. 24V MFT2 23mm 1200N	S6	378.6	3/1/2015
NVY24-MFT	Linear act. 24V MFT 20mm 1000N 35s	S6	344.2	3/1/2015
NVY24-MFT-R-C105	Linear act. NVY24-MFT retrofit switch	S6	423.5	3/1/2015
NVY24-MFT-T	Linear act. 24V MFT 20mm 1000N	S6	343.4	3/1/2015
NXR230-00	Rotary act. NXR230-00	S5	139.9	3/1/2015
NXR24-22B BE	Rotary act. NXR24 10Nm Belimo 180°	S5	156.4	3/1/2015
P10000A	Pot. add. 10000 Ohm	S2	76.3	3/1/2015
P10000A GR	Pot. add.10000 Ohm FRNC grey	S2	78.6	3/1/2015
P1000A	Pot. add. 1000 Ohm	S2	76.3	3/1/2015
P1000A GR	Pot. add. 1000 Ohm FRNC grey	S2	78.6	3/1/2015
P1000A-F	Potentiometer 1000 Ohm for springact.	S2	110.0	3/1/2015
P140A	Pot. add. 140 Ohm	S2	76.3	3/1/2015
P140A GR	Pot. add. 140 Ohm FRNC grey	S2	78.6	3/1/2015
P140A/600 GR	Pot. add. 140 Ohm 6m FRNC grey	S2	127.9	3/1/2015
P200A	Pot. add. 200 Ohm	S2	76.3	3/1/2015
P200A-F	Potentiometer 200 Ohm for springactuator	S2	110.0	3/1/2015
P2800A	Pot. add. 2800 Ohm	S2	76.3	3/1/2015
P2800A GR	Pot. add. 2800 Ohm FRNC grey	S2	78.6	3/1/2015
P5000A	Pot. add. 5000 Ohm	S2	76.3	3/1/2015
P5000A GR	Pot. add. 5000 Ohm FRNC grey	S2	78.6	3/1/2015

P5000A/150	Pot. add. 5000 Ohm 1.5m cable	S2	92.0	3/1/2015
P500A	Pot. add. 500 Ohm	S2	76.3	3/1/2015
P500A GR	Pot. add. 500 Ohm FRNC grey	S2	78.6	3/1/2015
P6065W800E-MP	"EPIV act.-CBV 2 1/2" EU, V=480l/min"	S5	3,152.3	3/1/2015
P6065W800EV-BAC	"Energy Valve 2 1/2" EU, PN16, 480l/min"	S5	3,801.0	3/1/2015
P6080W1100E-MP	"EPIV act.-CBV 3" EU, V=660l/min"	S5	3,396.2	3/1/2015
P6080W1100EV-BAC	"Energy Valve 3" EU, PN16, 660l/min"	S5	4,083.1	3/1/2015
P6100W2000E-MP	"EPIV act.-CBV 4" EU, V=1200l/min"	S5	3,983.5	3/1/2015
P6100W2000EV-BAC	"Energy Valve 4" EU, PN16, 1200l/min"	S5	4,739.2	3/1/2015
P6125W3100E-MP	"EPIV act.-RKH 5" EU, V=1860l/min"	S5	5,830.9	3/1/2015
P6125W3100EV-BAC	"Energy Valve 5" EU, PN16, 1860l/min"	S5	6,151.1	3/1/2015
P6150W4500E-MP	"EPIV act.-CBV 6" EU, V=2700l/min"	S5	7,212.1	3/1/2015
P6150W4500EV-BAC	"Energy Valve 6" EU, PN16, 2700l/min"	S5	7,540.6	3/1/2015
R2015-1-B1	"2-WAY CCV DN15 RP 1/2" KVS 1.0"	S5	49.4	3/1/2015
R2015-1-S1	"2-WAY CCV DN15 RP 1/2" KVS 1.0"	S5	65.8	3/1/2015
R2015-1P6-B1	"2-WAY CCV DN15 RP 1/2" KVS 1.6"	S5	49.4	3/1/2015
R2015-1P6-S1	"2-WAY CCV DN15 RP 1/2" KVS 1.6"	S5	65.8	3/1/2015
R2015-2P5-B1	"2-WAY CCV DN15 RP 1/2" KVS 2.5"	S5	49.4	3/1/2015
R2015-2P5-S1	"2-WAY CCV DN15 RP 1/2" KVS 2.5"	S5	65.8	3/1/2015
R2015-4-B1	"2-WAY CCV DN15 RP 1/2" KVS 4.0"	S5	49.4	3/1/2015
R2015-4-S1	"2-WAY CCV DN15 RP 1/2" KVS 4.0"	S5	65.8	3/1/2015
R2015-6P3-B1	"2-WAY CCV DN15 RP 1/2" KVS 6.3"	S5	49.4	3/1/2015
R2015-6P3-S1	"2-WAY CCV DN15 RP 1/2" KVS 6.3"	S5	65.8	3/1/2015
R2015-B1	"2-WAY BALL VALVE DN15 RP 1/2" KVS 1"	S5	44.9	3/1/2015
R2015-P25-S1	"2-WAY CCV DN15 RP 1/2" KVS 0.25"	S5	65.8	3/1/2015
R2015-P4-S1	"2-WAY CCV DN15 RP 1/2" KVS 0.4"	S5	65.8	3/1/2015
R2015-P63-B1	"2-WAY CCV DN15 RP 1/2" KVS 0.63"	S5	49.4	3/1/2015
R2015-P63-S1	"2-WAY CCV DN15 RP 1/2" KVS 0.63"	S5	65.8	3/1/2015
R2015-S1	"2-WAY BALL VALVE DN15 RP 1/2" KVS 1"	S5	61.4	3/1/2015
R2020-4-B1	"2-WAY CCV DN20 RP 3/4" KVS 4.0"	S5	60.6	3/1/2015
R2020-4-S2	"2-WAY CCV DN20 RP 3/4" KVS 4.0"	S5	77.1	3/1/2015
R2020-6P3-B1	"2-WAY CCV DN20 RP 3/4" KVS 6.3"	S5	60.6	3/1/2015
R2020-6P3-S2	"2-WAY CCV DN20 RP 3/4" KVS 6.3"	S5	77.1	3/1/2015
R2020-8P6-B1	"2-WAY CCV DN20 RP 3/4" KVS 8.6"	S5	60.6	3/1/2015
R2020-8P6-S2	"2-WAY CCV DN20 RP 3/4" KVS 8.6"	S5	77.1	3/1/2015
R2020-B1	"2-WAY BALL VALVE DN20 RP 3/4" KVS 3"	S5	52.4	3/1/2015
R2020-S2	"2-WAY BALL VALVE DN20 RP 3/4" KVS 3"	S5	69.6	3/1/2015
R2025-10-B2	"2-WAY CCV DN25 RP 1" KVS 10"	S5	85.3	3/1/2015
R2025-10-S2	"2-WAY CCV DN25 RP 1" KVS 10"	S5	94.3	3/1/2015
R2025-16-B2	"2-WAY CCV DN25 RP 1" KVS 16"	S5	85.3	3/1/2015
R2025-16-S2	"2-WAY CCV DN25 RP 1" KVS 16"	S5	94.3	3/1/2015
R2025-6P3-B2	"2-WAY CCV DN25 RP 1" KVS 6.3"	S5	85.3	3/1/2015
R2025-6P3-S2	"2-WAY CCV DN25 RP 1" KVS 6.3"	S5	94.3	3/1/2015
R2025-B2	"2-WAY BALL VALVE DN25 RP 1" KVS 26"	S5	76.3	3/1/2015
R2025-S2	"2-WAY BALL VALVE DN25 RP 1" KVS 26"	S5	85.3	3/1/2015
R2032-10-B2	"2-WAY CCV DN32 RP 1 1/4" KVS 10"	S5	106.2	3/1/2015
R2032-16-B3	"2-WAY CCV DN32 RP 1 1/4" KVS 16"	S5	125.0	3/1/2015
R2032-16-S3	"2-WAY CCV DN32 RP 1 1/4" KVS 16"	S5	136.2	3/1/2015
R2032-B2	"2-WAY BALL VALVE DN32 RP 1 1/4" KVS 16"	S5	97.3	3/1/2015
R2032-B3	"2-WAY BALL VALVE DN32 RP 1 1/4" KVS 16"	S5	116.0	3/1/2015
R2032-S3	"2-WAY BALL VALVE DN32 RP 1 1/4" KVS 16"	S5	126.4	3/1/2015
R2040-16-B3	"2-WAY CCV DN40 RP 1 1/2" KVS 16"	S5	150.4	3/1/2015
R2040-16-S3	"2-WAY CCV DN40 RP 1 1/2" KVS 16"	S5	160.9	3/1/2015
R2040-25-B3	"2-WAY CCV DN40 RP 1 1/2" KVS 25"	S5	150.4	3/1/2015
R2040-25-S3	"2-WAY CCV DN40 RP 1 1/2" KVS 25"	S5	160.9	3/1/2015
R2040-B3	"2-WAY BALL VALVE DN40 RP 1 1/2" KVS 16"	S5	141.4	3/1/2015
R2040-S3	"2-WAY BALL VALVE DN40 RP 1 1/2" KVS 16"	S5	151.9	3/1/2015
R2050-25-B3	"2-WAY CCV DN50 RP 2" KVS 25"	S5	200.5	3/1/2015

R2050-25-S4	"2-WAY CCV DN50 RP 2"" KVS 25"	S5	211.7	3/1/2015
R2050-40-B3	"2-WAY CCV DN50 RP 2"" KVS 40"	S5	200.5	3/1/2015
R2050-40-S4	"2-WAY CCV DN50 RP 2"" KVS 40"	S5	211.7	3/1/2015
R2050-B3	"2-WAY BALL VALVE DN50 RP 2"" KVS 49"	S5	191.5	3/1/2015
R2050-S4	"2-WAY BALL VALVE DN50 RP 2"" KVS 49"	S5	202.0	3/1/2015
R205K	"2-way ball valve DN10 RP3/8"" kvs 0.25"	S5	60.6	3/1/2015
R206K	"2-way ball valve DN10 RP3/8"" kvs 0.4"	S5	60.6	3/1/2015
R207K	"2-way ball valve DN10 RP3/8"" kvs 0.63"	S5	60.6	3/1/2015
R208K	"2-way ball valve DN10 RP3/8"" kvs 1.0"	S5	60.6	3/1/2015
R209K	"2-way ball valve DN10 RP3/8"" kvs 1.6"	S5	60.6	3/1/2015
R210K	2-way Open/Close ball valve	S5	60.6	3/1/2015
R215P-010	2-way pressure ind.ball v. DN15 V 0.1l/s	S5	169.1	3/1/2015
R215P-020	2-way pressure ind.ball v. DN15 V 0.2l/s	S5	169.1	3/1/2015
R215P-040	2-way pressure ind.ball v. DN15 V 0.4l/s	S5	169.1	3/1/2015
R220P-040	2-way pressure ind.ball v. DN20 V 0.4l/s	S5	202.8	3/1/2015
R220P-060	2-way pressure ind.ball v. DN20 V 0.6l/s	S5	202.8	3/1/2015
R225P-070	2-way pressure ind.ball v. DN25 V 0.7l/s	S5	299.3	3/1/2015
R225P-110	2-way pressure ind.ball v. DN25 V 1.1l/s	S5	299.3	3/1/2015
R232P-120	2-way pressure ind.ball v. DN32 V 1.2l/s	S5	435.5	3/1/2015
R232P-160	2-way pressure ind.ball v. DN32 V 1.6l/s	S5	435.5	3/1/2015
R240P-180	2-way pressure ind.ball v. DN40 V 1.8l/s	S5	481.1	3/1/2015
R240P-220	2-way pressure ind.ball v. DN40 V 2.2l/s	S5	481.1	3/1/2015
R250P-270	2-way pressure ind.ball v. DN50 V 2.7l/s	S5	752.7	3/1/2015
R250P-550	2-way pressure ind.ball v. DN50 V 5.5l/s	S5	2,554.4	3/1/2015
R2BR-216	2-W Fancoil 24V 3-Pnt DN15 Rp1/2 kvs1.6	S5	146.7	3/1/2015
R2BR-227	"2-w Fancoil 24V 1-w DN20 Rp3/4"" kvs4.0	S5	161.6	3/1/2015
R2BR-307	"2-w Fancoilv. 24V 2-wire DN10 Rp3/8""	S5	123.5	3/1/2015
R2BR-316	2-W Fancoil 24V 3-pnt DN15 Rp1/2 kvs1.6	S5	133.9	3/1/2015
R2BR-317	2-W Fancoil 24V 3-pnt DN15 Rp1/2 kvs2.5	S5	133.9	3/1/2015
R2BR-318	2-W Fancoil 24V 3-pnt DN15 Rp1/2 kvs4.0	S5	133.9	3/1/2015
R2BR-320	2-w zone v. 24V 2-wire DN15 Rp1/2 kvs15	S5	117.5	3/1/2015
R2BR-327	2-w Fancoil 24V 3-Pnt DN20 Rp3/4 kvs4.0	S5	144.4	3/1/2015
R2BR-328	2-w Fancoil 24V 3-Pnt DN20 Rp3/4 kvs6.3	S5	144.4	3/1/2015
R2BR-329	2-w Fancoil 24V 3-Pnt DN20 Rp3/4 kvs8.6	S5	144.4	3/1/2015
R2BR-330	2-w zone v. 24V 2-wire DN20 Rp3/4 kvs32	S5	131.7	3/1/2015
R2BR-616	2-W Fancoil 230V 3-Pnt DN15 Rp1/2 kvs1.6	S5	145.9	3/1/2015
R2BR-617	2-W Fancoil 230V 3-Pnt DN15 Rp1/2 kvs2.5	S5	145.9	3/1/2015
R2BR-618	2-W Fancoil 230V 3-Pnt DN15 Rp1/2 kvs4.0	S5	145.9	3/1/2015
R2BR-620	2-w zone v. 230V 2-wire DN15 Rp1/2 kvs15	S5	129.4	3/1/2015
R2BR-627	2-w Fancoil 230V 3-Pnt DN20 Rp3/4 kvs4.0	S5	157.1	3/1/2015
R2BR-628	2-w Fancoil 230V 3-Pnt DN20 Rp3/4 kvs6.3	S5	157.1	3/1/2015
R2BR-629	2-w Fancoil 230V 3-Pnt DN20 Rp3/4 kvs8.6	S5	157.1	3/1/2015
R2BR-630	2-W Fancoil 230V 3-Pnt DN20 Rp3/4 kvs32	S5	148.9	3/1/2015
R2BR-805	"2port Fancoilv. 24V modular DN10 Rp3/8"	S5	180.3	3/1/2015
R2BR-807	"2port Fancoilv. 24V modular DN10 Rp3/8"	S5	180.3	3/1/2015
R2BR-808	"2port Fancoilv. 24V modular DN10 Rp3/8"	S5	180.3	3/1/2015
R2BR-816	2-W-Fancoilv. 24V -SR DN15 Rp1/2 kvs1.6	S5	191.5	3/1/2015
R2BR-817	2-W-Fancoil 24V modul. DN15 Rp1/2 kvs2.5	S5	191.5	3/1/2015
R2BR-818	2-W-Fancoil 24V modul. DN15 Rp1/2 kvs4.0	S5	191.5	3/1/2015
R2BR-827	"2-W-Fancoil 24V mod. DN20 Rp3/4"" kvs4.	S5	207.3	3/1/2015
R2BR-828	"2-W-Fancoil 24V mod. DN20 Rp3/4"" kvs6.	S5	207.3	3/1/2015
R2BR-829	"2-W-Fancoil 24V mod. DN20 Rp3/4"" kvs8.	S5	207.3	3/1/2015
R2R-4820	"2-W Fanc. TRF 24V -SR DN15 Rp1/2"" kvs	S5	184.8	3/1/2015
R3015-1-1-B2	"6-way BV, Rp 1/2"" kvs1 1.0 kvs2 1.0"	S5	301.5	3/1/2015
R3015-1-1P3-B2	"6-way BV, Rp 1/2"" kvs1 1.0 kvs2 1.3"	S5	301.5	3/1/2015
R3015-1-B1	"3-WAY CCV DN15 RP 1/2"" KVS 1.0"	S5	76.3	3/1/2015
R3015-1-P25-B2	"6-way BV, Rp 1/2"" kvs1 1.0 kvs2 0.25"	S5	301.5	3/1/2015
R3015-1-P4-B2	"6-way BV, Rp 1/2"" kvs1 1.0 kvs2 0.4"	S5	301.5	3/1/2015

R3015-1-P63-B2	"6-way BV, Rp 1/2"" kvs1 1.0 kvs2 0.63"	S5	301.5	3/1/2015
R3015-1-S1	"3-WAY CCV DN15 RP 1/2"" KVS 1.0"	S5	115.2	3/1/2015
R3015-1P3-1-B2	"6-way BV, Rp 1/2"" kvs1 1.3 kvs2 1.0"	S5	301.5	3/1/2015
R3015-1P3-1P3-B2	"6-way BV, Rp 1/2"" kvs1 1.3 kvs2"	S5	301.5	3/1/2015
R3015-1P3-P25-B2	"6-way BV, Rp 1/2"" kvs1 1.3 kvs2 0.25"	S5	301.5	3/1/2015
R3015-1P3-P4-B2	"6-way BV, Rp 1/2"" kvs1 1.3 kvs2 0.4"	S5	301.5	3/1/2015
R3015-1P3-P63-B2	"6-way BV, Rp 1/2"" kvs1 1.3 kvs2 0.63"	S5	301.5	3/1/2015
R3015-1P6-B1	"3-WAY CCV DN15 RP 1/2"" KVS 1.6"	S5	76.3	3/1/2015
R3015-1P6-S1	"3-WAY CCV DN15 RP 1/2"" KVS 1.6"	S5	115.2	3/1/2015
R3015-2P5-B1	"3-WAY CCV DN15 RP 1/2"" KVS 2.5"	S5	76.3	3/1/2015
R3015-2P5-S1	"3-WAY CCV DN15 RP 1/2"" KVS 2.5"	S5	115.2	3/1/2015
R3015-4-B1	"3-WAY CCV DN15 RP 1/2"" KVS 4.0"	S5	76.3	3/1/2015
R3015-4-S1	"3-WAY CCV DN15 RP 1/2"" KVS 4.0"	S5	115.2	3/1/2015
R3015-B1	"3-WAY BALL VALVE DN15 RP 1/2"" KVS	S5	68.8	3/1/2015
R3015-BL1	3-WAY CHANGE OVER BALL VALVE DN15	S5	91.3	3/1/2015
R3015-P25-1-B2	"6-way BV, Rp 1/2"" kvs1 0.25 kvs2 1.0"	S5	301.5	3/1/2015
R3015-P25-1P3-B2	"6-way BV, Rp 1/2"" kvs1 0.25 kvs2 1.3"	S5	301.5	3/1/2015
R3015-P25-P25-B2	"6-way BV, Rp 1/2"" kvs1 0.25 kvs2 0.25"	S5	301.5	3/1/2015
R3015-P25-P4-B2	"6-way BV, Rp 1/2"" kvs1 0.25 kvs2 0.4"	S5	301.5	3/1/2015
R3015-P25-P63-B2	"6-way BV, Rp 1/2"" kvs1 0.25 kvs2 0.63"	S5	301.5	3/1/2015
R3015-P25-S1	"3-WAY CCV DN15 RP 1/2"" KVS 0.25"	S5	115.2	3/1/2015
R3015-P4-1-B2	"6-way BV, Rp 1/2"" kvs1 0.4 kvs2 1.0"	S5	301.5	3/1/2015
R3015-P4-1P3-B2	"6-way BV, Rp 1/2"" kvs1 0.4 kvs2 1.3"	S5	301.5	3/1/2015
R3015-P4-P25-B2	"6-way BV, Rp 1/2"" kvs1 0.4 kvs2 0.25"	S5	301.5	3/1/2015
R3015-P4-P4-B2	"6-way BV, Rp 1/2"" kvs1 0.4 kvs2 0.4"	S5	301.5	3/1/2015
R3015-P4-P63-B2	"6-way BV, Rp 1/2"" kvs1 0.4 kvs2 0.63"	S5	301.5	3/1/2015
R3015-P4-S1	"3-WAY CCV DN15 RP 1/2"" KVS 0.4"	S5	115.2	3/1/2015
R3015-P63-1-B2	"6-way BV, Rp 1/2"" kvs1 0.63 kvs2 1.0"	S5	301.5	3/1/2015
R3015-P63-1P3-B2	"6-way BV, Rp 1/2"" kvs1 0.63 kvs2 1.3"	S5	301.5	3/1/2015
R3015-P63-B1	"3-WAY CCV DN15 RP 1/2"" KVS 0.63"	S5	76.3	3/1/2015
R3015-P63-P25-B2	"6-way BV, Rp 1/2"" kvs1 0.63 kvs2 0.25"	S5	301.5	3/1/2015
R3015-P63-P4-B2	"6-way BV, Rp 1/2"" kvs1 0.63 kvs2 0.4"	S5	301.5	3/1/2015
R3015-P63-P63-B2	"6-way BV, Rp 1/2"" kvs1 0.63 kvs2 0.63"	S5	301.5	3/1/2015
R3015-P63-S1	"3-WAY CCV DN15 RP 1/2"" KVS 0.63"	S5	115.2	3/1/2015
R3015-S1	"3-WAY BALL VALVE DN15 RP 1/2"" KVS	S5	107.7	3/1/2015
R3020-1-1P6-B2	"6-way BV, Rp 3/4"" kvs1 1.0 kvs2 1.6"	S5	437.7	3/1/2015
R3020-1-2P5-B2	"6-way BV, Rp 3/4"" kvs1 1.0 kvs2 2.5"	S5	437.7	3/1/2015
R3020-1P6-1-B2	"6-way BV, Rp 3/4"" kvs1 1.6 kvs2 1.0"	S5	437.7	3/1/2015
R3020-1P6-1P6-B2	"6-way BV, Rp 3/4"" kvs1 1.6 kvs2 1.6"	S5	437.7	3/1/2015
R3020-1P6-2P5-B2	"6-way BV, Rp 3/4"" kvs1 1.6 kvs2 2.5"	S5	437.7	3/1/2015
R3020-1P6-P63-B2	"6-way BV, Rp 3/4"" kvs1 1.6 kvs2 0.63"	S5	437.7	3/1/2015
R3020-2P5-1-B2	"6-way BV, Rp 3/4"" kvs1 2.5 kvs2 1.0"	S5	437.7	3/1/2015
R3020-2P5-1P6-B2	"6-way BV, Rp 3/4"" kvs1 2.5 kvs2 1.6"	S5	437.7	3/1/2015
R3020-2P5-2P5-B2	"6-way BV, Rp 3/4"" kvs1 2.5 kvs2 2.5"	S5	437.7	3/1/2015
R3020-2P5-P63-B2	"6-way BV, Rp 3/4"" kvs1 2.5 kvs2 0.63"	S5	437.7	3/1/2015
R3020-4-B1	"3-WAY CCV DN20 RP 3/4"" KVS 4.0"	S5	93.5	3/1/2015
R3020-4-S2	"3-WAY CCV DN20 RP 3/4"" KVS 4.0"	S5	131.7	3/1/2015
R3020-6P3-B1	"3-WAY CCV DN20 RP 3/4"" KVS 6.3"	S5	93.5	3/1/2015
R3020-6P3-S2	"3-WAY CCV DN20 RP 3/4"" KVS 6.3"	S5	131.7	3/1/2015
R3020-B1	"3-WAY BALL VALVE DN20 RP 3/4"" KVS	S5	83.8	3/1/2015
R3020-BL2	3-WAY CHANGE OVER BALL VALVE DN20	S5	103.3	3/1/2015
R3020-P63-1P6-B2	"6-way BV, Rp 3/4"" kvs1 0.63 kvs2 1.6"	S5	437.7	3/1/2015
R3020-P63-2P5-B2	"6-way BV, Rp 3/4"" kvs1 0.63 kvs2 2.5"	S5	437.7	3/1/2015
R3020-P63-P63-B2	"6-way BV, Rp 3/4"" kvs1 0.63 kvs2 0.63"	S5	437.7	3/1/2015
R3020-S2	"3-WAY BALL VALVE DN20 RP 3/4"" KVS	S5	122.0	3/1/2015
R3025-10-B2	"3-WAY CCV DN25 RP 1"" KVS 10"	S5	118.2	3/1/2015
R3025-10-S2	"3-WAY CCV DN25 RP 1"" KVS 10"	S5	164.6	3/1/2015
R3025-6P3-B2	"3-WAY CCV DN25 RP 1"" KVS 6.3"	S5	118.2	3/1/2015

R3025-6P3-S2	"3-WAY CCV DN25 RP 1"" KVS 6.3"	S5	164.6	3/1/2015
R3025-B2	"3-WAY BALL VALVE DN25 RP 1"" KVS 2"	S5	107.0	3/1/2015
R3025-BL2	3-WAY CHANGE OVER BALL VALVE DN25	S5	133.9	3/1/2015
R3025-S2	"3-WAY BALL VALVE DN25 RP 1"" KVS 2"	S5	153.4	3/1/2015
R3032-10-B2	"3-WAY CCV DN32 RP 1 1/4"" KVS 10"	S5	148.9	3/1/2015
R3032-16-B3	"3-WAY CCV DN32 RP 1 1/4"" KVS 16"	S5	170.6	3/1/2015
R3032-16-S3	"3-WAY CCV DN32 RP 1 1/4"" KVS 16"	S5	231.9	3/1/2015
R3032-B2	"3-WAY BALL VALVE DN32 RP 1 1/4"" KV	S5	137.7	3/1/2015
R3032-B3	"3-WAY BALL VALVE DN32 RP 1 1/4"" KV	S5	158.6	3/1/2015
R3032-BL2	3-WAY CHANGE OVER BALL VALVE DN32	S5	157.1	3/1/2015
R3032-BL3	3-WAY CHANGE OVER BALL VALVE DN32	S5	193.0	3/1/2015
R3032-S3	"3-WAY BALL VALVE DN32 RP 1 1/4"" KV	S5	220.0	3/1/2015
R3040-16-B3	"3-WAY CCV DN40 RP 1 1/2"" KVS 16"	S5	196.8	3/1/2015
R3040-16-S3	"3-WAY CCV DN40 RP 1 1/2"" KVS 16"	S5	280.6	3/1/2015
R3040-25-S4	"3-WAY CCV DN40 RP 1 1/2"" KVS 25"	S5	318.7	3/1/2015
R3040-B3	"3-WAY BALL VALVE DN40 RP 1 1/2"" KV	S5	184.8	3/1/2015
R3040-BL3	3-WAY CHANGE OVER BALL VALVE DN40	S5	230.5	3/1/2015
R3040-BL4	1-WAY CHANGE OVER BALL VALVE DN40	S5	305.3	3/1/2015
R3040-S3	"3-WAY BALL VALVE DN40 RP 1 1/2"" KV	S5	268.6	3/1/2015
R3050-25-B3	"3-WAY CCV DN50 RP 2"" KVS 25"	S5	240.9	3/1/2015
R3050-25-S4	"3-WAY CCV DN50 RP 2"" KVS 25"	S5	325.5	3/1/2015
R3050-40-S4	"3-WAY CCV DN50 RP 2"" KVS 40"	S5	454.9	3/1/2015
R3050-58-S4	"3-WAY CCV DN50 RP 2"" KVS 58"	S5	524.5	3/1/2015
R3050-B3	"3-WAY BALL VALVE DN50 RP 2"" KVS 4"	S5	221.5	3/1/2015
R3050-BL3	3-WAY CHANGE OVER BALL VALVE DN50	S5	265.6	3/1/2015
R3050-BL4	3-WAY CHANGE OVER BALL VALVE DN50	S5	396.6	3/1/2015
R3050-S4	"3-WAY BALL VALVE DN50 RP 2"" KVS 4"	S5	311.3	3/1/2015
R306K	"3-way contr.b.v. DN10 RP3/8"" kvs0.4"	S5	105.5	3/1/2015
R307K	"3-way contr.b.v. DN10 RP3/8"" kvs0.63"	S5	105.5	3/1/2015
R308K	"3-way contr.b.v. DN10 RP3/8"" kvs1.0"	S5	105.5	3/1/2015
R315BL	"3-way change over b.v. DN15 Rp1/2"" kvs	S5	91.3	3/1/2015
R315BM	3-way ball valve R315	S5	68.8	3/1/2015
R317B	3-way ball valve R317 Kvs 4	S5	93.5	3/1/2015
R318B	"3-way ball valve DN20 RP3/4"" Kvs6.3"	S5	93.5	3/1/2015
R320BM	3-way ball valve R320	S5	83.8	3/1/2015
R323B	"3-way ball valve DN25 RP 1"" kvs 10"	S5	113.7	3/1/2015
R325BM	3-way ball valve R325	S5	107.0	3/1/2015
R330BL	3-way change over b.v. DN32 kvs8	S5	157.1	3/1/2015
R332BL	3-way change over b.v. DN32 kvs15	S5	193.0	3/1/2015
R332BM	3-way ball valve R332	S5	166.1	3/1/2015
R339G	"3-way ball valve DN40 RP1 1/2"" KVS25"	S5	318.7	3/1/2015
R340BL	3-way change over b.v. DN40 kvs14	S5	230.5	3/1/2015
R3BR-208	3-way Fancoilv. 24V 1wire DN10 kvs1	S5	160.9	3/1/2015
R3BR-216	3-W Fancoil 24V o/c DN15 Rp1/2 kvs1.6	S5	173.6	3/1/2015
R3BR-217	3-W Fancoil 24V o/c DN15 Rp1/2 kvs2.5	S5	173.6	3/1/2015
R3BR-228	3-W Fancoil 24V o/c DN20 Rp3/4 kvs6.3	S5	193.8	3/1/2015
R3BR-310	"3-w zone v. 24V 2-wire DN10 Rp3/8""	S5	131.7	3/1/2015
R3BR-316	3-W Fancoil 24V 3-Pnt DN15 Rp1/2 kvs1.6	S5	155.6	3/1/2015
R3BR-317	3-W Fancoil 24V 3-Pnt DN15 Rp1/2 kvs2.5	S5	155.6	3/1/2015
R3BR-318	3-W Fancoil 24V 3-Pnt DN15 Rp1/2 kvs4.0	S5	155.6	3/1/2015
R3BR-320	3-w zone v. 24V 2-wire DN15 Rp1/2 kvs15	S5	139.9	3/1/2015
R3BR-327	3-W Fancoil 24V 3-Pnt DN20 Rp3/4 kvs4.0	S5	174.3	3/1/2015
R3BR-328	3-W Fancoil 24V 3-Pnt DN20 Rp3/4 kvs6.3	S5	174.3	3/1/2015
R3BR-330	3-w zone v.l 24V 2-wire DN20 Rp3/4 kvs32	S5	157.9	3/1/2015
R3BR-616	3-W Fancoil 230V 3-Pnt DN15 Rp1/2 kvs1.6	S5	173.6	3/1/2015
R3BR-617	3-W Fancoil 230V 3-Pnt DN15 Rp1/2 kvs2.5	S5	173.6	3/1/2015
R3BR-618	3-W Fancoil 230V 3-Pnt DN15 Rp1/2 kvs4.0	S5	173.6	3/1/2015
R3BR-627	3W-Fancoil 230V 3-Pkt DN20 Rp3/4 kvs4	S5	183.3	3/1/2015

R3BR-628	3-W Fancoil 230V 3-Pnt DN20 Rp3/4 kvs6.3	S5	183.3	3/1/2015
R3BR-630	3-w zone v. 230V 2-wire DN20 Rp3/4 kvs21	S5	175.8	3/1/2015
R3BR-807	"3port Fancoilv. 24V modular DN10 Rp3/8"	S5	199.0	3/1/2015
R3BR-816	3-W-Fancoil 24V mod. DN15 Rp1/2 kvs1.6	S5	204.3	3/1/2015
R3BR-817	3-W-Fancoil 24V mod. DN15 Rp1/2 kvs2.5	S5	204.3	3/1/2015
R3BR-818	3-W-Fancoil 24V mod. DN15 Rp1/2 kvs4.0	S5	204.3	3/1/2015
R3BR-827	3-W-Fancoil 24V mod. DN20 Rp3/4 kvs4.0	S5	219.2	3/1/2015
R3BR-828	3-W-Fancoil 24V mod. DN20 Rp3/4 kvs6.3	S5	219.2	3/1/2015
R3S17/LR8-TP VTS	Set R3015-2P5-S1 / LR24A-SR-TP VTS	S5	300.0	3/1/2015
R3S18/LR8-TP VTS	Set R3015-4-S1 / LR24A-SR-TP VTS	S5	300.0	3/1/2015
R3S28/LR8-TP VTS	Set R3020-6P3-S2 / LR24A-SR-TP VTS	S5	316.5	3/1/2015
R3S36/LR8-TP VTS	Set R3025-10-S2 / LR24A-SR-TP VTS	S5	349.4	3/1/2015
R3S46/NR8-TP VTS	Set R3032-16-S3 / NR24A-SR-TP VTS	S5	480.4	3/1/2015
R3S65/SR8-TP VTS	Set R3050-25-S4 / SR24A-SR-TP VTS	S5	597.1	3/1/2015
R3S66/SR8-TP VTS	Set R3050-40-S4 / SR24A-SR-TP VTS	S5	726.5	3/1/2015
R3S67/SR8-TP VTS	Set R3050-58-S4 / SR24A-SR-TP VTS	S5	796.1	3/1/2015
R404DK	"2-way ball valve DN10 G 3/4"" kvs 0.3"	S5	151.9	3/1/2015
R405DK	"2-way ball valve DN10 G 3/4"" kvs 0.4"	S5	151.9	3/1/2015
R405K	"2-way ball valve DN10 G3/4"" kvs 0.25"	S5	71.1	3/1/2015
R406DK	"2-way ball valve DN10 G 3/4"" kvs 0.63"	S5	151.9	3/1/2015
R406K	"2-way ball valve DN10 G3/4"" kvs 0.4"	S5	71.1	3/1/2015
R407DK	"2-way ball valve DN10 G 3/4"" kvs 1"	S5	151.9	3/1/2015
R407K	"2-way ball valve DN10 G3/4"" kvs 0.63"	S5	71.1	3/1/2015
R408DK	"2-way ball valve DN10 G 3/4"" kvs 1.6"	S5	151.9	3/1/2015
R408K	"2-way ball valve DN10 G3/4"" kvs 1"	S5	71.1	3/1/2015
R409	"2-way ball valve DN15 G1"" kvs 0.63"	S5	77.8	3/1/2015
R409DK	"2-way ball valve DN10 G 3/4"" kvs 2.5"	S5	151.9	3/1/2015
R409K	"2-way ball valve DN10 G3/4"" kvs 1.6"	S5	71.1	3/1/2015
R410	"2-way ball valve DN15 G1"" kvs 1"	S5	77.8	3/1/2015
R410DK	"2-way ball valve DN10 G 3/4"" kvs 4"	S5	151.9	3/1/2015
R411	"2-way ball valve DN15 G1"" kvs 1.6"	S5	77.8	3/1/2015
R412	"2-way ball valve DN15 G1"" kvs 2.5"	S5	77.8	3/1/2015
R412D	"2-way ball valve DN15 G 1"" kvs 2.5"	S5	175.8	3/1/2015
R413	"2-way ball valve DN15 G1"" kvs 4"	S5	77.8	3/1/2015
R413D	"2-way ball valve DN15 G 1"" kvs 4"	S5	175.8	3/1/2015
R414	"2-way ball valve DN15 G1"" kvs 6.3"	S5	77.8	3/1/2015
R414D	"2-way ball valve DN15 G 1"" kvs 6.3"	S5	175.8	3/1/2015
R415	"2-way O/C ball valve DN15 G1"" kvs 8.6"	S5	73.3	3/1/2015
R415D	"2-way ball valve DN15 G 1"" kvs 12"	S5	175.8	3/1/2015
R417	"2-way ball valve DN20 G1-1/4"" kvs 4"	S5	88.3	3/1/2015
R417D	"2-way ball valve DN20 G 1 1/4"" kvs 6.3	S5	207.3	3/1/2015
R418	"2-way ball valve DN20 G1-1/4"" kvs 6.3"	S5	88.3	3/1/2015
R418D	"2-way ball valve DN20 G 1 1/4"" kvs 10"	S5	207.3	3/1/2015
R419	"2-way ball valve DN20 G1-1/4"" kvs 8.6"	S5	88.3	3/1/2015
R419D	"2-way ball valve DN20 G 1 1/4"" kvs 16"	S5	207.3	3/1/2015
R420	"2-way O/C ball valve DN20 G1-1/4"" kvs	S5	82.3	3/1/2015
R420D	"2-way ball valve DN20 G 1 1/4"" kvs 25"	S5	207.3	3/1/2015
R422	"2-way ball valve DN25 G1-1/2"" kvs 6.3"	S5	115.2	3/1/2015
R423	"2-way ball valve DN25 G1-1/2"" kvs 10"	S5	115.2	3/1/2015
R424	"2-way ball valve DN25 G1-1/2"" kvs 16"	S5	115.2	3/1/2015
R425	"2-way O/C ball valve DN25 G1-1/2"" kvs	S5	106.2	3/1/2015
R429	"2-way ball valve DN32 G2"" kvs 10"	S5	137.7	3/1/2015
R430	"2-way O/C ball valve DN32 G2"" kvs 16"	S5	127.9	3/1/2015
R431	"2-way ball valve DN32 G2"" kvs 16"	S5	160.9	3/1/2015
R432	"2-way O/C ball valve DN32 G2"" kvs 32"	S5	151.9	3/1/2015
R438	"2-way ball valve DN40 G2-1/4"" kvs 16"	S5	191.5	3/1/2015
R439	"2-way ball valve DN40 G2-1/4"" kvs 25"	S5	191.5	3/1/2015
R440	"2-way O/C b.valve DN40 G2-1/4"" kvs 32"	S5	182.6	3/1/2015



R448	"2-way ball valve DN50 G2-3/4"" kvs 25"	S5	261.1	3/1/2015
R449	"2-way ball valve DN50 G2-3/4"" kvs 40"	S5	261.1	3/1/2015
R450	"2-way O/C b.valve DN50 G2-3/4"" kvs 49"	S5	252.2	3/1/2015
R505K	"3-way ball valve DN10 G3/4"" kvs 0.25"	S5	133.9	3/1/2015
R506K	"3-way ball valve DN10 G3/4"" kvs 0.4"	S5	133.9	3/1/2015
R507K	"3-way ball valve DN10 G3/4"" kvs 0.63"	S5	133.9	3/1/2015
R508K	"3-way ball valve DN10 G3/4"" kvs 1"	S5	133.9	3/1/2015
R509	"3-way ball valve DN15 G1"" kvs 0.63"	S5	154.1	3/1/2015
R510	"3-way ball valve DN15 G1"" kvs 1"	S5	154.1	3/1/2015
R511	"3-way ball valve DN15 G1"" kvs 1.6"	S5	154.1	3/1/2015
R512	"3-way ball valve DN15 G1"" kvs 2.5"	S5	154.1	3/1/2015
R513	"3-way ball valve DN15 G1"" kvs 4"	S5	154.1	3/1/2015
R515	"3-way open/close b.v. DN15 G1"" kvs 8.6"	S5	146.7	3/1/2015
R517	"3-way ball valve DN20 G1-1/4"" kvs 4"	S5	175.8	3/1/2015
R518	"3-way ball valve DN20 G1-1/4"" kvs 6.3"	S5	175.8	3/1/2015
R520	"3-way open/close b.v. DN20 G1-1/4"" kvs"	S5	167.6	3/1/2015
R520BL	"3-w change over b.v. DN20 G1-1/4"" kvs8"	S5	160.9	3/1/2015
R520BM	"3-way ball valve DN20 G1-1/4"" kvs 21"	S5	154.1	3/1/2015
R522	"3-way ball valve DN25 G1-1/2"" kvs 6.3"	S5	220.0	3/1/2015
R523	"3-way ball valve DN25 G1-1/2"" kvs 10"	S5	220.0	3/1/2015
R525	"3-way open/close b.v. DN25 G1-1/2"" kvs"	S5	212.5	3/1/2015
R525BL	"3-w change over b.v. DN25 G1-1/2"" kvs9"	S5	206.5	3/1/2015
R525BM	"3-way open/close b.v. DN25 G1-1/2""kvs"	S5	202.0	3/1/2015
R529	"3-way ball valve DN32 G2"" kvs 10"	S5	267.1	3/1/2015
R530	"3-way open/close b.v. DN32 G2"" kvs 16"	S5	255.9	3/1/2015
R531	"3-way ball valve DN32 G2"" kvs 16"	S5	315.8	3/1/2015
R532	"3-way open/close b.v. DN32 G2"" kvs 32"	S5	303.8	3/1/2015
R532BL	"3-way change over b.v. DN32 G2"" kvs15"	S5	296.3	3/1/2015
R532BM	"3-way ball valve DN32 G2"" kvs 32"	S5	288.8	3/1/2015
R538	"3-way ball valve DN40 G2-1/4"" kvs 16"	S5	360.6	3/1/2015
R540	"3-way open/close b.v. DN40 G2-1/4"" kvs"	S5	348.7	3/1/2015
R548	"3-way ball valve DN50 G2-3/4"" kvs 25"	S5	457.2	3/1/2015
R550	"3-way open/close b.v. DN50 G2-3/4"" kvs"	S5	449.7	3/1/2015
R6015R-B1	2-WAY BALL VALVE DN15 KVS 15	S5	198.3	3/1/2015
R6015R1-B1	2-WAY CCV DN15 KVS 1.0	S5	202.8	3/1/2015
R6015R1P6-B1	2-WAY CCV DN15 KVS 1.6	S5	202.8	3/1/2015
R6015R2P5-B1	2-WAY CCV DN15 KVS 2.5	S5	202.8	3/1/2015
R6015R4-B1	2-WAY CCV DN15 KVS 4.0	S5	202.8	3/1/2015
R6015RP63-B1	2-WAY CCV DN15 KVS 0.63	S5	202.8	3/1/2015
R6020R-B1	2-WAY BALL VALVE DN20 KVS 32	S5	205.8	3/1/2015
R6020R6P3-B1	2-WAY CCV DN20 KVS 6.3	S5	214.0	3/1/2015
R6025R-B2	2-WAY BALL VALVE DN25 KVS 26	S5	228.2	3/1/2015
R6025R10-B2	2-WAY CCV DN25 KVS 10	S5	237.2	3/1/2015
R6032R-B3	2-WAY BALL VALVE DN32 KVS 32	S5	260.4	3/1/2015
R6032R16-B3	2-WAY CCV DN32 KVS 16	S5	269.4	3/1/2015
R6040R-B3	2-WAY BALL VALVE DN40 KVS 31	S5	293.3	3/1/2015
R6040R25-B3	2-WAY CCV DN40 KVS 25	S5	302.3	3/1/2015
R6050R-B3	2-WAY BALL VALVE DN50 KVS 49	S5	346.4	3/1/2015
R6050R40-B3	2-WAY CCV DN50 KVS 40	S5	353.9	3/1/2015
R6065W63-S8	"Ball valve R6 EU 2-1/2"" 2way PN16 kvs"	S5	636.0	3/1/2015
R6080W100-S8	"Ball valve R6 EU 3"" 2-way PN16 kvs 100"	S5	852.2	3/1/2015
R6100W160-S8	"Ball valve R6 EU 4"" 2-way PN 16 kvs 16"	S5	1,368.5	3/1/2015
R6125W250-S8	"Ball valve R6 EU 5"" 2-way PN 16 kvs 25"	S5	2,278.3	3/1/2015
R6150W320-S8	"Ball valve R6 EU 6"" 2-way PN 16 kvs 32"	S5	2,805.1	3/1/2015
R664R	"Ball valve R6 EU 2-1/2"" 2-way PN6, Cv"	S5	579.9	3/1/2015
R665R	"Ball valve R6 EU 2-1/2"" 2-way PN6,kvs1"	S5	568.6	3/1/2015
R679R	"Ball valve R6 EU 3"" 2-way PN6, Cv 90"	S5	831.3	3/1/2015
R680R	"Ball valve R6 EU 3"" 2-way PN6, kvs160"	S5	815.6	3/1/2015

R7015R-B1	3-WAY BALL VALVE DN15 KVS 15	S5	282.1	3/1/2015
R7015R1P6-B1	3-WAY CCV DN15 KVS 1.6	S5	290.3	3/1/2015
R7015R4-B1	3-WAY CCV DN15 KVS 4.0	S5	290.3	3/1/2015
R7015RP63-B1	3-WAY CCV DN15 KVS 0.63	S5	290.3	3/1/2015
R7020R-B1	3-WAY BALL VALVE DN20 KVS 32	S5	294.1	3/1/2015
R7020R6P3-B1	3-WAY CCV DN20 KVS 6.3	S5	301.5	3/1/2015
R7025R-B2	3-WAY BALL VALVE DN25 KVS 26	S5	309.0	3/1/2015
R7025R10-B2	3-WAY CCV DN25 KVS 10	S5	316.5	3/1/2015
R7032R-B3	3-WAY BALL VALVE DN32 KVS 32	S5	350.9	3/1/2015
R7032R16-B3	3-WAY CCV DN32 KVS 16	S5	358.4	3/1/2015
R7040R-B3	3-WAY BALL VALVE DN40 KVS 31	S5	389.1	3/1/2015
R7040R16-B3	3-WAY CCV DN40 KVS 16	S5	396.6	3/1/2015
R7050R-B3	3-WAY BALL VALVE DN50 KVS 49	S5	449.7	3/1/2015
R7050R25-B3	3-WAY CCV DN50 KVS 25	S5	457.2	3/1/2015
R709R	"Ball Valve R7 EU 1/2"" 3-way PN6 Kvs 0.	S5	290.3	3/1/2015
R711R	"Ball valve R7 EU 1/2"" 3-way PN6 Kvs 1.	S5	290.3	3/1/2015
R713R	"Ball valve R7 EU 1/2"" 3-way PN6 Kvs 4"	S5	290.3	3/1/2015
R715R	"Ball valve R7 EU 1/2"" 3-way PN6 Kvs 8.	S5	282.1	3/1/2015
R718R	"Ball valve R7 EU 3/4"" 3-way PN6 Kvs 6.	S5	301.5	3/1/2015
R720R	"Ball valve R7 EU 3/4"" 3-way PN6 Kvs 21	S5	294.1	3/1/2015
R723R	"Ball valve R7 EU 1"" 3-way PN6 Kvs 10"	S5	316.5	3/1/2015
R725R	"Ball valve R7 EU 1"" 3-way PN6 Kvs 26"	S5	309.0	3/1/2015
R731R	"Ball valve R7 EU 1-1/4"" 3-way PN6 Kvs	S5	358.4	3/1/2015
R732R	"Ball valve R7 EU 1-1/4"" 3-way PN6 Kvs	S5	350.9	3/1/2015
RV24A-MF	Linear act. AC/DC 24V 4500N MF	S6	1,007.9	3/1/2015
RV24A-MF-RE	Globe valve act. AC/DC 24V, 4500N MF	S6	1,224.8	3/1/2015
RV24A-SR	Linear act. AC/DC 24V 4500N SR	S6	939.8	3/1/2015
RV24A-SZ	Linear act. AC/DC 24V 4500N SZ	S6	939.8	3/1/2015
S1A	Add. switch 1 switch	S2	48.6	3/1/2015
S1A-C117	Add. switch S1A 0.1...6(4)A	S2	50.1	3/1/2015
S1A/135	Add. switch 1 switch cable 1.35m	S2	64.3	3/1/2015
S2A	Add. switch 2 switch	S2	65.1	3/1/2015
S2A GR	Add. switch 2 switch FRNC grey	S2	67.3	3/1/2015
S2A-F	*use up* auxiliary switch	S2	97.3	3/1/2015
S2A-F GR	auxiliary switch S2A grey	S2	101.0	3/1/2015
S2A-H	Auxiliary switch S2A for globe valve act	S6	89.8	3/1/2015
S2A/300 GR	Add. 2-switch 3m cable FRNC grey	S2	77.8	3/1/2015
S2A/500 GR	Add. 2-switch 5m cable FRNC grey	S2	90.5	3/1/2015
SB-TF	Screw fastening for fix mounting	S2	21.3	3/1/2015
SBG24	Range controller for wall mountin	S2	124.2	3/1/2015
SF230A	Spring retn 230V, 95°, 20Nm	S2	333.0	3/1/2015
SF230A-S2	Spring act. 230V, 20Nm, 95°/switch	S2	364.4	3/1/2015
SF230A-S2.1	Spring return 230V, 95°, 20Nm, Switch	S2	361.4	3/1/2015
SF230A.1	Spring act. 230V, open-close, 95°, 20 Nm	S2	330.7	3/1/2015
SF230G-S2-L	spring return230V, 20Nm / switch, IP66	S2	651.7	3/1/2015
SF24A	Spring return 24V, 95°, 20Nm	S2	289.6	3/1/2015
SF24A-3	Spring ret. act 24V, 3- Point°, 20Nm	S2	367.4	3/1/2015
SF24A-MF	Spring Return 24V, MF, 95°, 20Nm	S2	377.9	3/1/2015
SF24A-MOD	Spring return 24V, MOD, 20Nm	S2	468.4	3/1/2015
SF24A-MP	spring Return 24V, MP, 95°, 20Nm	S2	393.6	3/1/2015
SF24A-S2	Spring return 24V, 95°, 20Nm, switch	S2	321.0	3/1/2015
SF24A-S2.1	Spring return 24V, 95°, 20Nm, Switch	S2	318.7	3/1/2015
SF24A-SR	Spring act. 24V, modul. 95°, 20Nm	S2	338.9	3/1/2015
SF24A-SR-F-C140	Federantr. 24V, stetig, 95°, 20Nm	S2	418.3	3/1/2015
SF24A-SR-S2	Spring retu.24V,95°,20Nm,Switch	S2	362.9	3/1/2015
SF24A-SR-TP VTS	Springreturn Act 24V, 95°, 20Nm VTS	S2	338.9	3/1/2015
SF24A-SZ	Spring act. 24V, modul. 95°, 20Nm	S2	338.9	3/1/2015
SF24A-SZ-S2	Spring retu.24V,95°,20Nm,Switch	S2	362.9	3/1/2015

SF24A-TP VTS	Springreturn Act 24V, o/c, 95°, 20Nm VTS	S2	289.6	3/1/2015
SF24A-V	Spr.ret.act 24V,mod., -V, 95°, 20Nm	S4	431.0	3/1/2015
SF24A-V-ST	Spr.ret.act 20Nm used for VRP-M	S4	434.0	3/1/2015
SF24A.1	Spring act. 24V, open-close, 95°, 20 Nm	S2	287.3	3/1/2015
SF24ALON	Spring return 24V, LON, 95°, 20Nm	S2	588.1	3/1/2015
SF24G-MF-L	spring return 24V, 20Nm, IP66	S2	668.9	3/1/2015
SF24G-MP-L	spring return 24V, 20Nm, IP66	S2	674.9	3/1/2015
SF24G-SR-L	spring return 24V, 20Nm, IP66	S2	625.5	3/1/2015
SF24G-SR-S2-L	spring return24V, 20Nm / switch, IP66	S2	650.2	3/1/2015
SFA	Spring return 24...230V, 95°, 20Nm	S2	333.0	3/1/2015
SFA-C140	Spring return 24...230V, 95°, 20Nm	S2	447.4	3/1/2015
SFA-S2	Spring act. 24...230V, 20Nm, 95°/switch	S2	364.4	3/1/2015
SFA-S2-C140	Spring act. 24...230V, 20Nm, 95°/switch	S2	480.4	3/1/2015
SFA-S2-F-C140	Spring ret. 24...230V, 20Nm, 95°/switch	S2	461.7	3/1/2015
SFG-L	spring return 24-230V, 20Nm, IP66	S2	627.8	3/1/2015
SFG-S2-L	spring return 24-230V,20Nm /switch, IP66	S2	670.4	3/1/2015
SGA24	Positioner for wall mounting	S2	107.7	3/1/2015
SGE24	Positioner for built-in mounting	S2	107.7	3/1/2015
SGF24	Positioner for front-panel mounti	S2	77.1	3/1/2015
SH230A100	Linear act. SH230 100 IP54	S2	174.3	3/1/2015
SH230A200	Linear act. SH230 200 IP54	S2	187.1	3/1/2015
SH230A300	Linear act. SH230 300 IP54	S2	199.8	3/1/2015
SH230ASR100	Linear act. SH230SR 100 IP54	S2	289.6	3/1/2015
SH230ASR200	Linear act. SH230SR 200 IP54	S2	301.5	3/1/2015
SH24A-MF100	Linear actuator with rack	S2	270.1	3/1/2015
SH24A-MF200	Linear actuator with rack	S2	282.8	3/1/2015
SH24A-MF300	Linear actuator with rack	S2	296.3	3/1/2015
SH24A-MP100	Linear actuator with rack	S2	279.8	3/1/2015
SH24A-MP200	Linear actuator with rack	S2	293.3	3/1/2015
SH24A-MP300	Linear actuator with rack	S2	305.3	3/1/2015
SH24A-SR100	Linear act. SH24-SR 100 IP54	S2	255.1	3/1/2015
SH24A-SR200	Linear act. SH24-SR 200 IP54	S2	267.9	3/1/2015
SH24A100	Linear act. SH24 100 IP54	S2	169.8	3/1/2015
SH24A200	Linear act. SH24 200 IP54	S2	183.3	3/1/2015
SH24A300	Linear act. SH24 300 IP54	S2	195.3	3/1/2015
SHC24A-MF300	Linear act. SHC24 MF U5 IP54	S2	309.0	3/1/2015
SHK24A-1-100	POP Linearactuator SHK24 O/C 100mm	S2	520.8	3/1/2015
SHK24A-MF100	POP Linearactuator SHK24 MF 100mm	S2	695.8	3/1/2015
SHK24A-MP100	POP Linearactuator SHK24 MP 100mm	S2	711.6	3/1/2015
SHK24A-SR100	POP Linearactuator SHK24 SR 2..10V 100m	S2	609.8	3/1/2015
SHQ24A-MF100	Linear actuator SHQ24A MF U5	S2	356.9	3/1/2015
SHQ24A-SR100	Linear actuator SHQ24A SR stetig U5	S2	344.2	3/1/2015
SHQ24A100	Linear actuator SHQ24A Auf/Zu	S2	284.3	3/1/2015
SKM230-T-B12	SuperCap Modul SKM230-T-B12	S2	146.7	3/1/2015
SKM230-T-B12.1	SuperCap Modul SKM230-T-B12	S2	142.2	3/1/2015
SM230A	Damper act. SM230 IP54	S2	170.6	3/1/2015
SM230A-C119	Damper act. SM230 IP54	S2	170.6	3/1/2015
SM230A-S	Damper act. SM230 S IP54	S2	213.2	3/1/2015
SM230A-S-TP	Damper act. SM230 S-T IP54	S2	213.2	3/1/2015
SM230A-TP	Damper act. SM230-T IP54	S2	170.6	3/1/2015
SM230ASR	Damper act. SM230A SR U5 IP54	S2	283.6	3/1/2015
SM230ASR-TP	Damper act. SM230A SR-T U5 IP54	S2	283.6	3/1/2015
SM230P	Damper act. SM230P IP66/67	S2	347.9	3/1/2015
SM230P-S	actuator SM230P-S IP66/67	S2	389.1	3/1/2015
SM230PSR	actuator SM230P SR U5 IP66/67	S2	460.2	3/1/2015
SM24A	Damper act. SM24 IP54	S2	166.9	3/1/2015
SM24A-MA	Damper act. SM24 MF IP54 MA	S2	292.6	3/1/2015
SM24A-MF	Damper act. SM24 MF IP54	S2	264.9	3/1/2015

SM24A-MF-TP	Damper act. SM24 MF-T IP54	S2	264.9	3/1/2015
SM24A-MOD	Damper act. SM24A MOD IP54	S2	346.4	3/1/2015
SM24A-MP	Damper act. SM24 MP IP54	S2	271.6	3/1/2015
SM24A-MP-TP	Damper act. SM24 MP T IP54	S2	271.6	3/1/2015
SM24A-PC	Damper act. SM24 MF IP54 PC	S2	292.6	3/1/2015
SM24A-R9	Damper act. SM24 MF IP54 R9	S2	292.6	3/1/2015
SM24A-S	Damper act. SM24 S IP54	S2	208.0	3/1/2015
SM24A-S-TP	Damper act. SM24 S-T IP54	S2	208.0	3/1/2015
SM24A-SR	Damper act. SM24 SR U5 IP54	S2	250.7	3/1/2015
SM24A-SR-TP	Damper act. SM24 SR-T U5 IP54	S2	250.7	3/1/2015
SM24A-SR-TP VTS	Damper act. SM24-SR-T U5 IP54 VTS	S2	250.7	3/1/2015
SM24A-SR-TP-C146	Damper act. SM24-SR-TP	S2	243.2	3/1/2015
SM24A-SR/500.1 LN	Damper act. SM24A-SR/500 Lennox	S2	269.4	3/1/2015
SM24A-TP	Damper act. SM24-T IP54	S2	166.9	3/1/2015
SM24A-TP VTS	Damper act. SM24-T IP54 VTS	S2	166.9	3/1/2015
SM24A-V	Damper act. 20Nm to VR	S4	247.7	3/1/2015
SM24ALON	Damper act. SM24LON IP54	S2	460.2	3/1/2015
SM24AP5	Actuator SM24AP5 IP54	S2	229.7	3/1/2015
SM24E1	Damper act. SM24E1 SR IP00	S2	205.8	3/1/2015
SM24P	Damper act. SM24P IP66/67	S2	344.2	3/1/2015
SM24P-MF	actuator SM24P-MF U5 IP66/67	S2	443.7	3/1/2015
SM24P-MP	actuator SM24P-MF U5 IP66/67	S2	451.2	3/1/2015
SM24P-P5	actuator SM24P-P5 IP66/67	S2	404.8	3/1/2015
SM24P-S	actuator SM24P-S IP66/67	S2	385.3	3/1/2015
SM24P-SR	actuator SM24P-SR U5 IP66/67	S2	427.2	3/1/2015
SMC24A-MF	Damper act. SMC24A MF U5 IP54	S2	277.6	3/1/2015
SMC24A-MP	Damper act. SMC24A MF U5 IP54	S2	284.3	3/1/2015
SMD230A	Damper act. SMD230A IP54	S2	267.1	3/1/2015
SMD24A	Damper act. SMD24A IP54	S2	228.2	3/1/2015
SMQ24A	Damper act. SMQ24A Auf/Zu	S2	284.3	3/1/2015
SMQ24A-MF	Damper act. SMQ24A MF U5	S2	356.9	3/1/2015
SMQ24A-SR	Damper act. SMQ24A SR U5	S2	344.2	3/1/2015
SMQ24G	Damper act. AMQ24G open/close IP66	S2	570.9	3/1/2015
SMQ24G-MF	Damper act. AMQ24G-MF IP66	S2	645.0	3/1/2015
SMQ24G-SR	Damper act. AMQ24G-SR IP66	S2	631.5	3/1/2015
SN2-C7	Add. switch NM FRNC-cable	S3	68.1	3/1/2015
SN2-C7/300	Access. to Motor/Controller w. 3m cable	S3	90.5	3/1/2015
SN2-C7/500	Add. switch NM FRNC-cable 5m	S3	100.3	3/1/2015
SNR	Auxiliary switch	S5	22.9	3/1/2015
SNR2	Auxiliary switch	S5	26.0	3/1/2015
SR230A	Rotary act. AC 230V, 20 Nm, O/C	S5	187.1	3/1/2015
SR230A-5	Rotary act. AC 230V, 20 Nm, O/C	S5	246.2	3/1/2015
SR230A-R	Rotary act. AC 230V, 20 Nm, O/C	S5	214.0	3/1/2015
SR230A-R-9	Valve act. AC 230V 20 Nm open-close	S5	246.2	3/1/2015
SR230A-S	Valve act. AC 230V, 20Nm, with switch	S5	225.2	3/1/2015
SR230A-SR-5	Valve act. AC 230V, 20 Nm, mod.	S5	331.5	3/1/2015
SR230P	Valve Act. AC 230V 20Nm, O/C, IP66/67	S5	351.7	3/1/2015
SR230P-5	Valve Act. AC 230V 20Nm, O/C, IP66/67	S5	410.0	3/1/2015
SR230P-R	Valve Act. AC 230V 20Nm, O/C, IP66/67	S5	394.3	3/1/2015
SR230P-SR-5	Valve Act. AC 230V, 20Nm, mod., IP66/67	S5	492.3	3/1/2015
SR24A	Valve act. AC/DC 24V, 20 Nm, O/C	S5	187.1	3/1/2015
SR24A-5	Valve act. AC/DC 24V, 20 Nm, O/C	S5	246.2	3/1/2015
SR24A-EV-65	Energy V. act. SR-LP BACnet, DN65	S5	1,152.3	3/1/2015
SR24A-EV-80	Energy V. act. SR-LP BACnet, DN80	S5	1,152.3	3/1/2015
SR24A-MF	Rotary act. AC/DC 24V, 20 Nm, MF	S5	284.3	3/1/2015
SR24A-MF-5	Rotary act. AC/DC 24V, 20 Nm, MF	S5	344.2	3/1/2015
SR24A-MF-R	Rotary act. AC/DC 24V, 20 Nm, MF	S5	310.5	3/1/2015
SR24A-MP	Valve act. AC/DC 24V, 20Nm, MP	S5	291.8	3/1/2015

SR24A-MP-5	Valve act. AC/DC 24V, 20Nm, MP	S5	349.4	3/1/2015
SR24A-R	Valve act. AC/DC 24V, 20 Nm, O/C	S5	214.0	3/1/2015
SR24A-S	Valve act. AC/DC 24V, 20 Nm, with switch	S5	225.2	3/1/2015
SR24A-S-C157	Valve act. AC 24V, 20Nm switch	S5	368.1	3/1/2015
SR24A-S-R-C157	Valve act. AC 24V, 20Nm switch	S5	395.1	3/1/2015
SR24A-SR	Valve act. AC/DC 24V, 20 Nm, mod.	S5	271.6	3/1/2015
SR24A-SR-5	Valve act. AC/DC 24V, 20 Nm, mod.	S5	331.5	3/1/2015
SR24A-SR-TP	Valve act. AC/DC 24 V, 20 Nm, modulating	S5	271.6	3/1/2015
SR24A-SR-TP VTS	Rotary act. 24V,20Nm,modul.,-T,IP54 VTS	S5	271.6	3/1/2015
SR24ALON	Valve act. AC 24V, 20 Nm, LON	S5	467.6	3/1/2015
SR24ALON-5	Valve act. AC 24V, 20 Nm, LON	S5	527.5	3/1/2015
SR24P	Valve act. AC/DC 24V, 20Nm, O/C, IP66/67	S5	351.7	3/1/2015
SR24P-5	Valve act. AC/DC 24V, 20Nm, O/C, IP66/67	S5	410.0	3/1/2015
SR24P-MF-R	Valve act. AC/DC 24V, 20Nm, MF, IP66/67	S5	488.6	3/1/2015
SR24P-MP-R	Rotary act. IP66/67 AC/DC 24V 20Nm MP	S5	493.8	3/1/2015
SR24P-R	Valve act. AC/DC 24V, 20Nm, O/C, IP66/67	S5	394.3	3/1/2015
SR24P-SR	Valve act. AC/DC 24V, 20Nm, mod., IP66/6	S5	434.0	3/1/2015
SR24P-SR-5	Valve act. AC/DC 24V, 20Nm, mod., IP66/6	S5	492.3	3/1/2015
SRC24A-SR	Valve act. AC/DC 24V, 20 Nm, mod., 35s	S5	305.3	3/1/2015
SRC24A-SR-5	Valve act. AC/DC 24V, 20 Nm, mod., 35s	S5	365.9	3/1/2015
SRC24A-SR-TP	Valve act. AC/DC 24V, 20 Nm, mod.	S5	305.3	3/1/2015
SRF230A	Spr.Rotary act. NC, 230V, 20Nm, O/C	S5	362.9	3/1/2015
SRF230A-5	spr.Rotary act. NC, 230V, 20Nm, O/C	S5	435.5	3/1/2015
SRF230A-5-O	spr.Rotary act. NC, 230V, 20Nm, O/C	S5	435.5	3/1/2015
SRF230A-O	Spr.Rotary act. NO, 230V, 20Nm, O/C	S5	362.9	3/1/2015
SRF230A-R	Spr.Rotary act., 230V,20Nm,O/C, Retrofit	S5	389.8	3/1/2015
SRF230A-S2	Spr.Rotary act. NC, 230V, 20Nm, O/C, 2xS	S5	412.3	3/1/2015
SRF230A-S2-5	Spr.Rotary act. NC, 230V,20Nm, O/C,2xEPU	S5	485.6	3/1/2015
SRF230A-S2-5-O	Spr.Rotary act. NO, 230V, 20Nm, O/C, 2xS	S5	485.6	3/1/2015
SRF230A-S2-O	Spr.Rotary act. NO, 230V, 20Nm, O/C, 2xS	S5	412.3	3/1/2015
SRF230A-S2-R	Spr.Rotary act., 230V, 20Nm, O/C, Retrof	S5	440.0	3/1/2015
SRF24A	Spr.Rotary act. NC, 24V, 20Nm, O/C	S5	341.2	3/1/2015
SRF24A-5	Spr.Rotary act. NC, 24V, 20Nm, O/C	S5	414.5	3/1/2015
SRF24A-5-O	Spr.Rotary act. NO, 24V, 20Nm, O/C	S5	414.5	3/1/2015
SRF24A-O	Spr.Rotary act. NO, 24V, 20Nm, O/C	S5	341.2	3/1/2015
SRF24A-R	Spr.Rotary act., 24V, 20Nm,O/C, Retrofit	S5	368.9	3/1/2015
SRF24A-S2	Spr.Rotary act. NC, 24V, 20Nm, O/C, 2xSP	S5	384.6	3/1/2015
SRF24A-S2-5	Spr.Rotary act. NC, 24V, 20Nm, O/C,2xEPU	S5	457.9	3/1/2015
SRF24A-S2-5-O	Spr.Rotary act. NO, 24V, 20Nm, O/C, 2xSP	S5	457.9	3/1/2015
SRF24A-S2-O	Spr.Rotary act. NO, 24V, 20Nm, O/C, 2xSP	S5	384.6	3/1/2015
SRF24A-S2-R	Spr.Rotary act., 24V, 20Nm, O/C, Retrofi	S5	412.3	3/1/2015
SRF24A-SR	Spr.Rotary act. NC, 24V, 20Nm, modul.	S5	392.8	3/1/2015
SRF24A-SR-5	Spr.Rotary act. NC, 24V, 20Nm, modul.	S5	478.1	3/1/2015
SRF24A-SR-5-O	Spr.Rotary act. NO, 24V, 20Nm, modul.	S5	478.1	3/1/2015
SRF24A-SR-O	Spr.Rotary act. NO, 24V, 20Nm, modul.	S5	392.8	3/1/2015
SRF24A-SR-S2	Spr.Rotary act. NC, 24V, 20Nm, modul., 2	S5	432.5	3/1/2015
SRF24A-SR-S2-5	Spr.Rotary act. NC, 24V, 20Nm, modul., 2	S5	517.8	3/1/2015
SRF24A-SR-S2-5-O	Spr.Rotary act. NO, 24V, 20Nm, modul., 2	S5	517.8	3/1/2015
SRF24A-SR-S2-O	Spr.Rotary act. NO, 24V, 20Nm, modul., 2	S5	432.5	3/1/2015
SRF24A-SZ	Spr.Rotary act. NC, 24V, 20Nm, modul.	S5	392.8	3/1/2015
SRF24A-SZ-5	Spr.Rotary act. NC, 24V, 20Nm, modul.	S5	478.1	3/1/2015
SRF24A-SZ-5-O	Spr.Rotary act. NO, 24V, 20Nm, modul.	S5	478.1	3/1/2015
SRF24A-SZ-O	Spr.Rotary act. NO, 24V, 20Nm, modul.	S5	392.8	3/1/2015
SRF24A-SZ-S2	Spr.Rotary act. NC, 24V, 20Nm, modul., 2	S5	432.5	3/1/2015
SRF24A-SZ-S2-5	Spr.Rotary act. NC, 24V, 20Nm, modul., 2	S5	517.8	3/1/2015
SRF24A-SZ-S2-5-O	Spr.Rotary act. NO, 24V, 20Nm, modul., 2	S5	517.8	3/1/2015
SRF24A-SZ-S2-O	Spr.Rotary act. NO, 24V, 20Nm, modul., 2	S5	432.5	3/1/2015
SRFA	Spr.Rotary act. NC, 24..230V, 20Nm, O/C	S5	362.9	3/1/2015

SRFA-5	Spr.Rotary act. NC, 24...230V, 20Nm, O/C	S5	435.5	3/1/2015
SRFA-5-O	Spr.Rotary act. NO, 24...230V, 20Nm, O/C	S5	435.5	3/1/2015
SRFA-O	Spr.Rotary act. NO, 24..230V, 20Nm, O/C	S5	362.9	3/1/2015
SRFA-R	Spr.Rotary act.,24...230V,20Nm, Retrofit	S5	389.8	3/1/2015
SRFA-S2	Spr.Rotary act. NC, 24...230V, 20Nm, O/C	S5	412.3	3/1/2015
SRFA-S2-5	Spr.Rotary act. NC, 24...230V, 20Nm, O/C	S5	485.6	3/1/2015
SRFA-S2-5-O	Spr.Rotary act. NO, 24...230V, 20Nm, O/C	S5	485.6	3/1/2015
SRFA-S2-O	Spr.Rotary act. NO, 24...230V, 20Nm, O/C	S5	412.3	3/1/2015
SRFA-S2-R	Spr.Rotary act., 24...230V, 20Nm, Retrof	S5	440.0	3/1/2015
SRQ24A	Valve act. AC/DC 24V, 16Nm, O/C, 9s	S5	377.9	3/1/2015
SV230A-RE	Linear act. AC 230V 1500N	S6	538.7	3/1/2015
SV230A-TPC	Linear act. AC 230V 1500N	S6	444.4	3/1/2015
SV24A-MP-RE	Linear act. AC/DC 24V 1500N MP	S6	615.8	3/1/2015
SV24A-MP-TPC	Linear act. AC/DC 24V 1500N MP	S6	521.5	3/1/2015
SV24A-RE	Linear act. AC/DC 24V 1500N	S6	538.7	3/1/2015
SV24A-SR-TPC	Linear act. AC/DC 24V 1500N SR	S6	478.9	3/1/2015
SV24A-SZ-TPC	Linear act. AC/DC 24V 1500N SZ	S6	478.9	3/1/2015
SV24A-TPC	Linear act. AC/DC 24V 1500N	S6	444.4	3/1/2015
SVC230A-RE	Linear act. AC 230V 1500N 35s	S6	570.1	3/1/2015
SVC24A-MP-RE	Linear act. AC/DC 24V 1500N MP 35s	S6	653.2	3/1/2015
SVC24A-MP-TPC	Linear act. AC/DC 24V 1500N MP 35s	S6	558.9	3/1/2015
SVC24A-RE	Linear act. AC/DC 24V 1500N 35s	S6	570.1	3/1/2015
SVC24A-SR-TPC	Linear act. AC/DC 24V 1500N SR 35s	S6	513.3	3/1/2015
SVC24A-SZ-TPC	Linear act. AC/DC 24V 1500N SZ 35s	S6	513.3	3/1/2015
SVL230A-RE	Globe valve act. AC 230 V, 1500N	S6	833.5	3/1/2015
SVL24A-MP-RE	Linear act. AC/DC 24V 1500N MP	S6	937.5	3/1/2015
SY1-110	110VAC, 300 in-lb (35Nm)	S5	530.5	3/1/2015
SY1-220	220VAC, 300 in-lb (35Nm)	S5	504.3	3/1/2015
SY1-220P	220VAC, 300 in-lb (35Nm)	S5	1,663.3	3/1/2015
SY1-230-3-T	Rotary act., AC 230 V, 35 Nm, O/C	S5	589.6	3/1/2015
SY1-24	24VAC, 300 in-lb (35Nm)	S5	490.1	3/1/2015
SY1-24-3-T	Rotary act. AC/DC 24 V, 35Nm, O/C	S5	589.6	3/1/2015
SY1-24P	24VAC, 300 in-lb (35Nm)	S5	2,229.0	3/1/2015
SY10-230A-3-T	Rotary act. AC 230 V, 2500 Nm, O/C	S5	5,952.9	3/1/2015
SY10-230A-MF-T	Rotary actuator, AC 230V, 2500Nm, MF	S5	8,089.8	3/1/2015
SY11-230A-3-T	Rotary act. AC 230 V, 2500 Nm, O/C	S5	7,021.3	3/1/2015
SY11-230A-MF-T	Rotary actuator, AC 230V, 3000Nm, MF	S5	9,234.6	3/1/2015
SY12-220	220VAC, 31150 in-lb (3500Nm)	S5	8,318.7	3/1/2015
SY12-230A-3-T	Rotary act. AC 230 V, 3500 Nm, O/C	S5	8,318.7	3/1/2015
SY12-230A-MF-T	Rotary actuator, AC 230V, 3500Nm, MF	S5	10,760.9	3/1/2015
SY2-220	220VAC, 801 in-lb (90Nm)	S5	1,325.1	3/1/2015
SY2-230-3-T	Rotary act. AC 230 V, 90 Nm, O/C	S5	1,475.5	3/1/2015
SY2-230-MF-T	Rotary act., AC 230V, 90Nm, MF	S5	2,963.7	3/1/2015
SY2-230-SR-T	Rotary act., AC 230V, 90Nm, modulating	S5	2,734.8	3/1/2015
SY2-24	24VAC, 801 in-lb (90Nm)	S5	1,325.1	3/1/2015
SY2-24-3-T	Rotary act. AC/DC 24 V, 90Nm, O/C	S5	1,475.5	3/1/2015
SY2-24-MF-T	Rotary actuator, AC/DC 24V, 90 Nm, MF	S5	2,887.4	3/1/2015
SY2-24-MP-T	Rotary actuator, AC/DC 24V, 90 Nm, MP	S5	2,963.7	3/1/2015
SY2-24-SR-T	Rotary act. AC/DC 24 V, 90 Nm, modul.	S5	2,658.4	3/1/2015
SY3-110	110VAC, 1335 in-lb (150Nm)	S5	1,958.8	3/1/2015
SY3-230-3-T	Rotary act. AC 230 V, 150 Nm, O/C	S5	1,662.6	3/1/2015
SY3-230-MF-T	Rotary act., AC 230V, 150Nm, MF	S5	3,150.8	3/1/2015
SY3-230-SR-T	Rotary act., AC 230V, 150Nm, modulating	S5	2,921.8	3/1/2015
SY3-24-3-T	Rotary act. AC/DC 24 V, 150 Nm, O/C	S5	1,662.6	3/1/2015
SY3-24-MF-T	Rotary act., AC/DC 24V, 150Nm, MF	S5	3,074.4	3/1/2015
SY3-24-MP-T	Rotary act., AC/DC 24V, 150Nm, MP	S5	3,150.8	3/1/2015
SY3-24-SR-T	Rotary act. AC/DC 24 V, 150 Nm, modul.	S5	2,845.5	3/1/2015
SY4-110	110VAC, 3560 in-lb (400Nm)	S5	2,453.4	3/1/2015

SY4-220	Rotary act. 220V AZ 400 Nm	S5	2,055.4	3/1/2015
SY4-230-3-T	Rotary act. AC 230 V 400 Nm, O/C	S5	2,243.9	3/1/2015
SY4-230-MF-T	Rotary act., AC 230V, 400Nm, MF	S5	3,732.1	3/1/2015
SY4-230-SR-T	Rotary act., AC 230V, 400Nm, modulating	S5	3,503.2	3/1/2015
SY4-24	Rotary act. 24V AZ 400 Nm	S5	2,055.4	3/1/2015
SY4-24-3-T	Rotary act. AC/DC 24 V, 400 Nm, O/C	S5	2,243.9	3/1/2015
SY4-24-MF-T	Rotary act., AC/DC 24V, 400Nm, MF	S5	3,655.8	3/1/2015
SY4-24-MP-T	Rotary act., AC/DC 24V, 400Nm, MP	S5	3,732.1	3/1/2015
SY4-24-SR-T	Rotary act. AC/DC 24 V, 400 Nm, modul.	S5	3,426.9	3/1/2015
SY5-220	Rotary act. 220V AZ 500 Nm	S5	2,303.8	3/1/2015
SY5-230-3-T	Rotary act. AC 230 V, 500 Nm, O/C	S5	2,515.5	3/1/2015
SY5-230-MF-T	Rotary act., AC 230V, 500Nm, MF	S5	4,003.7	3/1/2015
SY5-230-SR-T	Rotary act., AC 230V, 500Nm, modulating	S5	3,774.8	3/1/2015
SY5-24-3-T	Rotary act. AC/DC 24 V, 500 Nm, O/C	S5	2,515.5	3/1/2015
SY5-24-MF-T	Rotary act., AC/DC 24V, 500Nm, MF	S5	3,927.4	3/1/2015
SY5-24-SR-T	Rotary act. AC/DC 24 V, 500 Nm, modul.	S5	3,698.5	3/1/2015
SY6-220	220VAC, 5785 in-lb (650Nm)	S5	2,642.7	3/1/2015
SY6-230-3-T	Rotary act. AC 230 V, 650 Nm, O/C	S5	3,205.4	3/1/2015
SY6-230-MF-T	Rotary act., AC 230V, 650Nm, MF	S5	4,617.3	3/1/2015
SY7-230A-3-T	Rotary act. AC 230 V, 1000 Nm, O/C	S5	3,736.6	3/1/2015
SY7-230A-MF-T	Rotary act., AC 230 V, 1000 Nm, MF	S5	5,266.0	3/1/2015
SY8-220	220VAC, 13350 in-lb (1500Nm)	S5	5,337.1	3/1/2015
SY8-230A-3-T	Rotary act. AC 230 V, 1500 Nm, O/C	S5	4,540.2	3/1/2015
SY8-230A-MF-T	Rotary act., AC 230 V, 1500 Nm, MF	S5	6,143.7	3/1/2015
SY9-230A-3-T	Rotary act. AC 230 V, 2000 Nm, O/C	S5	5,266.0	3/1/2015
SY9-230A-MF-T	Rotary actuator, AC 230V, 2000Nm, MF	S5	7,021.3	3/1/2015
TF230	Spring-ret.act. 230V 90° 2.5Nm	S2	176.6	3/1/2015
TF230-S	Spring-ret.act. 230V 90° 2.5Nm	S2	205.8	3/1/2015
TF230-S-C23/20.1	Spring act. 230V 95° 2.5Nm	S2	237.9	3/1/2015
TF230-SR	Spring-ret.act. 230V modul. 2.5Nm	S2	248.4	3/1/2015
TF230-TP	Spring-ret.act. 230V/2.5Nm /clamp clover	S2	184.1	3/1/2015
TF230.1	Spring-ret.act. 230V 90° 2.5Nm	S2	173.6	3/1/2015
TF24	Spring-ret.act. 24V 90° 2.5Nm	S2	163.1	3/1/2015
TF24-3	Spring-ret.act. 24V 2.5Nm	S2	204.3	3/1/2015
TF24-C7/300	Spring-ret.act. TF24, cable 3m	S2	184.1	3/1/2015
TF24-MFT	Spring-ret.act. 24V modul. 2.5Nm MFT	S2	231.9	3/1/2015
TF24-S	Spring-ret.act. 24V 90° 2.5Nm	S2	192.3	3/1/2015
TF24-SR	Spring-ret.act. 24V modul. 2.5Nm	S2	225.2	3/1/2015
TF24-SR-K	Spring-ret.act. 24V modul. 2.5Nm	S2	234.9	3/1/2015
TF24-SR/500	Spring-ret.act. TF24-SR cab	S2	245.4	3/1/2015
TF24/240.1	Spring, 22in-lb, On/Off, 24V, 75s	S2	170.6	3/1/2015
TFK	Duct temp sensor 0..40 °C for TRS cont	S4	48.6	3/1/2015
TFX230-S/300	Spring-ret.act. 230V 90° 2Nm Cable 3m	S2	255.9	3/1/2015
TMC230A	Damper act. TMC230 IP54	S2	122.7	3/1/2015
TMC230A-S	Damper act. TMC230 S IP54	S2	140.7	3/1/2015
TMC230ASR	Damper act. TMC230A SR IP54	S2	208.0	3/1/2015
TMC24A	Damper act. TMC24 IP54	S2	122.7	3/1/2015
TMC24A-S	Damper act. TMC24 S IP54	S2	140.7	3/1/2015
TMC24A-SR	Damper act. TMC24 SR U5 IP54	S2	174.3	3/1/2015
TR230-3	Rotary act. 230V 3-P 2Nm 105s	S5	106.2	3/1/2015
TR230-3-T	Rotary act. 230V 3-P 2Nm 105s w. cable	S5	104.8	3/1/2015
TR24	Rotary act. 24V o/c 2 Nm	S5	113.7	3/1/2015
TR24-3	Rot.act. 24V o/c	S5	106.2	3/1/2015
TR24-SR	Rotary act. 24V modul.	S5	145.9	3/1/2015
TR24-SR-T	Rotary act. 24V modul., 2 Nm without cab	S5	144.4	3/1/2015
TR24-SR.1	Rotary act. 24V modulating	S5	145.9	3/1/2015
TR24-SR/300	Rot.act. 24V modulating	S5	157.9	3/1/2015
TR24-T	Rotary act. 24V AZ without Cable	S5	112.2	3/1/2015

TRC24A-SR	Valve act. AC/DC 24V, 2Nm, modul.	S5	177.3	3/1/2015
TRC24A-SR VI	Valve act. AC/DC 24V, 2Nm, modul. Viessm	S5	83.1	3/1/2015
TRF230	Spr.Rotary act. NC, 230V, 2Nm, O/C	S5	188.6	3/1/2015
TRF230-O	Spr.Rotary act. NO, 230V, 2Nm, O/C	S5	188.6	3/1/2015
TRF230-S	Spr.Rotary-act. NC, 230V, 2Nm, O/C, 1xSP	S5	214.0	3/1/2015
TRF230-S-O	Spr.Rotary act. NO, 230V, 2Nm, O/C, 1xSP	S5	214.0	3/1/2015
TRF24	Spr.Rotary act. NC, 24V, 2Nm, O/C	S5	175.1	3/1/2015
TRF24-2	Spr.Rotary act. NC, 24V, 2Nm, 3-point	S5	237.9	3/1/2015
TRF24-2-O	Spr.Rotary act. NO, 24V, 2Nm, 3-point	S5	237.9	3/1/2015
TRF24-MFT	Spr.Rotary-act. NC, 24V, 2Nm, MP	S5	264.9	3/1/2015
TRF24-MFT-O	Spr.Rotary act. NO, 24V, 2Nm, MP	S5	264.9	3/1/2015
TRF24-O	Spr.Rotary act. NO, 24V, 2Nm, O/C	S5	175.1	3/1/2015
TRF24-S	Spr.Rotary-act. NC, 24V, 2Nm O/C, 1xSPDT	S5	199.8	3/1/2015
TRF24-S-O	Spr.Rotary act. NO, 24V, 2Nm, O/C, 1x SP	S5	199.8	3/1/2015
TRF24-SR	Spr.Rotary act. NC, 24V, 2Nm, modul.	S5	259.6	3/1/2015
TRF24-SR-O	Spr.Rotary act. NO, 24V, 2Nm, modul.	S5	259.6	3/1/2015
TRFC230	Spring-rotary-act. NC, 230V O/C	S5	188.6	3/1/2015
TRY230	Rotary act. 230V o/c, 2Nm, 35s	S5	110.7	3/1/2015
TRY24	Rotary act. 24V o/c, 2Nm 35s	S5	110.7	3/1/2015
TRY24-SR	Rotary act. 24V modul. 2Nm 35s	S5	145.2	3/1/2015
UK24BAC	Gateway MP- BACnet MS/TP	S0	615.0	3/1/2015
UK24EIB	Gateway MP/EIB, actuator Interface EIB	S0	617.3	3/1/2015
UK24LON	Actuator Interface, Lonworks	S0	554.4	3/1/2015
UK24MOD	Gateway MP/Modbus RTU	S0	540.2	3/1/2015
UNV-001	UNV Retrofit, Siebe .5"-2" VB70..,VB9.	S6	71.1	3/1/2015
UNV-002	NV-Bracket 110 mm, Belimo, stroke	S6	59.1	3/1/2015
UNV-003	UNV Retrofit, Siemens .5"-2" 599.."	S6	83.1	3/1/2015
UNV-010	NV bracket 160 mm	S6	61.4	3/1/2015
UNV-012	"UNV Retrofit, Cazzaniga .5"-2" V2/V3	S6	85.3	3/1/2015
UNV-015	NV-Bracket 160 mm, Honeywell, str	S6	119.7	3/1/2015
UNV-017	NV-Bracket 160 mm, TAC, stroke 20	S6	73.3	3/1/2015
UNV-018	NV-Bracket 160 mm, Sauter, stroke	S6	116.0	3/1/2015
UNV-019	NV-Bracket 110 mm, Johnson EU, st	S6	112.2	3/1/2015
UNV-020	NV-Bracket 160 mm, TAC, stroke 20 mm	S6	162.4	3/1/2015
UNV-021	NV-Bracket 160 mm, Elesta stroke 14 mm	S6	187.8	3/1/2015
UNV-023	NV-Bracket 160 mm, Satchwell, str	S6	101.8	3/1/2015
UNV-024	NV-Bracket 110 mm, Hora, stroke 2	S6	104.8	3/1/2015
UNV-025	NV-Bracket 110 mm, OSBY, stroke 1	S6	107.0	3/1/2015
UNV-026	NV-Bracket 160 mm, Wittler, strok	S6	187.8	3/1/2015
UNV-027	NV-Bracket 110 mm, ARI, stroke 14	S6	100.3	3/1/2015
UNV-028	NV-Bracket 110 mm	S6	115.2	3/1/2015
UNV-030	NV-Bracket 160 mm, Johnson EU, st	S6	114.5	3/1/2015
UNV-031	NV-Bracket 160mm DANFOSS	S6	153.4	3/1/2015
UNV-032	NV-Bracket 160mm Danfoss stroke 15mm	S6	148.9	3/1/2015
UNV-033	NV-Bracket	S6	145.9	3/1/2015
UNV-034	NV-Bracket 160 mm, Johnson Contro	S6	127.2	3/1/2015
UNV-037	NV bracket 160mm,stroke 20 mm,Armstrong	S6	113.7	3/1/2015
UNV-038	NV-Bracket 110 mm, Danfoss, strok	S6	74.1	3/1/2015
UNV-039	NV-Bracket	S6	80.8	3/1/2015
UNV-041	NV-Bracket 110 mm, Johnson Contro	S6	114.5	3/1/2015
UNV-042	NV-Bracket 160 mm, Sauter, stroke	S6	123.5	3/1/2015
UNV-043	NV-Bracket 110 mm, Sauter, stroke	S6	116.7	3/1/2015
UNV-045	NV-Bracket 110 mm, Johnson EU, st	S6	139.2	3/1/2015
UNV-047	NV-Bracket 110 mm, MUT, stroke 13	S6	139.2	3/1/2015
UNV-049	NV-Bracket 160 mm, Samson, stroke	S6	145.9	3/1/2015
UNV-050	NV-Bracket 120 mm, TAC, stroke 20	S6	220.7	3/1/2015
UNV-052	NV-Bracket Hora 160mm Stroke 20mm	S6	156.4	3/1/2015
UNV-053	NV-Bracket K&P 160mm Stroke 20mm	S6	133.9	3/1/2015



V332BL	3-Weg Umschaltkugelh. DN32 kvs15	S5	113.7	3/1/2015
V408DK	"2-way ball valve DN10 G 3/4"" kvs 1.6"	S5	63.6	3/1/2015
V510KL	"3-w Diverting Ball Vlv. DN10 G3/4"" kvs	S5	137.7	3/1/2015
V513	"3-way ball valve DN15 G1"" kvs 4 Lin	S5	110.0	3/1/2015
V515	"3-way ball valve DN15 G1"" kvs 8.6"	S5	101.0	3/1/2015
VFD3	Diff. pressure sensor dynamic 0...600 Pa	S4	299.3	3/1/2015
VFP-100	Differential pressure sensor	S4	674.1	3/1/2015
VFP-300	Differential pressure sensor	S4	501.3	3/1/2015
VFP-600	Differential pressure sensor	S4	564.2	3/1/2015
VRD3	VAV universal controller	S4	265.6	3/1/2015
VRD3-RE	VAV universal controller retrofit	S4	284.3	3/1/2015
VRD3-RE2	VAV universal controller retrofit	S4	284.3	3/1/2015
VRD3-RE2-SET	VAV-Universal Retrofit-Set 10Nm 12m/s	S4	669.7	3/1/2015
VRP	V-controller	S4	175.1	3/1/2015
VRP-M	V-controller	S4	248.4	3/1/2015
VRP-M-300	VAV-Controller-kit	S4	889.6	3/1/2015
VRP-STP	V-controller	S4	175.1	3/1/2015
WD6-AF	D6 Linkage to 1 AF	S5	93.5	3/1/2015
WD6-SY3	Adapter kit WD6-SY3 to SY3	S5	23.6	3/1/2015
WD6-SY4	Adapter kit WD6-SY4 to SY4/5	S5	25.2	3/1/2015
WLF	Mounting kit to LF	S5	45.6	3/1/2015
WNR	Mounting kit to NR	S5	19.1	3/1/2015
WR-041	Mounting kit for 1 AF	S5	53.9	3/1/2015
Z-0010	Cable 24V Td 6x0.75 ECO	S2	12.7	3/1/2015
Z-0202	Terminal cover D6-8 ECO	S2	12.7	3/1/2015
Z-0241	connector locking clip OpenLine	S2	0.7	3/1/2015
Z-0301	Key contact	S2	0.3	3/1/2015
Z-0302	Disagement button permanent	S2	1.3	3/1/2015
Z-0303	dummy plug rotating direction switch	S2	1.9	3/1/2015
Z-0320	Housing cover basic P grey IP54 Openline	S2	16.8	3/1/2015
Z-0401	Connector 2x5pol	S2	3.1	3/1/2015
Z-0822	Box insert NM 460x121 ECO	S2	0.8	3/1/2015
Z-1001	Mounting plate LM Openline	S5	4.0	3/1/2015
Z-1002	Mounting plate NM ECO	S5	4.9	3/1/2015
Z-1101	Tappet handle M5 ECO	S5	5.3	3/1/2015
Z-1201	End stop ring LRA Openline	S5	0.9	3/1/2015
Z-1202	End stop ring NRA, SRA ECO	S5	1.3	3/1/2015
Z-1301	Tappet LRA Openline	S5	4.7	3/1/2015
Z-1302	Tappet NRA, ECO	S5	9.4	3/1/2015
Z-1801	Folding box water 195x190x85 ECO	S5	2.3	3/1/2015
Z-23114-00001	Insert centric assembly	S2	1.7	3/1/2015
Z-43235-00002	Strain relief NG, 6-8mm	S2	0.8	3/1/2015
Z-AF	AFB/NFB retrofit mounting bracket	S2	3.8	3/1/2015
Z-ARCM	Anti Rotation Bracket CM	S2	1.9	3/1/2015
Z-ARCM.1	Anti-rotation clip for CM	S2	1.1	3/1/2015
Z-ARS180	Anti-rotation stud	S2	2.2	3/1/2015
Z-ARS180.1	Anti-rotation stud	S2	2.2	3/1/2015
Z-ARS180L	Anti-rotation stud LF	S2	2.2	3/1/2015
Z-ARS230	Anti-rotation stud	S2	2.2	3/1/2015
Z-ARS230L	Anti-rotation stud AF / NF / SF	S2	2.2	3/1/2015
Z-AS1	Stop Kit for SH Actuator	S2	2.0	3/1/2015
Z-AS2	Stop kit for LH...	S2	1.7	3/1/2015
Z-C230CM	Cable PVC for CM230 IP54	S2	9.1	3/1/2015
Z-C24CM	Cable PVC for CM24 IP54	S2	9.1	3/1/2015
Z-C24CM/300	Cable FRNC for CM24 300cm IP54	S2	25.5	3/1/2015
Z-CH100	CH Linear motion box 100mm	S2	30.5	3/1/2015
Z-CH100.2	CH Linear motion box 100mm	S2	29.0	3/1/2015
Z-CH60	CH Linear motion box 60mm	S2	30.5	3/1/2015

Z-CH60.2	CH Linear motion box 60mm	S2	29.0	3/1/2015
Z-DS1	Rotary support cpl. LH/SH	S2	13.0	3/1/2015
Z-ESCM	End-stop clips CM	S2	0.7	3/1/2015
Z-F10CM	form closure 10x10 CM	S2	1.9	3/1/2015
Z-FKCH	Spring Clip CH	S2	0.9	3/1/2015
Z-GMA	Extension for ground plate	S2	7.7	3/1/2015
Z-KACON	cable-connector 4-pol	S2	21.3	3/1/2015
Z-KB-PG11	Cable connector IP66/NEMA4 Housing	S2	6.9	3/1/2015
Z-KS1	Coupling piece SH	S2	34.6	3/1/2015
Z-KS2	Coupling piece LH	S2	34.6	3/1/2015
Z-MA	magnet gear release	S2	4.3	3/1/2015
Z-NMA	Groundplate extension NM..A	S2	7.0	3/1/2015
Z-NMA.1	Groundplate extension NM..A	S2	7.0	3/1/2015
Z-PI	Position indicator	S2	1.7	3/1/2015
Z-PICM	Position Indicator with magnet CM	S2	4.8	3/1/2015
Z-PICM.1	Position indication CM	S2	3.5	3/1/2015
Z-RP-SF	accessorie retrofitplate SF - AF	S2	16.0	3/1/2015
Z-SF	AFB/NFB retrofit plate cpl.	S2	3.8	3/1/2015
Z-SMA	Extension for ground plate	S2	7.0	3/1/2015
Z-SPA	Add. switch and Potentiom. Adapter	S2	4.1	3/1/2015
Z-TCM	Terminal CM24 IP20	S2	2.5	3/1/2015
Z-TCMSR	Terminal CM24-SR IP20	S2	2.5	3/1/2015
Z-TP	Terminal cover	S2	8.1	3/1/2015
Z-TP0	Terminal cover	S2	1.5	3/1/2015
Z-TSKM230	Terminal SKM230 IP20	S2	2.4	3/1/2015
Z-UIC	Signal transducer tension to current	S2	197.5	3/1/2015
ZA-LM	Shaft adapter	S2	13.8	3/1/2015
ZA11-BF	Adapter 4-kt 12/11	S3	10.0	3/1/2015
ZA18-BF	Adapter DM18/4-kt.12 to BF	S3	41.2	3/1/2015
ZA8-BF	Adapter 4-kt 12/8	S3	10.0	3/1/2015
ZAD24	Digital position indicator for fr	S2	488.6	3/1/2015
ZAV-003	AV..-R Adapter kit L&S stroke 40mm	S6	164.6	3/1/2015
ZAV-015	AV..-R Adapter kit Honeywell EU stroke 4	S6	157.1	3/1/2015
ZAV-017	AV..-R Adapter kit TAC stroke 40mm	S6	157.1	3/1/2015
ZAV-018	AV..-R Adapter kit Sauter	S6	157.1	3/1/2015
ZAV-019	AV..-R Adapter kit Sauter stroke 40mm	S6	164.6	3/1/2015
ZAV-023	Adapter kit ZAV-023 Satchwell for AV-R	S6	157.1	3/1/2015
ZAV-031	Adapter kit ZAV-031 Satchwell for AV-R	S6	157.1	3/1/2015
ZAV-034	AV..-R Adapter kit Johnson EU	S6	175.8	3/1/2015
ZAV-044	AV..-R Adapter kit Honeywell EU stroke 4	S6	157.1	3/1/2015
ZBAE0	Blanking cover	S3	9.5	3/1/2015
ZBAE120	Spare thermoelectric tripping device	S3	56.9	3/1/2015
ZBAE72	Replac.plate BAE 72°	S3	27.7	3/1/2015
ZBAE72/9	Replac.plate BAE 72° L=9cm	S3	35.9	3/1/2015
ZBAE95	Replac.plate BAE 95°	S3	35.9	3/1/2015
ZBAE95.1	Replac.plate BAE 95°	S3	33.7	3/1/2015
ZBAE95/9	Replac.plate BAE 95°	S3	53.1	3/1/2015
ZCQ-C	Clip CQ	S5	3.7	3/1/2015
ZCQ-W	Casing cover CQ weiss	S5	6.0	3/1/2015
ZD6N-H100	Handle kit for BFV 14x14	S5	24.4	3/1/2015
ZD6N-H150	Handle kit for BFV 17x17	S5	39.7	3/1/2015
ZD6N-S100	worm gear butterfly valves DN100	S5	80.1	3/1/2015
ZD6N-S150	worm gear butterfly valves DN125/150	S5	95.8	3/1/2015
ZD6N-S200	Worm gear BFV DN200	S5	109.2	3/1/2015
ZD6N-S250	Worm gear BFV DN250	S5	115.2	3/1/2015
ZD6N-S350	Worm gear DN300 and DN350	S5	205.8	3/1/2015
ZD6N-S400	worm gear butterfly valves DN400	S5	419.8	3/1/2015
ZD6N-S450	worm gear butterfly valves DN450	S5	549.2	3/1/2015

ZD6N-S500	worm gear butterfly valves DN500	S5	701.8	3/1/2015
ZD6N-S600	worm gear butterfly valves DN600	S5	1,007.1	3/1/2015
ZD6N-S700	worm gear butterfly valves DN700	S5	1,411.9	3/1/2015
ZDB-AF	Angle of rotation limiter AF	S2	5.2	3/1/2015
ZDB-LF	Angle of rotation limiter LF	S2	7.0	3/1/2015
ZDB-LU	Angle of rotation limiter with sc	S2	8.6	3/1/2015
ZDB-TF	Angle of rotation limiter TF	S2	6.1	3/1/2015
ZDEMO-010	VAV-DEMONSTRATION CASE	S4	9,707.4	3/1/2015
ZDEMO-011	VAV DEMO TUBE WITH VRD2 CONTROL	S4	889.6	3/1/2015
ZDEMO-012	DEMONSTRATION TUBE WITH COMPAC	S4	889.6	3/1/2015
ZDEMO-013	DEMONSTRATION TUBE TO VAV WITH V	S4	1,132.8	3/1/2015
ZDEMO-014	TRANSPARENCIES FOR VAV DEMO CAS	S4	1,165.0	3/1/2015
ZDEMO-015	1Power supply PS24-SR-3	S4	838.0	3/1/2015
ZDEMO-022	BKS24-9A case	S3	1,795.7	3/1/2015
ZDEMO-030	VALVE DEMONSTRATION CASE WITHOU	S6	3,074.4	3/1/2015
ZDEMO-031	SMOKE EXTRACTION DEMONSTRATION	S3	9,038.5	3/1/2015
ZDEMO-037	OEM-ADAPTER NMV TO ZEVO	S2	6,584.4	3/1/2015
ZDEMO-038	VAV-Demobox light	S4	2,783.4	3/1/2015
ZDEMO-043	2-way globe v. H415B cutted type	S6	448.9	3/1/2015
ZDEMO-044	TEMPLATE: PROMOTIONAL ITEMS	S5	5,387.2	3/1/2015
ZDMS-100	Pressure measuring stick to VRD2-	S4	86.0	3/1/2015
ZDMS-125	Pressure measuring probe 125mm	S4	86.8	3/1/2015
ZDMS-160	Pressure measuring probe 160mm	S4	92.0	3/1/2015
ZDMS-200	Pressure measuring probe 200mm	S4	98.0	3/1/2015
ZDMS-250	Pressure measuring probe 250mm	S4	105.5	3/1/2015
ZF10-LMA	LM-form-fit 10x10	S2	4.3	3/1/2015
ZF10-LUA	Form-fit 10x10 LU	S2	2.7	3/1/2015
ZF10-NSA	Form-fit adapter 10x10 for NM..A	S2	4.3	3/1/2015
ZF10-NSA-F	AFB/NFB form-fit 10x10	S2	4.3	3/1/2015
ZF12-LMA	LM-form-fit 12x12	S2	4.3	3/1/2015
ZF12-NSA	Form-fit adapter 12x12 for NM..A	S2	4.3	3/1/2015
ZF12-NSA-F	AFB/NFB form-fit 12x12	S2	4.3	3/1/2015
ZF15-NSA	NM/SM form fit 15x15	S2	4.3	3/1/2015
ZF15-NSA-F	AFB/NFB form fit 15x15	S2	4.3	3/1/2015
ZF16-NSA	Form-fit adapter 16x16 for NM..A	S2	4.3	3/1/2015
ZF16-NSA-F	AFB/NFB form-fit 16x16	S2	4.3	3/1/2015
ZF8-LF	Shaft adapter	S2	7.9	3/1/2015
ZF8-LMA	LM-form-fit 8x8	S2	4.3	3/1/2015
ZF8-NMA	Form-fit adapter 8x8 for NM..A	S2	4.3	3/1/2015
ZF8-TF	Shaft adapter for damper spindles	S2	7.9	3/1/2015
ZFP2-MP	Interconnect board MP-Bus incl. sensors	S0	89.8	3/1/2015
ZFRL10-LMA	LM-form-fit 10x10 with limit. Angle rot.	S2	7.0	3/1/2015
ZFRL12-LMA	LM-form-fit 12x12 with limit. Angle rot.	S2	7.0	3/1/2015
ZFRL8-LMA	LM-form-fit 8x8 with limit. Angle rot.	S2	7.0	3/1/2015
ZG-110	Linkage kit	S2	86.0	3/1/2015
ZG-AF	Mounting kit for damper linkage A	S2	47.1	3/1/2015
ZG-AFB	AFB/NFB crankarm adapter kit	S2	63.6	3/1/2015
ZG-EFB	EFB crankarm adapter kit	S2	60.6	3/1/2015
ZG-GMA	Mounting kit for damper linkage G	S2	60.6	3/1/2015
ZG-HTR	Heating kit: AF,NF (includes Thermostat)	S2	244.7	3/1/2015
ZG-LF1	Mounting kit for damper linkage L	S2	73.3	3/1/2015
ZG-LF2	Crankarm Adaptor Kit: LF (foot mount)	S2	41.9	3/1/2015
ZG-LF3	Mounting kit for damper linkage L	S2	80.8	3/1/2015
ZG-NMA	Mounting kit for damper linkage NM	S2	43.4	3/1/2015
ZG-SMA	Mounting kit for damper linkage S	S2	47.1	3/1/2015
ZG-TF1	Mounting kit for damper linkage T	S2	73.3	3/1/2015
ZGF-14	Adapter GR BFV FK14	S5	41.2	3/1/2015
ZGF-17	Adapter GR BFV FK 17	S5	41.9	3/1/2015

ZGI-001	Insert for tappet shaft ZGV-19	S5	44.1	3/1/2015
ZGI-002	Insert for tappet shaft ZGV-16	S5	44.1	3/1/2015
ZGI-003	Insert for tappet shaft ZGV-19	S5	44.1	3/1/2015
ZGI-004	Insert for tappet shaft ZGV-16	S5	44.1	3/1/2015
ZGI-009	Insert for tappet shaft ZGV-19	S5	44.1	3/1/2015
ZGI-010	Insert for tappet shaft ZGV-19	S5	44.1	3/1/2015
ZGI-012	Insert for adapter axe ZGV-19	S5	44.1	3/1/2015
ZGI-013	Insert for adapter axe ZGV-16	S5	44.1	3/1/2015
ZGI-014	Insert for adapter axe ZGV-19	S5	44.1	3/1/2015
ZGV-14	Adapter GR BFV VK14	S5	40.4	3/1/2015
ZGV-16	Adapter GR BFV VK16	S5	40.4	3/1/2015
ZGV-17	Adapter GR BFV VK17	S5	40.4	3/1/2015
ZGV-19	Adapter GR BFV VK19	S5	40.4	3/1/2015
ZH-10410	Part of linear expansion for formfit 8x8	S2	71.8	3/1/2015
ZH24-1	Stem heating to globe valve DN 15	S6	564.9	3/1/2015
ZH24-1-C	Stem heating to globe valve DN 65	S6	573.1	3/1/2015
ZH24-1-D	Stem heating to globe valve 24 VAC 60W	S6	735.5	3/1/2015
ZH4515	"Pipe connector G 1 1/8"" to H...B"	S6	7.5	3/1/2015
ZH4520	"Pipe connector G 1 1/4"" to H...B"	S6	8.5	3/1/2015
ZH4525	"Pipe connector G 1 1/2"" to H...B"	S6	10.1	3/1/2015
ZH4532	"Pipe connector G 2"" to H...B"	S6	15.0	3/1/2015
ZH4540	"Pipe connector G 2 1/4"" to H...B"	S6	18.6	3/1/2015
ZH4550	"Pipe connector G 2 3/4"" to H...B"	S6	25.4	3/1/2015
ZH515	"Blank. connect. 1 1/8"" to H...B"	S6	7.5	3/1/2015
ZH520	"Blank. connect. 1 1/4"" to H...B"	S6	7.5	3/1/2015
ZH525	"Blank. connect. 1 1/2"" to H...B"	S6	8.5	3/1/2015
ZH532	"Blank. connect. 2"" to H...B"	S6	13.3	3/1/2015
ZH540	"Blank. connect. 2 1/4"" to H...B"	S6	15.8	3/1/2015
ZH550	"Blank. connect. 2 3/4"" to H...B"	S6	18.6	3/1/2015
ZH7100	Blank. flange to globe v. DN 100 to H7..	S6	99.5	3/1/2015
ZH7125	Blank. flange to globe v. DN 125 to H7..	S6	129.4	3/1/2015
ZH715	Blank. flange to globe v. DN 15 to H7...	S6	25.4	3/1/2015
ZH7150	Blank. flange to globe v. DN 150 to H7..	S6	162.4	3/1/2015
ZH720	Blank. flange to globe v. DN 20 to H7...	S6	26.9	3/1/2015
ZH725	Blank. flange to globe v. DN 25 to H7...	S6	28.4	3/1/2015
ZH732	Blank. flange to globe v. DN 32 to H7...	S6	37.4	3/1/2015
ZH740	Blank. flange to globe v. DN 40 to H7...	S6	41.2	3/1/2015
ZH750	Blank. flange to globe v. DN 50 to H7...	S6	49.4	3/1/2015
ZH765	Blank. flange to globe v. DN 65 to H7...	S6	56.1	3/1/2015
ZH780	Blank. flange to globe v. DN 80 to H7...	S6	83.1	3/1/2015
ZIP-RS232	Interface RS232/MP	S0	520.0	3/1/2015
ZIP-USB-MP	Interface USB/MP	S0	359.9	3/1/2015
ZK-BF	Clamp add. BF	S3	23.9	3/1/2015
ZK1-GEN	Tool-Cable RJ11 / NG	S0	62.1	3/1/2015
ZK1-VAV	Tool-Cabe RJ11 / Servicest. NMV-D2M, CR	S0	62.1	3/1/2015
ZK2-GEN	Tool-cable RJ11 / free wiring	S0	19.5	3/1/2015
ZK4-GEN	Tool-cable RJ11 / 3-Pol	S0	50.1	3/1/2015
ZK6-GEN	Tool-Kabel RJ12	S0	21.0	3/1/2015
ZKA-VRP-M	Cable adapter V-actuators -VRP-M	S4	8.2	3/1/2015
ZKO-VRD3	calibrate key VRD3 (50-300Pa)	S4	64.3	3/1/2015
ZN230-24	Plug-in power unit for MFT-C	S0	116.0	3/1/2015
ZN230-24MP	MP-Bus power supply for MP actuat	S0	158.6	3/1/2015
ZNV-003	NV-Bracket, 160 mm, L+S, stroke 2	S6	35.2	3/1/2015
ZNV-012	NV-Adapter, Cazzaniga, stroke 20	S6	38.9	3/1/2015
ZNV-015	NV-Bracket, 160 mm, Honeywell, st	S6	66.6	3/1/2015
ZNV-017	NV-Bracket, 160 mm, TAC, stroke 2	S6	18.7	3/1/2015
ZNV-018	NV-Bracket, 160 mm, Sauter, strok	S6	59.1	3/1/2015
ZNV-019	NV-Bracket, 110 mm, Johnson EU, s	S6	51.6	3/1/2015

ZNV-023	NV-Bracket, 160 mm, Satchwell, st	S6	49.4	3/1/2015
ZNV-024	NV-Bracket, 110 mm, Hora, stroke	S6	48.6	3/1/2015
ZNV-025	NV-Bracket, 110 mm, Osby, stroke	S6	55.4	3/1/2015
ZNV-030	NV-Bracket, 160 mm, Johnson EU, s	S6	68.1	3/1/2015
ZNV-032	NV Adapter-kit, IVS	S6	115.2	3/1/2015
ZNV-038	NV-Bracket, 110 mm, Danfoss, stro	S6	26.9	3/1/2015
ZNV-041	NV-Bracket, 110 mm, Johnson Contr	S6	64.3	3/1/2015
ZNV-050	NV-Bracket, 120 mm, TAC, stroke 2	S6	130.9	3/1/2015
ZNV-1	Housing top	S6	31.4	3/1/2015
ZNV-201	Adapter kit Siemens globevalve	S6	68.1	3/1/2015
ZNV-202	Adapter kit Schneider /TAC globevalve	S6	57.6	3/1/2015
ZNV-203	LDM spacer ring, stroke 20mm	S6	35.9	3/1/2015
ZNV-C	NV coupling replacement parts	S6	12.5	3/1/2015
ZPD-RE2	Press. measuring stick to VAV retrofit	S4	65.1	3/1/2015
ZPD-RE2-SET	Pressure sensor kit to VAV retrofit	S4	73.3	3/1/2015
ZPF-08	Adapter SR BFV FK08	S5	32.0	3/1/2015
ZPF-09	Adapter SRP BFV FK09	S5	32.0	3/1/2015
ZPF-10	Adapter SRP BFV FK10	S5	32.0	3/1/2015
ZPF-11	Adapter SRP BFV FH11	S5	32.0	3/1/2015
ZPF-14	Adapter SRP BFV FK14	S5	32.0	3/1/2015
ZPK-12	Adapter SRP butterfly valve KK12	S5	32.0	3/1/2015
ZPK-14	Adapter SRP butterfly valve KK14	S5	32.0	3/1/2015
ZPV-08	Adapter SRP BFV VK08	S5	32.0	3/1/2015
ZPV-09	Adapter SRP BFV VK09	S5	32.0	3/1/2015
ZPV-10	Adapter SRP BFV VK10	S5	32.0	3/1/2015
ZPV-11	Adapter SRP BFV VK11	S5	32.0	3/1/2015
ZPV-12	Adapter SRP BFV VK12	S5	32.0	3/1/2015
ZPV-14	Adapter SRP BFV VK14	S5	32.0	3/1/2015
ZR-003-TIC	Retrofit kit for Ticom valve	S5	132.4	3/1/2015
ZR-004	Mounting bracket to 6 way valve	S5	13.8	3/1/2015
ZR-H80	Manual adjusting for CCV	S5	15.3	3/1/2015
ZR2310	"Pipe connector 3/8"" to R2/R3"	S5	7.7	3/1/2015
ZR2315	"Pipe connector 1/2"" to R.."	S5	8.5	3/1/2015
ZR2320	"Pipe connector 3/4"" to R.."	S5	9.3	3/1/2015
ZR2325	"Pipe connector 1"" to R.."	S5	10.9	3/1/2015
ZR2332	"Pipe connector 1 1/4"" to R.."	S5	17.0	3/1/2015
ZR2340	"Pipe connector 1 1/2"" to R.."	S5	21.1	3/1/2015
ZR2350	"Pipe connector 2"" to R.."	S5	31.3	3/1/2015
ZR24-1	Stem heating for ball valve	S5	392.1	3/1/2015
ZR24-F05	Spindle heating flange ISO 5211, F05	S5	81.6	3/1/2015
ZR4510	"Pipe connector 3/8"" to R4/R5"	S5	6.4	3/1/2015
ZR4515	"Pipe connector 1/2"" to R4/R5"	S5	6.9	3/1/2015
ZR4520	"Pipe connector 3/4"" to R4/R5"	S5	6.9	3/1/2015
ZR4525	"Pipe connector 1"" to R4/R5"	S5	7.7	3/1/2015
ZR4532	"Pipe connector 1-1/4"" to R4/R5"	S5	10.9	3/1/2015
ZR4540	"Pipe connector 1-1/2"" to R4/R5"	S5	13.4	3/1/2015
ZR4550	"Pipe connector 2"" to R4/R5"	S5	18.6	3/1/2015
ZRV-301	Sauter attachment, stroke 50mm	S6	39.7	3/1/2015
ZRV-302	Siebe spacer ring, stroke 50mm	S6	36.7	3/1/2015
ZRV-303	Johnson Control spacer ring, stroke 50mm	S6	18.7	3/1/2015
ZS-100	16 GA Galvanized Weathershield Kit	S2	148.9	3/1/2015
ZS-101	Base Plate for ZS-100 Weathershield	S2	30.7	3/1/2015
ZS-150	One Pc Polycarbonate Weathershield Kit	S2	57.6	3/1/2015
ZS-260	Explosion Proof Housing	S2	1,840.6	3/1/2015
ZS-300	NEMA 4X Housing (304 Stainless Steel)	S2	2,096.5	3/1/2015
ZS-CCV-100	PICCV/CCV Weather Shield LRB(X), ARX	S5	282.8	3/1/2015
ZS-NV-10	Weather protection cover PVC	S6	254.4	3/1/2015
ZSF-08	Adapter SR BFV FK08	S5	40.4	3/1/2015

ZSF-09	Adapter SR BFV FK09	S5	40.4	3/1/2015
ZSF-10	Adapter SR BFV FK10	S5	40.4	3/1/2015
ZSF-11	Adapter SR BFV FK 11	S5	41.2	3/1/2015
ZSF-14	Adapter SR BFV FK14	S5	40.4	3/1/2015
ZSFF-08	Adapter SRF BFV FK08	S5	45.6	3/1/2015
ZSFF-09	Adapter SRF BFV FK09	S5	45.6	3/1/2015
ZSFF-10	Adapter SRF BFV FK10	S5	45.6	3/1/2015
ZSFF-11	Adapter SRF BFV FK11	S5	45.6	3/1/2015
ZSFF-14	Adapter SRF BFV FK14	S5	45.6	3/1/2015
ZSFK-12	Adapter SRF BFV Key d12	S5	45.6	3/1/2015
ZSFK-14	Adapter SRF BFV Key d14	S5	45.6	3/1/2015
ZSFV-08	Adapter SRF BFV VK08	S5	45.6	3/1/2015
ZSFV-09	Adapter SRF BFV VK09	S5	45.6	3/1/2015
ZSFV-10	Adapter SRF BFV VK10	S5	45.6	3/1/2015
ZSFV-11	Adapter SRF BFV VK11	S5	45.6	3/1/2015
ZSFV-12	Adapter SRF BFV VK12	S5	45.6	3/1/2015
ZSFV-14	Adapter SRF BFV VK14	S5	45.6	3/1/2015
ZSK-12	Adapter SR BFV KK12	S5	40.4	3/1/2015
ZSK-14	Adapter SR BFV KK14	S5	40.4	3/1/2015
ZSN-BF	Bracket	S3	26.9	3/1/2015
ZSN-BLF	Bracket	S3	26.9	3/1/2015
ZSO-11	Plug socket to BKS24-1B	S3	23.9	3/1/2015
ZST-BS	Cablesset with plug to BKN230-24	S3	29.9	3/1/2015
ZSV-08	Adapter SR BFV VK08	S5	40.4	3/1/2015
ZSV-09	Adapter SR BFV VK09	S5	40.4	3/1/2015
ZSV-10	Adapter SR BFV VK10	S5	40.4	3/1/2015
ZSV-11	Adapter SR BFV VK11	S5	40.4	3/1/2015
ZSV-11-4K	Adapter SR butterfly valve VK11-s	S5	43.4	3/1/2015
ZSV-12	Adapter SR BFV VK12	S5	40.4	3/1/2015
ZSV-14	Adapter SR BFV VK14	S5	40.4	3/1/2015
ZSY-001	Linkage kiit SY2/3 22x22mm to 14x14mm	S5	40.4	3/1/2015
ZSY-005	Linkage kit SY2/3 to BFV 14x14	S5	263.4	3/1/2015
ZSY-011	Adapter kit SY4/5/6	S5	76.3	3/1/2015
ZSY-012	Adapter kit SY2/3 on BFV SW17	S5	294.1	3/1/2015
ZSY-013	Adapter kit SY4/5/6	S5	74.8	3/1/2015
ZSY-014	Isolation capring kit to ARI DN125-DN200	S5	7.6	3/1/2015
ZSY-401	Retrofit kit for BFV D6400N/NL + SY4-6	S5	448.9	3/1/2015
ZSY-402	Retrofit kit for BFV D6450N/NL + SY5	S5	561.2	3/1/2015
ZSY-701	Retrofit kit for BFV D6400N/NL + SY7	S5	448.9	3/1/2015
ZSY-702	Retrofit kit BFV D6450-500N/NL + SY7-8	S5	561.2	3/1/2015
ZSY-901	Retrofit kit for BFV D650N/NL + SY9	S5	673.4	3/1/2015
ZSY-902	Retrofit kit for BFV D6600N/NL + SY9-12	S5	673.4	3/1/2015
ZSY-903	Retrofit kit for BFV D6700N/NL + SY12	S5	763.2	3/1/2015
ZTH EU	Service-Tool EU	S0	448.9	3/1/2015
ZWE50	"Label ""max. 50°C"" (1 Roll with 1000 p	S3	53.1	3/1/2015